# Jef Raskin / James Winter / IAI Patent -- Swyft Technology

# United States Patent [19]

# Raskin et al.

[11] Patent Number:

5,019,806

[45] Date of Patent:

May 28, 1991

## [54] METHOD AND APPARATUS FOR CONTROL OF AN ELECTRONIC DISPLAY

[75] Inventors: Jef Raskin, Cupertino; James Winter,

Los Angeles, both of Calif.

[73] Assignee: Information Appliance, Inc., Palo

Alto, Calif.

[21] Appl. No.: 338,413

[22] Filed: Apr. 11, 1989

## Related U.S. Application Data

[63] Continuation of Ser. No. 30,277, Mar. 23, 1987, abandoned, which is a continuation of Ser. No. 605,448, Apr. 30, 1984, abandoned.

[51]	Int. Cl,5	G09G 5/00
[52]	U.S. Cl	340/706; 340/709;
		340/711; 341/22
[58]	Field of Search 34	40/706, 709, 710, 711,

### [56] References Cited

#### U.S. PATENT DOCUMENTS

# OTHER PUBLICATIONS

Larry Tesler, "The Smalltalk Environment", BYTE Publications, Aug. 1981, pp. 90-147.

Stuart K. Card and Thomas P. Moran, "The Keystroke-Level Model for User Performance Time with Interactive Systems", Graphics and Image Processing, Jul. 1980, pp. 396-410.


Donald A. Norman, "Design Rules Based on Analyses of Human Error", Communications of the ACM, Apr. 1983, pp. 254–258.

Primary Examiner—Alvin E. Oberley
Assistant Examiner—Richard Hjerpe
Attorney, Agent, or Firm—Townsend and Townsend

#### [57] ABSTRACT


A method and apparatus are disclosed for controlling an electronic display using a keyboard to allow designation of desired regions on the display or in the memory of the system. A method of designating desired regions on the display under control of a keyboard which has at least one designation key includes the steps of positioning a cursor at a first location in fixed relationship to the desired region, activating a first designation key, and supplying through the keyboard signals to indicate a second location in fixed relationship to the selected region to cause a portion of the selected region between the first location and the desired location to be designated. The apparatus for designating a region on a display includes a processing unit coupled to the display, a keyboard connected to the processing unit to control the display, and first and second designation keys coupled to the processing unit for causing the processing unit to search the display for a pattern entered into the keyboard while at least one of the first or second keys is activated.


### 11 Claims, 3 Drawing Sheets



"Raskin 5019806 01\_39.PICT" 224 KB 2000-02-25 dpi: 300h x 300v pix: 1912h x 2901v

Jef Raskin / James Winter / IAI Patent -- Swyft Technology 5,019,806 U.S. Patent Sheet 1 of 3 May 28, 1991 2 "Raskin 5019806 02\_39.PICT" 141 KB 2000-02-25 dpi: 300h x 300v pix: 1912h x 2660v Patent # 5,019,806 -- 28 May 1991 Page 0002 of 0039





# METHOD AND APPARATUS FOR CONTROL OF AN ELECTRONIC DISPLAY

This is a continuation of Ser. No. 07/030,277, filed 5 Mar. 23, 1987, now abandoned, which is a continuation of Ser. No. 06/605,488, filed Apr. 30, 1984 now abandoned.

#### BACKGROUND OF THE INVENTION

#### 1. Field of the Invention

This invention relates generally to computer controlled displays, and in particular to a method and apparatus for designating a region on a display or stored in a memory which is under control of a keyboard, for example, during manipulation of information being displayed on such a display.

#### 2. Description of the Prior Art

As the price for computer hardware continues to decline, the number and extent of applications for com- 20 puters both in the home and in the workplace have increased enormously. In many such applications, notably the processing of textual material using so-called "word processing" techniques, the user of a computer system is called upon to designate locations or regions 25 of the material displayed on a screen or stored in the memory of the system. For example, the user may wish to locate and display a particular sentence in a document stored in the computer system, when only a small portion of the document can be displayed on a CRT 30 monitor coupled to the system at any one time. After locating or designating such locations or regions, the user of the system may enter additional information into the computer using a keyboard or other well known input device to modify the material displayed. For ex- 35 ample, the user of the system may designate a location in text displayed on or off the screen, at which location additional text is to be inserted. Alternatively, a user may designate a portion of the text to be deleted or moved to another location.

Many mechanisms have been developed to allow a user of a computer system to designate such locations or regions. Conventionally available systems include joy sticks, cursor control keys, special function keys, and pointing devices such as "mice."

Cursor control keys, also known as "step" keys, are conventionally divided in sets of four or more on a keyboard, with the up/down keys used to move the cursor from one line to the next, and the right/left keys used to move the cursor along a given line. Cursor 50 control keys, however, are among the slowest of all pointing mechanisms, primarily due to the large number of keystrokes required to move the cursor across large regions of the screen. For example, to position the cursor at a location 40 characters to the right on a given 55 line requires either 40 keystrokes, or holding the key down for 40 cycles. Because this process is tedious, computer system hardware and software designers have provided alternative cursor control keys which move the cursor a word, a sentence, or a paragraph at a time. 60 Unfortunately, each such alternative requires a separate key, or a separate set of keystrokes, resulting in a difficult to remember set of commands. Furthermore, for many operations the user must first mentally plan a path from the present to the desired cursor position. Such 65 planning requires time and effort, frequently resulting in the user of such a system relying only upon the repeated actuation of the principle cursor control keys.

2

Another commonly used technique for designating locations or regions of text on a screen is by the use of graphic pointing devices, such as mice, graphics tablets, joy sticks, trackballs, touch pannels, touchsensitive screens, light pens, and the like. Graphic pointing devices, however, cannot point to regions not shown on the display. In addition to the added desk space required, the expense of these devices adds to the cost of the product with which they are used. Such devices are generally slow because of the time required for the operator to remove his or her hands from the keyboard, grasp or pick up the device, use the device, release it and then return to the keyboard in the correct position. Graphic pointing devices also require the user to maintain both the present and desired cursor positions in view and shift attention from one to the other.

Yet another technique for enabling a user to position a cursor to a desired location on a screen is the use of "find" commands. In conventional text processing equipment, a find command requires the user to enter a mode where keystrokes are interpreted as a pattern to be found, rather than as additional text or system commands. To use a find command the operator activates a switch where subsequent keystrokes are interpreted as the pattern to be found, enters the desired keystrokes, and then terminates the pattern using a delimiter which signals the end of the pattern and starts the search. Other systems require the user to end the pattern with a first signal, and then start the search with a second signal.

Find commands, however, have two major disadvantages. First, because the find command creates a separate mode of operation of the same keys, human errors and user irritation are prone to occur because the same keystrokes do not always represent the same activity. The user of such a system must always be aware of which mode it is in. The second major problem with find commands is the necessity of delimiting the pattern. The delimiter, of course, cannot be used in the pattern, meaning that any character chosen as the delimiter either must be excluded from the text or cannot be found by the find mechanism. Additionally, most implementations of the find command require that a portion 45 of the display screen be reserved for displaying the pattern as it is entered. This reserved space consumes valuable display area, particularly on portable computers using smaller display areas. Additionally, with most implementations of find commands, the user cannot find a pattern prior to the current cursor position without either reversing the direction of the find command, using a separate command or yet another mode, or first moving the cursor to the beginning of the text or some other point ahead of the material to be searched.

#### SUMMARY OF THE INVENTION

The method and apparatus of this invention provide a technique for rapidly and accurately initiating a search of text or other information stored in computer storage apparatus or displayed on a screen without using cursor control keys, graphic pointing devices, or modal systems such as the find command. As a result the system of this invention is simpler and faster to use, and may be used with substantially fewer errors than prior art systems. At its simplest level the system allows the designation of a particular character on a display or in a real or virtual memory, even in the presence of other instances of that same character without removing the operator's

"Raskin 5019806 05\_39.PICT" 339 KB 2000-02-25 dpi: 300h x 300v pix: 1936h x 2992v

hands from the keyboard or switching to a different

In one embodiment a method of designating a desired region in a computer storage apparatus under control of a keyboard or other input means, having at least one 5 designation means, includes the steps of positioning a cursor at a first location in fixed relationship to the desired region, activating a first designation key, and supplying through the keyboard signals to indicate a gion to thereby cause that portion of the desired region between the first location and the second location to be designated. In the preferred embodiment after the region is designated the first designation key is released or deactivated to return the keyboard to normal operation. 15 In the preferred embodiment, the step of positioning the cursor at a first location consists of the steps of activating a second designation key and supplying through the keyboard signals to indicate the first location. Usually indicate a location consists of striking keys corresponding to the display or the contents of the memory at the desired location.

In one embodiment a method of designating a particular character on a display under control of a keyboard 25 and a designation key not necessarily on the keyboard comprises activating the designation key and while the designation key is activated supplying through the keyboard signals consisting of the particular character, and if necessary other characters to provide a context to 30 distinguish the particular character from other instances of the same character, whereupon an indication is given that the particular character has been designated.

In a preferred embodiment apparatus for designating pled to the display; a keyboard connected to the processing unit; and first and second switchable designation means coupled to the processing unit for causing the processing unit to search the display for a pattern entered into the keyboard while at least one of the first and 40 second switchable designation means is activated, wherein the first designation means causes the processing unit to search for the pattern in a first direction from a selected location on the screen, and the second designation means causes the processing unit to search in an 45 tions in the text, etc. opposite direction. The first and second designation means usually are keys on the keyboard.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram illustrating the apparatus of 50 the preferred embodiment.

FIG. 2 is a flow-chart illustrating the method of the preferred embodiment.

FIG. 3 is a flow-chart illustrating in detail a step in the flow-chart of FIG. 2.

### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

FIG. 1 is a block diagram of a system, including a keyboard illustrating one embodiment for the apparatus 60 of this invention. The keyboard depicted is a standard keyboard with the exception of a "rex" and "lex" keys provided at opposite ends of the shortened space bar key. The "lex" and "rex" keys are electrically connected to the computer in such a way that the two states 65 in which either may be at any instant of time-up or down-may be detected independently of the state or states of any other key or keys on the keyboard. The lex

and rex keys are additional keyboard keys constructed in the same manner as the keys in a conventional keyboard, that is, as momentary contact push buttons labeled to reflect their function.

In the preferred embodiment activation (depression) of the lex key causes the computer system to search to the left of the present cursor location for whatever pattern is entered into the keyboard while the lex key is held depressed. Thus, to search for the first occurrence second location in fixed relationship to the desired re- 10 of the pattern "Je" to the left of the present cursor position, the user will depress the lex key, and enter a capital J. In the manner explained in detail below, the computer system will search its memory, including the portion of the text displayed, for the first occurrence of "J" to the left of the present cursor position. When found, that portion of text will be displayed with the cursor positioned at the newly found "J". As soon as the user enters "e" the system will search for the first occurrence of the pattern "Je" to the left of or at the present the steps of supplying through the keyboard signals to 20 cursor position (now "J"). If the operator of the system desires to search for "Jef", the lex key will be held in an activated position and an "f" typed to continue the search. At the conclusion of the search the cursor will be positioned in a fixed relation to the first occurrence to the left of the previous cursor position at which the pattern "Jef" occurs. The user of the system may now proceed to edit the text at this location, for example, by inserting, deleting, or changing the display using other

Next, assume that rather than designate only the first occurrence of the above pa&tern, the user of the system desires to designate the remainder of the sentence in which "Jef" occurs. This may be accomplished by depression of the rex key and entry through the keyboard a region on a display comprises a processing unit cou- 35 of a ".". In the preferred embodiment this will cause the system to designate the entire segment of text beginning with "Jef" and ending with ".". In this manner desired segments or regions of textual or other material may be rapidly and accurately designated and displayed on the screen, without the disadvantages of the prior art systems described above. Once designated, well known additional manipulation may be performed on the specified regions, for example, deleting the designated material, movement of the designated material to other loca-

> Although the rex and lex functions are depicted in FIG. 1 as being accomplished by extra keys on a keyboard, other well-known implementations may be readily employed to accomplish the same functions. For example, foot pedals or other switches may be used. All such alternative input devices are termed designation means herein.

In operation when either the lex or rex key is depressed, no immediate change occurs on the screen. 55 When the first character of the pattern is typed, however, an internal pointer, which may be represented by a cursor, or other indicator on the screen, begins moving to the left or right, depending on whether the lex or rex key was depressed. Under control of the computing system, each character encountered as the cursor travels is inspected to determine whether it corresponds to the character entered into the keyboard. Because (in a conventional computing system) of the rapidity with which each character may be compared to the desired one, the inspection takes place too quickly to be observed. To the operator of the system the effect is as if the cursor suddenly moved to the position where the pattern was found. If the user continues to hold the lex

"Raskin 5019806 06\_39.PICT" 346 KB 2000-02-25 dpi: 300h x 300v pix: 1936h x 2949v

or rex key depressed and types further characters, each character is added to the pattern, and as each is added the search proceeds for the entire pattern entered to that moment.

Although throughout this application reference is 5 made to material being displayed on a screen, it should be understood that the extent to which the material is displayed on the screen is arbitrary, and not related to the invention. For example, in a typical word processing environment, the amount of text displayed on the 10 screen at any given instant primarily will be determined by the size and type of display, and the software operating on the host computer. In application of this invention to such a system, the search performed by the processing unit will proceed through all (or a desired por- 15 tion) of the text in the desired document, whether or not all such text is actually "displayed" on the screen at the instant the search begins.

In some embodiments of the invention to avoid having to know in advance where in the text the desired 20 pattern occurs with respect to the present position of the cursor on the screen, the entire text may be treated as though the first character were concatenated to the last character. Thus, when the lex key is depressed the position) and continue to the beginning of the text, and then pick up at the end of the text and continue back to the former cursor location until the desired pattern is found or not found.

In other embodiments of the invention to avoid hav- 30 ing to know in advance where in the text the desired pattern occurs with respect to the present position of the cursor on the screen, the search may proceed in the direction indicated by the choice of either the lex key or the rex key, however if the search fails in the indicated 35 direction, the search then automatically proceeds from the cursor location in the other direction. Thus, when the rex key is used to initiate a search to the right from the present cursor location and the pattern is not discovered between the present cursor location and the last 40 character of the text, the search then automatically resumes from the left of the present cursor position up to and including the first character of the text if neces-

FIG. 2 is a flow-chart illustrating a preferred embodi- 45 ment of the method of this invention. As shown in FIG. 2 the method begins with "booting" the system and initializing it. If no textual matter is loaded into the system at this time, the display point, (the point displayed on the screen), and the original point (the last 50 stored point to which the lex or rex keys caused the system to locate) are the same point and at the upper left hand corner of the display screen. During the initialization a flag referred to as the "newpattern" flag is set as true. See block 15 in FIG. 2. The new pattern flag is an 55 indicator used to determine whether or not to erase a pattern to be searched for. Setting the new pattern flag causes the system to ignore any existing pattern, in effect indicating that any characters subsequently entered are the beginning of a new pattern.

If a program has been entered at the time the system is booted, then the original point, display point, and new pattern flag are set in accord with the instructions from the stored program. (The reference numerals associated with the locations in the flow-chart are not indicative of 65 the order in which the steps on the flowchart are performed, but simply used for the convenience of explanation.)

6 The system is then placed at block 18 designated Begin. Under control of the host program, and using well-known apparatus, the condition of the keyboard is monitored with a desired frequency. Assuming that neither the lex nor rex keys are depressed, operation of the system proceeds as shown generally within block 20. Operation of the system in this manner is essentially the same as a conventional keyboard and display. The new pattern fag is set true at block 21 and then a test is made at block 22 to determine whether a legal character, that is, an ASCII character meaningful to the logic, has been entered through the keyboard. If not, as shown by path 23, the system returns to block 18. If a legal character has been entered through the keyboard, a test is made at block 24 to determine whether the character was a command. If the character is not a command it is inserted into the display, the display point is advanced, and the original point is set to the current display point. Operation of the system then proceeds along path 23 to return to bock 18, and the cycle repeated. If a command has been entered at block 24 the system then executes the command (block 25), and returns via path 23 to block 18.

If at block 19 either the lex or rex keys have been search will proceed to the left (or forward of the cursor 25 depressed, operation of the system proceeds along path 27 to decision block 29. As shown, at block 29 a test is performed to determine whether both the lex and rex keys have been depressed. If so, operation of the system proceeds into block 30. In this portion of system operation a test 31 is performed to determine whether "marked" text has been extended between the characters designated by both the lex and rex keys. Marked text is text made obvious by reverse video, blinking, brightness, color, or other well-known techniques. Of course, on the first pass through this loop there will not be any "marked" text unless the system has been operating in block 40, so the test will fail transferring the system to block 32. As shown by block 32 all text between the display point and the original point is then marked and system operation returns to block 18. If at block 31 text has already been marked, system operation passes to a determination of whether a legal character 33 has been entered. If so, the character is interpreted as a serial communication control character according to block 35. If not, system operation returns to bock 18.

If the decision at block 29 is false, that is, not both the lex and rex keys have been activated, then system operation proceeds to block 39 to determine whether or not a legal character has been entered. If a legal character has not been entered from the keyboard, for example, by keys on the keyboard simply not having been depressed during that cycle of operation, then system operation returns to block 18.

If a legal character has been entered a test is first made at block 41 to determine whether the character entered was the delete key. If the delete key is activated, a test is made at block 42 to determine whether the pattern typed while the lex or rex key was held includes more than one character. If it does, then as shown by block 43, one character is deleted from the pattern and a search is performed from the original point to locate other instances of the same pattern. The manner in which the search is performed at block 43 is discussed in further detail in conjunction with FIG. 3. System operation then returns to block 18. If at block 42 only a single character is found in the pattern, then as indicated by block 44 the entire pattern is deleted, and system operation returns to block 18.

"Raskin 5019806 07\_39.PICT" 358 KB 2000-02-25 dpi: 300h x 300v pix: 1942h x 2962v

Patent # 5,019,806 -- 28 May 1991

Page 0007 of 0039

If the delete key was not depressed at block 41, then system operation proceeds to block 45 to determine whether a key has been activated to indicate that the search should be repeated. (As explained below if a search has not been performed then the again key is 5 effectively ignored.) If the again key is activated then a test is made at block 46 to determine whether one or more characters are in the pattern. If one or more characters are not in the pattern, then system operation returns to block 18. If one or more characters are found 10 to be in the pattern, then a search is made as shown by block 47 from the display point for the pattern, and system operation returns to block 18. If the again key is not active, then at block 48 the system determines whether the new pattern fag has been set. If it has been 15 set, the pattern is cleared and the flag reset as shown by block 49. If the new pattern flag is not set, the legal character entered at block 39 is added to the pattern and a search is made from the display point for the entire pattern.

The method by which the search referred to in blocks 43, 47, and 51 is conducted is shown in further detail in FIG. 3. As shown there, once the search is initiated a decision is made at block 61 as to whether the rex key is made to determine whether the display point is to the left of the original point. If that condition is true, then a search is conducted to the left. If that condition is found false, the search is conducted to the right. If the search to the right is unsuccessful, then as shown by block 64 30 a search is made to the left. At the end of searching in one or both directions, system operation passes to block

If at block 61 the rex key is not depressed, and the test in block 65, a search is made to the right. If the display point is not to the right of the original point then a search is made to the left as shown by block 66. If this search is not successful, the search is made to the right as shown at blocks 66 and 67.

Whatever the outcome of the searches performed in the upper portion of FIG. 3, a new test is made at block 70 to determine whether the search is successful. If the search was successful then the found point 72 is used as the present display point (cursor location) 73. If the 45 tence, by entry of a "." while both keys are depressed. search was not successful, then the original point 74 is used as the display point 73.

In some embodiments of the invention the effect of activating the rex and lex keys will not be symmetrical. In one such embodiment the lex key will be used to skip 50 to the designated pattern from the present cursor position in the manner explained above. Thus, entry of a pattern will not cause the entire region of text between

the present cursor position and the entered pattern to be selected, but will rather cause selection of only the pattern or a portion of the pattern such as the first character. That is, no text will be selected but the cursor will be relocated in fixed relationship to the text matching the pattern, for example, immediately to the left or right of the text matching the pattern. In contrast, use of the rex key in such embodiments will cause the entire portion of the text between the present location of the cursor and the designated pattern to be selected. Using the lex and rex keys in this manner, if an entire sentence is to be selected, the lex key will be depressed and a pattern corresponding to the pattern at the beginning of the desired sentence entered. The lex key is then released and the rex key depressed. A pattern corresponding to the end of the sentence, for example, a "." is entered. This will cause the text selected to be the entire text material between the pattern entered with the lex key and the pattern entered with the rex key to be chosen. In such embodiments, the selected text usually will be presented in highlighted fashion, for example by underlining, reverse video, blinking, or other well known display techniques.

The method and apparatus of this invention have active. If so, the system passes to block 63 and a test is 25 numerous applications beyond the editing of text in the manner described above. For example, the search techniques of the invention may be utilized with read only text such as published material, telephone directories, optical discs, etc. to quickly locate and view desired portions of such text. In such applications, as well as in the editing text, the particular direction which the search takes may be varied to suit the particular application. For example, if all searches are to proceed in a single direction, the provision of only a single rex or lex display point is to the right of the original point after the 35 key will be necessary. In other applications it may be desirable to have the search proceed in alternating directions beginning with the direction in which the desired pattern is closest to the present cursor location.

In some embodiments of the invention both the lex 40 key and the rex key may be simultaneously activated to cause the search to proceed in both directions simultaneously. Such embodiments are particularly useful for enabling selection of a single word by entering a blank while both keys are depressed, or selection of a sen-

In the preferred embodiment the method of this invention is carried out by an Apple IIe computer operating under control of the program attached as an Appendix to this application.

The foregoing explanation of the preferred embodiments of the invention are intended to illustrate the invention, rather than limit it. The scope of the invention may be ascertained from the appended claims.

55

60

9

5,019,806

10

APPENDIX

Address						ŀ	łe z a	∡d e d	ima	1							ASCII
0800	EA	4 C	41	1A	FΔ	4 C	55	1 A	00	00	01	00	C9	61	08	00	. LA LU a
0810		02	FF	00	FF	01	00		1F	00	01	00	DC	61	DC	61	Pa.a
0820	OA	31	00	B8	08	00	83	4 C	49	D4	00	00	2 E	08	B1	18	.1LI
0830	48	E6	18	DO	02	E6	19	B1	18	E6	18	DO	02	E6	19	CA	Н
0840	CA		01	68	95	00	ΑO	01	B1	18	85	0 B	88	B1	18	85	h
0850		18	A5	18	69	02	85	18	90		E6	19	4 C	09	00	84	iL
0860	43	4 C	49	D4	26	08	68	08	B1	18	48	98	4 C	39	08	0 A	CLI.&.hH.L9
0870	85	OF	B5	00	99	10	00	E8	C8	C4	OF	DO	F 5	ΑO	00	60	
0880	87	45	58	45	43	55	54	C5	5F	08	8 C	80	B5	00	85	0 A	.EXECUT
0890	B5	01	85	0B	E8	E8	4 C	09	00	85	52	44	52	4F	DO	80	LRDRO
0880	08	A3	08	68	68	4 C	46	08	86	42	52	41	4E	43	С8	99	T hhLF BRANC
08B0	08	B3	0.8	18	B1	18	65	18	48	C8	B1	18	65	19	85	19	e . H e
0800	68	85	18	4C	48	08	87	30	42	52	41	4E	43	C8	A8	8 0	hLHOBRANC
0000 0000	D2	08	E8	E8	B5	FE	15	FF	F0	D9	18	A5	18	69	02	85	i
08E0	18	90	02	E6	19	4 C	46	0.8	86	28	4 C	4F	4F	50	Α9	C6	LF(LOOP
08F0	08	F 3	08	86	0 E	BA		01	01	D0	03	FE	02	01	18	BD	
0900	03	01	FD	01	01	BD	04	01	FD	02	01	A6	0 E	0 A	9.0	A3	
0910	68	68	68	68	4 C	DΑ	08	87	28	2 B	4 C	4F	4 F	50	A9	E8	hhhhL(+LOOP
0920	08	23	09	E8	E8	86	0E	<b>B</b> 5	FF	48	48	B5	FE	BA	E8	E8	.#HH
0930	18	7 D	01	01	9 D	01	01	68	7 D	02	01	9 D	02	01	68	10	. } h } h .
0940	BD	18	BD	01	01	FD	03	01	BD	02	01	FD	04	01	4 C	ΟB	L .
0950	09	84	28	44	4F	A9	17	09	5A	09	B5	03	48	B5	02	48	(D0ZHH
0960	B5	01	48	B5	00	48	E8	E8	E8	E8	4 C	46	8 0	85	32	44	HHLF2D
0970	5 2	4 F	$D\theta$	51	09	66	09	81	DZ	δD	09	7 D	09	86	0E	BA	RO.Q.fm:}
0980	BD	01	01	48	BD	02	01	A6	0E	4 C	3 F	08	81	C 9	77	09	HL?w.
0990	7 D	09	85	52	50	49	43	CB	8 C	09	9 C	09	B 5	00	0 A	E8	)RPIC
09A0	E8	85	10	86	ØΕ	BA	A8	18	65	10	ĀΆ	4 C	0.8	09	81	CA	e L
09B0	92	09	B4	09	A9	04	DO	E9	81	CB	ΑE	09	ΒE	09	A9	8 0	• • • • • • • • • • • • • • • • • • • •
0960	D0	DF	85	44	49	47	. 49	D4	B8	09		09	38	B5	02	E9	BIGI8
09D0	30	30	18	C9	0 A	30	07	38	E9	07	C9	0 A		0 D	D5	00	000.80
09E0	10	09	95	02	A9	01	48	98	4 C	41	08	98	48	E8	E8	4 C	H.LAHL
09F0	41	08	86	28	46	49	4E	44	A9	C2	09	FD	09	A 9	02	20	A.,(FIND
0 A 0 O	6F	08	86	0E	0A	0.0	B1	10	51	12	29	3F	DO	2 D	C8	B1	oQ.)?
0A10	10	51	12	0 A	D0	23	90	F6	A6			CA		CA	18	98	.0#
0 A 2 O	69	05	65	10	95		A0	00	98	65		95		94			i.ee
0 A 3 O				A9									B1				HL?
0 A 4 0	C8	B1			C8				11		10	0.5			B5		HL?ENCLOS
0A50				48		3F			45				4F				.c 08
0 A 6 O			0A			20			8A				AA F6			94 03	
0A70			12		10			C8		F7							Lq
0A80	F6				0A					D0		94	0.2	94			LF
0A90							D0		F6		4C	46 DB			4 C		LF
OAAO	D0	06	E6	13			F6		C5			DB	94 A9		20		CMOV.Wo
OABO		86		43	4D	4F	56						C4				0110 v.w 0
OACO	08	98		E5	10	85	10	B1					00				LF
OADO	C6	11	10	03	4 C	46	08						03				CMOV o.
OAEO	E6	85	42	4D	4F D0												
OAFO	B1	14	U 4	ΤÜ	טע	U A	סט	7.1	10	U J	4 U	40	00	7.1	1 6	טט	

"Raskin 5019806 09\_39.PICT" 257 KB 2000-02-25 dpi: 300h x 300v pix: 1954h x 2872v

																	nology
				11					3,0	19,8	800					12	2
Address						ŀ	dena	a d e	cima	3 1							ASCII
0800	DO	EE	E6	15	E6	13	4 C	FO			46		4 C				LFIL
0B10	12	OB	B5	00	48	E8	EΒ	Α9	02	20	6F	8 0		A 5	12	E9	H o.8
0B20	01	85	14	A5	13	E9	00	85	15	68	4 C	FΖ		90	0 B	18	hL
0B30	65	10	A8	Α5	11	65	15	85	15		66	15	6 A			66	eef.jf.f
0B40	12	CA	D0	E9	A6	0 E	60	86	0E	84	15	B5	01	DO	1 D	B5	
0B50	03	85	11	<b>B</b> 5	02	85	10	B5	00	85	12	98	A2	09	20	3 D	
0B60	0 B	95	03	A5	15	95	00	A5	13	95	02	60	94	01	85	11	
0B70	B5	00	85	10	B5	02	85	12	B5	03	F0	ΕO	85	13	98	ΑZ	
0B80	17	20	3 D	0 B	95	00	Α5	15	95	01	A5	12	95	02	A5	13	· · · =
0B90	95	03	60	82	55	AA	09	ΟB	9 A	OB	20	47	0 B	4 C	46	08	'.U G.LF.
0BA0	81	AA	93	0 B	A6	0 B	20	47	0B	83	E8	4 C	46	08	82	55	GLFU
0 BB 0	AF	A0	OB	<b>B</b> 5	0 B	<b>B</b> 5	04	B4	02	94	04	ΟA	95	02	B5	05	
OBCO	B4	03	94	05	2 A	95	03	A9	10	85	10	36	04	36	05	08	*6.6
OBDO	38	B5	04	F5	00	A8	B5	05	F5	01	90	09	94	04	95	05	8
OBEO	28	38	4 C	EC	0 B	28	90	04	94	04	95	05	36	02	36	03	(8L(6.6.
OBFO	C 6	10	D0	D7	4 C	68	09	83	41	4E	C 4	ΑE	0 B	FF	0 B	B5	LhAN
0000	0.0	35	02	48	B5	01	35	03	E8	E8	4 C	41	08	82	4F	D2	.5.H5LAO.
0C10	F7	OB	14	0 C	B5	00	15	0.2	48	B5	01	15	03	E8	E8	4 C	HL
0C20	41	08	83	58	4F	D2	0 D	0 C	2 A	0 C	B5	00	55	02	48	B5	AXO*V.H.
0 C 3 O	01	55	03	E8	E8	4 C	41	08	83	53	50	CO	22	0 C	40	0 C	.ULA5P.".@.
0C40	8 A	48	Α9	00	4 C	3F	08	81	BO	38	0C,	4 D	0 C	A9	00	F0	.HL?8.M
0 C S O	FO	81	B1	47	0 C	57	0 C	Α9	01	D0	E6	83	53	50	A1	51	G.W5P.Q
0600	0 C	63	0 C	ΑO	06	B1	0 C	AA	4 C	46	8 0	83	5 Z	50	Ai	5B	.cLFRP.[
0070	0 C	73	0 C	86	0E	A0	08	B1		AA		A6		4 C	46	8 0	.5LF.
0C80	82	3 B	D3	6 B	0 C	87	0 C	68	85	18	68	85	19	4 C	46	80	.;.khhLF.
0090	82	2 F	C 3	80	0 C	97	0 C	B5	01	94	01	4 C	41	0 C	85	4 C	./LAL
OCA0	45	41	56	C5	90	0 C	8 A	0 C	88	0 E	ΒA	BD	01	01	9 D	03	EAV
OCBO	01		02	01	9 D	04			0 E		46		82			9E	LF
0000	0 C	C 3	0 C	B5	01	48	B5	00		E8							HHLFR
OCDO				D5		CA				00			01		46	8 0	h.h.LF.
OCEO										15				DO	01		.0
OCFO										E0			00		30	BC	LFNO0.
0 D O O			04			01				01			4 C				
0 D 1 0				OC						02			4 C				1LF
0D20	32			0 D						69		95	0.0		EB		2&iL
0 D 3 O	46	08	82			1F				38.					95		F19.8u
0D40	BO		D6			46				AD					18		LF2.2.N
0 D 5 O	E9	82			47		58		16		36	01		46			2.G.X6.LF
0 D 6 O	3 2	AF		0 D		0 D	56	01	76			46	8 0		AB		2.Q.f.V.v.LF
0 D 7 0		73	OD	18		00	75		95	02	B5	01	75		95		.suu
0D80		E8		46		81			0 D	8B	0 D	38	B5		F5		LFm8
0 D 9 O			B5		F5		95			E8		46	08	82	.44		LFD.
ODAO	8 5	0 D	A4			B5				95			03	75	07		
ODBO	07			75						75					66		uuLf.
ODCO										OD					95		.MINU8
ODDO										44							LFDMINU
ODEO				38						98							OVE H.L.

OD 84 4F 56 45 D2 D8 OD FA OD B5 O2 48 B5 O3 4C

ODFO

..OVE......H..L

		Je	ef R	ask	in /	Jan	nes	Wir	nter	/ <b> </b> A	l Pa	ater	nt	Sw	yft <sup>-</sup>	Гесhr	nology
									5.0	19,	306						
				13					٠,٠	,						14	
Address						F	lexa	dec	ima	1							ASCII
0E00	3 F	08	83	52	4F	D4	F1	OD	0 A	0E	B5	04	48	B 4	05	B 5	?ROH
0E10	02	95	04	B5	03	95	05	B5	00	95	02	BS	01	95	03	98	
0E20	4 C	41	08	84	44	52	4F	D0	02	0E	68	09	84	53	57	41	LADROhSWA
0E30	D0	23	0E	35	0E	<b>B</b> 5	00	B4	02	95	02	94	00	B5	01	B4	.#.5
0E40	03	95	03	94	01	4 G	46	0.8	83	44	55	D0	2 C	0 E	50	0 E	LFDU.,.P.
0E50	B 5	00	48	<b>B</b> 5	01	4 C	3F	0,8	84	2 D	44	55	DO	48	0E	61	HL?DU.H.a
0E60	0 E	B5	00	15	01	D0	E9	4 C	46	80	82	2 B	A1	58	0 E	71	LF+.X.q
0E70	0 E	18	A1	00	75	02	81	00	F6	00	D0	02	F6	01	A1	00	<b>u</b>
0E80	75	03	81	Οū	4 C	66	09	86	54	4F	47	47	4 C	C 5	6 A	0 E	uLfTOGGL.j.
0E90	92	0 E	Ai	02	55	00	81	02	4 C	66	09	81	CO	87	0E		ULf
0EA0	0 E	Ai	00	48	F6	00	DO	02	F6	01	A1	00	4 C	41		82	HLA
0EB0	43	CO	9 B	0 E	B6	0E	A1	0.0	95	00	94	01	4C	46	08	81	CLF
QECO	A1	AF	0E	C5	OΕ	B5	02	81	00	F6	00	DO	02	F6	01	B5	
OEDO	03	81	00	4 C	66	09	82		A1	BF	0E	DD	0E	B5	02	81	LfC
OEEO	00	4 C	66	09	Ci	BA	D6	0E		0E	EF	12	AB	12	DO	10	. L f
0EF0	9 F	0 E	C2	10	C3	0E	B0	17	70	13	BF	13	A5	19	48 4C	A5	.HieLF
0F00	18	48	18	A5	0 A	69	02	85	18	98 4C	65 13	0B 85	85 0C	19 84	13	46 62	b
0F10	08	C1	BB	E4	0E	FC 4F	0E 4E	17 53	13 54	41	4E	D4	11	0F	FC	0 E	CONSTAN
0F20	13	85	00	88 11	43 BF	13	CA	CA	A0	02	B1	0A	95	00	08	B1	X
0F30	D7	13 95	58 01	4 C	46	08	88	56	41	52	49	41	42	4 C	C 5	23	LFVARIABL.#
0F40 0F50		FC	0E	2 E	0F	BF	13	CA	CA	18	A5	0A	69	02	95	00	<b>i</b>
0F60	A5	OB	69	00	95	01	4 C	46	08	84	55	53	45	D2	46	OF	iLFUSE.F.
-0F70	FC	0E	2 E	OF	BF	13	CA	CA	18	ΑO	02	B1	0A	65	0 C	95	e
0F80	00	C8	B1	0 A	65	0D	95	01	4 C	46	08	81	ΒZ	69	0 F	36	eLFi.6
0F90	0 F	02	00	81	B3	.8B	0F	36	OF	03	00	81	B4	93	0.F	36	6 6
OFAO	OF	04	00	82	2 D	B1	9 B	0F	36	0F	FF	FF	82	42		A3	6B
0FB0	OF	36	0 F	20	00	83	43	2 F	CC	AC	θF	36	0F	28	00	85	.6C/6.(
OFCO	46	49	52	53	D4	<b>B</b> 5	OF	36	0F	E0	97	85	4 C	49	4 D	49	FIRS6LIMI
OFDO				36	OF	00	B8	85	42	2F	42	55	C 6	CR	0F	36	6B/BU6
OFEO		00			42										00		B/5C6
OFFO			53		D2			36							4B		C/SC6BLK/ D6SEC/TR.
1000	44		EF				8C			53		43		CE	52	10	6+DRIGI
1010					10			2B 0D			49			16	10		,q5v
1020		0E				08 B0			76						49		R.*.vTI.
1030			25	0 <i>L</i>	0.7	0.0	85										3.vWIDT.(.v.
1040 1050	33					52						10					WARNIN.F.v
1060	85					C5			76			00		44		60	.FENG.R.vD.
1070		76				88						49			6 C		.vVOC-LIN.1.
1080		0F			83			CB							82		vBL.u.vI
1090		84						83			D4	8E			OF		♥OU♥
10A0		83				97		76	OF		00	86		46		53	SC∀OFFS
10B0	45	D4	A1	10	76	0F		00	87						58		EVCONTEX.
1000		10						43			52				B8		vCURREN
1000	76	OF	22	00	85	53	54	41							24		v."STATv.\$.
10E0	84	42	41	53	C5	D4	10	76	OF	26	00	83	44	50	CC	EU	.BASv.&DP
10F0	10	76	0 F	28	00	83	46	4 C	U4	EB	10	16	110	ZA	υÜ	83	.v.(FLv.*

		Je	et R	ask	ın /	Jan	nes	VVir	nter	/ IA	I Pa	aten	τ	SW)	/Tt I	echno	ology
				4-					5,0	)19,	806					16	
Address				15		I	lena	a d e c	cima	a I						. 10	ASCII
	4.0	בי	TΛΛ	r.	1 //	76	0F	2 C	0.0	82	52	አገ	FF	10	76	0F	C5v.,Rv.
1100	43 2E	53	D0 83	F5	10 4C	7 6 C 4	09	11	76	0F	30	00	85	45	5 2	52	HLv.OERR
1110	49	CE	12	11	76	OF	32	00	86	45	52	52	42	4 C	CB	1C	Iv.2ERRBL
1120		76	0F	34	00	84	48	45	52	C5	28	11	FC	0E	71	10	.v.4HER.(q.
1130	11 9F	0 E	85	00	85	41	4C	4C	4 F	D4	35	11	FC	0E	71	10	ALLO.5q.
1140	6F	0E	85	0 C	81	AC	44	11	FC	0E	3 C	11	C3	0E	8 F	0F	oD(
1150		11		0 C	82	43	AC	54	11	FC	0E	3 C	11	DB	0E	55	LC.T
1160	4 C		85		0.00	85	53	50	41	43	C5	64	11	FC	0E	B1	.LSPAC.d
1170	00	4 C 6 B	11 1F	85 85	0 C	38	33 B5	00	F5	02	B5	01	F5	03	94	03	.k8
1180	0 F				F5	00	B5	03	F 5	01	94	03	60	82	55	BC	`8
1190	60	38	B5 A4	02 11	20	91	11	B0	01	C8	94	02	E8	E8	4 C	46	uLF
11A0	75	11 82	55	BE	20 9D	11	B8	11	20	85	11	90	EC	BO	EB	81	
11B0	80 29			C5	11	20	91	11	50	02	49	80	10	DC	30	D9	P.I0.
1100	BC	B1 3C	11 BD	BF	11	D7	11	20	85	11	50	02	49	80	10	C 9	.(
11D0	82 30	C8	81	BD	DO	11	E8	11	B5	0.1	D5	03	DO	04	B5	00	0
11E0 11F0	D5	02	94	03	F0	B3	DO	B2	83	5.5	3 C	BD	E2	11	00	12	
	20	85	11	90	A5	BO	AZ	83	55	3 E	BD	F8	11	0F	12	20	U>
1200 1210	91	11	90	96	BO	93	81	BE	07	12	10	12	20	85	11	4 C	
1220	C8	11	82	3 E	BD	16	12	29	12	20	91	11	4 C	DA	11	88	))L
1230	54	52	41	56	45	52	53	C 5	22	12	FC	0E	33		F8	0 D	TRAVERS."3
1240	71	0 D	66	08	7F	F8	0 D	B4	0E	C3	11	DO	08	F1	FF	33	q.f.≣
1250	0E	2 A		85	0 C	86	4 C	41	54	45	53	D4	2 F	12	FC	0E	.*LATE5./
1260	DO	10	9 F	0E	9 F	0E	85	00	83	4 C	46	C1	55	12	FC	0E	LF.U
1270	9 F	OF	89	0 D	85	0 C	83	43	46	C1	68	12	4E	0 D	83	4 E	CF.h.NN
1280	46	C1	76	12	FC	0E	66	80	05	89	0 D	8 A	0F	3A	12	85	F.vf:
1290	0 C	83	50	46	C1	7E	12	FC	0E	55	0 C	3 A	12	66	08	05	PF.~U.:.f
12A0	71	0 D	85	0 C	84	21	43	53	DO	91	12	FC	0E	3E	OC	05	q!CS
12B0	11	C 3	0E	85	OC	86	3F	45	52	52	4F	D2	A4	12	FC	0E	?ERRO
12C0 '	33			08													3¢
12D0	85			4F													.?COM
12E0				BE													f?EXE
12F0	0 E			9F													f?PA
1300	49	52	D3	E7													IRf
1310	84													9 F			.?C5)
1320	0 D			14					88		4 C			44			.f?LOADIN
1330	C7			FC						E5			08	16			
1340	85	0 C	87	43	4F									0 E			COMPIL.(
1350	D3			0E										0.0			N.\$X
1360	42			0E										DD			B
1370	FC			8 0										4 D			. f
1380	47			13													G.1f
1390	48			7B													HE. (f
13A0	87			43													.DECIMAf
13B0	10	C 3		85										AO			(;CODE
13C0	0 E	D3												87			
13D0	55			44													UILD
13E0	19	48	Α5	18	48	Bi	0 A	18	69	03	85	18	C8	ы	UΑ	69	.HHii

00 85 19 4C 57 0F C5 44 4F 45 53 BE CD 13 FC 0E

"Raskin 5019806 12\_39.PICT" 253 KB 2000-02-25 dpi: 300h x 300v pix: 1955h x 2672v

13F0

...LW..DOES.....

Jef Raskin / James Winter / IAI Patent Swyft Tech	chnology
---	----------

						<b>-</b>				,				-			
				17					5,0	19,	306					18	
Address				1,		F	de x a	s d e c	cima	3.1							ASCII
				4.5		0.0	4.0	c 0	4 4	2.0	Λ 0	D.F.	1 2	E 0		οE	Lf.Li.,X.,
1400						08 4E				FC				14			COUN N 3
1410						84			50		11	14		0E			TYP
1420			0E 18			0 D		0D	33		58	09		09	B4	0E	q.3.X
1430	DO		F1			FF		08	04		2 A					2 D	k
1440	6B		41	49	4 C		4E				FC		4E		4 B	OC	TRAILIN.%N.K.
1450 1460	5 4 5 8	-	F8	0D	F8		71	0 D	37		B4		B1			0 D	Xq.7
1470	D0	0.8	08	00	A6		B1	08	04	00	37			08			
1480	85	0C -		28	2E	22	A9		14		0 E	7B		19			(.".N{N
1490		14		D3	00	71	0 D	CI		2 C		85	0 C		2 E		P ,
1470 14A0	82	14		0E	66	08	22	DC	10		0E	DO	08	14	00	4 C	f . " L
1480	13		14		15		11		0E	14	0 D	4 C	11	B1	08	0 A	
1400		EC		3 C	11	19	14		14	85	0 C	86	45	58	50	45	(, EXPE
14D0	43	D4		14		0E		OD	71		F8	0 D	58	09	54	1F	CqX.T.
14E0	4E			08					08		00	F8	0 D	90	09	E6	N.f
14F0	11		0E			4 C		71	00		0 C	71	0 D	B1	08	72	.NL.qqr
1500	00			66	08	18		11	DO-	08	17	00	2 A	0 E	DЗ	0 C	.N.f
1510	2 A			0E	37		C1	0 C	66	08	07	8B	1F	Bi	8 0	52	*.N.7fR
1520	00	4E	0E	66	08	0 D	E6	11	D0	08	0 E	00	A6	0 C	ZΑ	0 E	.N.f*.
1530	B1	0 F	4 B	0 C	Bi	08	04	00	4E	OΕ	D3			0E			KNN
1540	E6	11	33	0E	C1	0 C	D0	08	1 D	00	D0	8 0	17	0.0	ZA		3*.
1550	66	08	07	D3	0 C	37	0 D	4E	0 E		0 E	33			0 C	B1	f7.N3
1560	08	04	00	4B	OC	90	09	DB	0 E	4 B	0 C	90	09	14	0 D		K K
1570	0 E	6 B	·1F	F1	8 0	69		2A	0 E		0 C	85					.ki.≭QUER
1580	D9	CB	14		0E			9 F		66		50	D4	14	4 B	0 C	Bf.PK.
1590	93	10	C 3	0 E		0 C		80	7B			0 C		45	52		
15A0	53	C5			FC	0 E		OC	10		85			42			5KBLA
15B0	4 E	4 B		9C.		FC				10	0 B	85		84		4F	NKHO
1500	4 C	C 4	AC	15	FC	0E	A8			11				11			L
15 D O	DB	0 E	85			50	41	C4	BD	15	FC	0E	30	11	55	08	PA(.f.
15E0	44	71	ΟD	8.5	0 C	84				C 4							DqWOR
15F0	9 F		5 F		DO	08	08	00	CC	10		80	06	00	42	10	B.
1600	9F			10			71			0E		0A			66	08	q.3.a.(.f.
1610	22		15		10	6F		F8		89	0D	C1	0C	7B	09	3 C	"(.(
1620	11			71		3 C		14		D3 15	0C	E9 OE		85	OC 4E	88	q.(
1630	28			4D			52				DO	08	14 2C	00	33	0E	
1640	C1		B4	0E		10	9F	0E	08	09 0E			9 F		98	0B	***************************************
1650	E7		9F	0E	98	OB OE				08	08	00	55		F1		
1660	A2	OD	F1	10 0C	9F B1	08	C6		D3	0C		00	87			4 D	oNUM
1670	6 F		D3	BF	2F	16		0E	4B	00	4B	00	08		4E		BER./K.KN.
1680	42		52 B4	0E	66	80	2 D	E6	11		0E	C1	0C	71	0 D	4E	fNq.N
1690	14 0E		0 C			F1	10	C3	0E		80	4E	0E	C1	00	3A	N :
16A0	16		0 E		0E	66	08	2 C	89	0 D		OF	B6	11	4E	0E	.Nf.,N.
16B0 16C0	DO		E3		D3	00		0 D		0 D		11		0E	B4	0 E	q3
16D0	B1		89		12	00		08	OA		75	09	Ai	08	55	0C	uU.
16E0	85		D3		DO	08		00	E1		4 B		85		86	4E	N
16F0	5.5		42		D2	7C				86							UMBE.:K
1010	<b>J</b> J						-	_									2-25 dpi: 300h x 300v pix: 1966h x 2678v
		_							ΓĊ	SIIIAGE	JU 190	00 13	_59.5	101 4	200 r\	⊔ ∠∪UU-U	2-25 dpi. 300/1 x 300/ pix. 1966/1 x 26/8/

Page 0013 of 0039

Patent # 5,019,806 -- 28 May 1991

			Je	ef R	ask	in /	Jan	nes	Wir	nter	/ IA	ΙPa	ater	ıt	Sw	yft ∃	Гесhr	nology
										5,0	19,8	806						
					19												20	
•	Address						ŀ	lexa	dec	ima	1					•		ASCII
	1700	0 C	85	2 D	46	49	4 E	C 4	EE	16	FC	0 E	B1	0F	EC	15	3 C	FIN
	1710	11	C2	10	9F	0E	9 F	0E	FB	09	4E	0E	E5	0 C	DO	08	0 A	N
	1720	00	2 A	0 E	3 C	11	5E	12		09	85	0 C	87	28	41	42	4F	.*.<(ABO
	1730	52	54	A9	01	17	FC	OΕ	DЗ	19	85	0 C	85	45	52	52	4 F	RTERRO
	1740	D2	2 B	17	FC	0E	5 C	10	9 F	0E	02	0 D	DO	08	04	00	35	.+\5
	1750	17	3 C	11	19	14	2 C	14	89	14	04	20	07	3F	20	89	1 D	. ( ,
	1760	61	0 C	93	10	9 F	0 E	24	11	C 3	0 E	AS	10	9 F	0E	31	11	a\$1.
	1770	C3	0E	A3	19	85	0 C	83	49	44	ΑE	3 B	17	FC	0E	DA		ID.;
	1780	66	8 0	20	66	08	5F	10	0B	4 E		97	12	6E	12	F8	0 D	f. fNn
	1790	89	0 D	DA	15	33	0 E	E9	0 A	DA		19	14	66	8 0	1F	FD	3 <u>f</u>
	17A0	0 B	2 C	14	7 D	11	85	0 C	86		52	45	41	54	C5	76	17	.,.)CREAT.v.
	17B0	FC	0E	42	10	4 B	0 C	66	80	Α0	71	0 D	A2	11	8 F	ΟF	BE	B.K.fq
	1700	12	09	17	D0	08	0 E	00	2 A	0E	84	12	7C	17	9 F	OF	89	************
	17D0	1D	7 D	11	3 C	11	4 E	0E	B'4	0E	4 E	10	9 F	0 E	D1	1A	14	. ) . ( . N N
	17E0	0 D	4 C	11	71	10	B4	0E	66	08	FD	E6	11	4 C	11	4 E	0E	. L.q f L.N.
	17F0	66	08	ΑO	90	0E	3 C	11	37	0 D	66	08	80	90	0E	5E	12	f(.7.f*.
	1800	58	11	D0	10	9 F	0E	C 3	0E	3 C	11	24	0 D	58	11	85	0 C	X
	1810	C9	5B	43	4F	4 D	50	49	4 C	45		Α7	17	FC	0 E	09	17	. COMPILE
	1820	E 5	0 C	4 B	0 C	BE	12	2 A	0E	7 C	12	58	11	85	0 C	C 7	4 C	K*.!.XL
	1830	49	54	45	52	41	CC	10	18	FC	θE	DC	10	9 F	0 E	D0	8 0	ITERA
	1840	08	00	4 C	13	2 C	08	58	11	85	0 C	С8	43	4 C	49	54	45	L.,.XCLITE
	1850	52	41	CC	2 E	18	FC	0 E	DC	10	9 F	OΕ	,DO	08	8 0	00	4 C	RAL
	1860	13	66	08	69	11	85	0 C	С8	44	4 C	49	54	45	52	41	£C	.f.iDLITERA.
	1870	4 A	18	FC	0E	DC	10	9 F	0E	DO	08	08	00	33	OΕ	38	18	J3.8.
	1880	38	18	85	0 C	86	3F	53	54	41	43	CB	67	18	AA	18	66	8?STAC.gf
	1890	08	FF	3 E	0 C	24	$a_0$	A2	11	55	0 C	BE	12	3 E	0 C	66	8 0	>.\$U>.f.
	18A0	5 4	A2	11	66	08	07	ΒE	12	85	0 C	ΕO	54	90	03	4 C	46	T., f.,,,,T.,LF
	18B0	80	4 C	FC	0E	89	49	4E	54	45	52		52	45	D4	84	18	.L. INTERPRE
	18Ċ0	FC	0 E	09	17	D0	08	ĺΕ	00	DC	10	9 F	0E	C3	11	DO	8 0	
	18D0	0A	00	7 C	12	58	11	B1	8 0				12	8 A				
	18E0	B1	08	2 E	00	3 C	11	F7					0 E		0 D			
	18F0	08	00	72	18	B1	08	18	00	2 A				2 C				r*.N.,
	1900	A2	11	D0	8 0			55		Bi			00		18			U 8
	1910	Bi	08	BO T	FF	85	0 C	89	49					49				IMMEDIAT.
	1920				0 E		12				90			0 C				f.@V0
	1930					4 C				16				D7				CABULAR
	1940				11		10			7C		58		3 C				XX
	1950	9 F			11									13				XL\$
	1960	10	C 3	0 E	85	0 C	C5							19				FORTZ
	1970	AO	C9	61	00	00	8B		45					54				aDEFINITION
	1980	D3	65	19				10		0E				0E				. e
	1990	<b>A8</b>	75	19		0E			29		15			84				. uf.)ΩUI
	19A0	D4				0E			A8	10		0E	62		71		8B	Kb.q
	1980				CO		DC			0 E					08		89	
	19C0					4 B			E6		85		85		42	4F		OKABOR
	19D0					0E			61					1F		14		q.aa
	19E0	07	46	4F	-52	54	48	20	52	45	53	54	41	52	54	3 C	28	.FORTH RESTART(
	19F0	6 D	19	83	19	A3	19	85	0 C	61	0 C	66	08	22	20	10	9 F	ma.f."

"Raskin 5019806 14\_39.PICT" 253 KB 2000-02-25 dpi: 300h x 300v pix: 1955h x 2672v

		Je	f R	ask	in /	Jan	nes	Wir	nter	/ IA	l Pa	ater	nt	Sw	yft ∃	echn	ology
			٠	0.1		÷			5,0	)19,	806					22	-
3 d d				21		Į.	ie v a	dec	ima	ı <b>1</b>						22	ASCII
Address						•			, , , , , ,	•							
1A00	0E	4 E	0E	2 C	08	D5		C3		66	80	24	20	10	9 F	0E	.N.,f.\$
1A10	DF	OF	9 F	0F	71	0.0	A4	0B	89	0D	2 C	08	C9	0F	C3	0E	q,
1 A 2 O	10	10	8B	1F	71	00	8 C	61	55	46	46	45	52	53	20	45	qaUFFERS E
1A30		50	5 4	49	45	44	D3	19	84	43	4F	4C	C4	CB	19	41	MPTIEDCOLA
1 A 4 O	1A		OC	08	8D	71	19	AD	OD	80	8D	72	19	A2	19	A9	qr
1A50		A0	15	DO	06	A2	19	A9		DA	0F	86	19	85 0C	18 88	AD	
1A60	10		85	00	AD	11	08	85		B9	0 C 2 D	08 3E	91 C4	38	1A	10 81	ILsS->.8
1A70		A9	6 C	85	09	4 C	73	0 C	84 4C	53 3F	08	3 L 8 2	2 B	AD	78	1 A	HL?+.x.
1A80		B5	01	10	01	88	98	48	4C C8	OD	85	0 C	83	44	2 B	AD	
1A90		0E	02	OD	DO	80	04	0.0	04	0.0	E1	0D	85	00	83	41	
1 AA 0	8B	1A	FC		02	0D	DO 4E	08 0E	90	1A	85	0C	84	44	41	42	B N DAB
1AB0		D3	9C	1A	0E	0E 4E		A2	1A		0 C	83	4 D	49	CE	BC	NMI
1AC0		AE	1A	FC F8	0 D	F8	0D	1A	12	DO	08	04	00	33		2 A	
0 GA1	1A	85	OE OC	83	4 D	41	D8	CB	1A		0E		0 D	F8	0 D	C 3	MA
1 AE 0	0E 11	DO	08	04	00	33	0E	2A	0E	85	00	82	4 D	AA	E3	1 A	3.*M
1AF0	FC	0E	F8		F8	OD	28	0 C	CI	OC	B4	1A	33	ØΕ	B4	1 A	( 3
1B00 1B10	98	0 B	D3		A2	1A	85	0 C	82	4 D	AF	FB		FC	OΕ	F8	
1B10 1B20	0 D	CI	0 C	C1	00	C 3	1A	7B	09	B4	1A	B3	0 B	D3	0 C	7B	
1830	0.9	28	0 C	90	1Ă	33	0E	D3	0 C	90	1A	33	0 E	85	0 C	84	. ( 3 3
1B40	2 F	4 D	4F	C4	18	1B	FC	0E	C1	00	7F	1 A	D3	0 C	1 D	1 B	/MO⊞
1B50	85	0 C	81	AF	3 F	1B	FC	0 E	46	1B	33	0 E	2A	0E	85	OC	?F.3.*
1860	85	2 A	2 F	4 D	4F	C 4	52	1B	FC	0E	C1	0 C	00	1B	D3	0 C	*/MO.R
1870	1 D	1 B	85	00	82	2A	ΑF	60	1B	FC	0 E	68	1B	33	0E	2A	*.`h.3.*
1B80	0E	85	0 C	85	4 D	2F	4 D	4F	C 4	74	1B	FC	0E	C1	0 C	4 B	M/MO.tK
1890	0 C	7 B	09	B3	OB	D3	0 C	33	0E	C1	0 C	B3	0 B	D3	0 C	85	. { 3
1BA0	OC	83	4 D	4F	C 4	83	1B	FC	0E	46	1B	2A	0 E	8.5	0 C	83	MOF.*
1BB0	5 5	53	C5	A1	1 B	57	0 F	ΕO	97	84	50	52	45	D6	AF	1B	USWPRE
1BC0	57	0F	E0	97	84	2 B	42	55	C 6	B9	1B	FC	0E	DF		9 F	W+BU
1BD0	0 F	71	0 D			4E						DO					.q.q.N*
1 BEO	0E		0F		0E				0E		0 D		00		55		NUP
1BF0	44			C5		1B					9F			0E		08	DAT
1000	00	80		OC				0E			85			45	4 D		TV BUFFER
1C10				42		46		45			ED		FC		C7		TY-BUFFER NN
1 C 2 O		0E		1B								0E			F8 FC		EBUF
1030	89			15								D3 OE					DR.6K
1040		10		00			52					0E					DR.D
1050			85	0 C		57						FC					WBU.T{
1060	£3		85 0 D	7 B	09	9F		2 C				FD					. \$ . C , <b>H</b> N
1070	0.9	24 C3			0 C	A1	20	85	00		42				45		KBUFFE.
1080								0E					CB			08	dN
1C90 1CAO		FF		1B		0E		09	9 F		02		DO	08		00	
1CB0				10			C3		7B		CO	1B				0 C	(.k.((
1CC0								4F			89				B4		\$BLOC
1CD0			71			00	CO	1B				0E			7B		q N E .
1 CE 0		OD				OD						1B					N.q2
10F0	12	00										09	55	0 C	A1	20	*.{N.{.U
D-1				N 4					"Ra	askin	50198	306 15	_39.F	PICT"	253 K	B 2000-0	02-25 dpi: 300h x 300v pix: 1948h x 2673v

Address    1000			J	ef R	lask	in/	Jar	nes	Wi	nter	/ <b> </b> A	d Pa	ater	nt	Sw	yft <sup>-</sup>	Гесh	nology
Address										5,0	019,	806	ı				•	
1D00	• • • • • • • •				23		ī	402	a ñ c	cim	2 l						2	
ID10	Address						1	16.7	<u>au</u> c	CIM	<b>a</b> 1							ADDII
1D20	1 D 0 0	4 C	0 D	4E	0 E													
1D30		DO	08		_													
ID40																		
1D50																		
1860																		
1D70																		
1880																		
1090 08 1A 00 SF 0E D0 08 10 00 9F 0F B4 10 9F 0E EB 10A0 0F 56 1B 89 0D 75 1D F1 08 0D 00 8F 14 06 4D 53																		
IDAO																		
1DB0																		· · · · · · · · · · · · · · · · · · ·
IDCO																		
1   1   1   1   2   3   6   8   1   1   1   2   3   2   2   2   1   1   2   3   2   2   3   3   2   3   3   3																		
IDEO																		
1DFO																		
TEOO   3F 48 45 D9 E7 1D 08 1E AD 00 C0 10 03 29 7F A8   ?KE																		
Tello																		
1E20																		
1E30																		
TE40																		•
1ESD       42       D3       3E       1E       56       1E       A9       C2       D0       EE       82       4C       C6       4F       1E       61       B.) V.      L.O.a         1E60       1E       A9       C3       D0       E3       83       2D       4C       C6       5A       1E       A9       C4       D0      L.Z.m      L.Z.m																		
1E60       1E A9       C3       D0       E3       83       2D       4C       C6       5A       1E       A9       C4       D0																		
1E70 D7 84 43 45 4F CC 65 1E 7A 1E A9 C5 D0 CA 84 43 .CEO.e.zC  1E80 45 4F D0 71 1E 87 1E A9 C6 D0 BD 85 43 4C 45 41 EO.qCLEA  1E90 D2 7E 1E 95 1E A9 C0 D0 AF 85 58 45 4D 49 D4 8BXEMI.  1EA0 1E A3 1E B5 00 C9 20 90 02 09 80 A4 24 91 28 4C																		
1E80				_									C, 5	DO	CA	84	43	
1E90       D2       7E       1E       95       1E       A9       C0       D0       AF       85       58       45       4D       49       D4       8B							87	1E	A9	C6	DO	BD	85	43	4 C	45	41	EO.qCLEA
1EBO 68 09 85 53 45 4D 49 D4 99 1E BC 1E A9 01 20 6F h.SEMI		D2	7E	1E	95	1E	A9	CO	D0	AF	85	58	45	4 D	49	D4	8B	.~XEMI
1ECO       08       98       86       0E       85       12       48       A9       04       85       13       A2       08       A0       00       B1	1EA0	1 E	Α3	ΙE	B5	00	C9	20	90	02	09	80	A4	24	91	28	4 C	
1EDO 10 C9 20 90 02 09 80 91 12 C8 C0 28 D0 F1 18 A5	1 EB 0	68	09	85														
1EEO 12 69 80 85 12 90 02 E6 13 18 A5 10 69 28 85 10 .ii(  1EFO 90 02 E6 11 CA DO D6 68 18 69 28 C9 78 DO C5 A6h.i(.x  1FOO 0E 4C 46 08 87 4F 55 54 50 55 54 A1 B2 1E FC 0E .LFOUTPUT  1F10 66 08 36 2C 08 F0 FD 08 0E 5F 0E DO 08 11 00 66 f.6,f  1F20 08 C0 71 0D 2C 08 00 01 A4 0B 33 0E 2A 0E 33 0E	1EC0	08	98															
1EFO 90 02 E6 11 CA D0 D6 68 18 69 28 C9 78 D0 C5 A6h.i(.x 1F00 0E 4C 46 08 87 4F 55 54 50 55 54 A1 B2 1E FC 0E .LFOUTPUT 1F10 66 08 36 2C 08 F0 FD 08 0E 5F 0E D0 08 11 00 66 f.6,f 1F20 08 C0 71 0D 2C 08 00 01 A4 0B 33 0E 2A 0E 33 0E .q.,3.*.3. 1F30 C3 0E 85 0C 86 49 4E 50 55 54 A1 04 1F FC 0E 66																		
1F00																		
1F10 66 08 36 2C 08 F0 FD 08 0E 5F 0E D0 08 11 00 66 f.6,																		
1F20																		
1F30 C3 0E 85 0C 86 49 4E 50 55 54 A1 04 1F FC 0E 66INPUTf 1F40 08 38 2C 08 1B FD 2C 08 17 1F C1 0C 85 0C 83 4B .8,,																		
1F40																		
1F50																		
1F60																		
1F70 1A 71 0C 91 0C C8 A9 00 71 0C 91 0C B5 00 09 80																		
1F80																		
1F90 6B 1F 85 0C F9 20 8E FD 4C 46 08 49 83 F0 F6 AD kLF.I  1FA0 10 C0 B0 F1 38 B0 E7 89 3F 54 45 52 4D 49 4E 418?TERMINA  1FB0 CC 86 1F B5 1F AD 00 C0 10 08 C9 83 D0 04 AD 10  1FC0 C0 C8 98 4C 41 0C 83 4D 4F CE A7 1F CE 1F 86 0ELAMO  1FD0 00 84 52 2F 57 C4 C6 1F 57 0F 01 60 01 00 0C FFR/WW																		
1FA0 10 C0 B0 F1 38 B0 E7 89 3F 54 45 52 4D 49 4E 418?TERMINA 1FB0 CC 86 1F B5 1F AD 00 C0 10 08 C9 83 D0 04 AD 10 1FC0 C0 C8 98 4C 41 0C 83 4D 4F CE A7 1F CE 1F 86 0ELAMO 1FD0 00 84 52 2F 57 C4 C6 1F 57 0F 01 60 01 00 0C FFR/WW																		
1FB0																		
1FC0 C0 C8 98 4C 41 0C 83 4D 4F CE A7 1F CE 1F 86 0ELAMO 1FD0 00 84 52 2F 57 C4 C6 1F 57 0F 01 60 01 00 0C FFR/WW																		
1FD0 00 84 52 2F 57 C4 C6 1F 57 0F 01 60 01 00 0C FFR/WW										4F	CE	A?	if	CE	1F	86	0E	
		00	84	52	2 F	57												
	1FE0																	
1FFO 52 2F 57 A1 D1 1F FC 0E D8 1F 71 0D DB 0E 85 0C R/Wq	1FF0	52	2F	57	A1	D1	1F	FC	0E	D8	1F	71	0 D	DB	0 E	85	00	R/Wq

# Jef Raskin / James Winter / IAI Patent -- Swyft Technology

									5.0	)19,	806						•
				25						•						26	
Address				•		ŀ	lexa	dec	ima	1							ASCII
2000	A 9	1F	ΑO	DA	78	20	00	BD	58	90	05	A6	0E	4 C	D5	0 C	x X L
2010	60	85	28	52	2 F	57	A9	EF	1F	1B	20	8A	18	69	0 A	85	`.(R/Wi
2020	0E		00	8D	DE	1F	B5	04		DC	1F	C8	B5	06	D0	01	
2030	C8		E6		<b>B</b> 5	08	8 D	E2	1F	<b>B4</b>	09	A9	04	85	10	B5	
2040	02		14	10	ΕO	0 D	DO	25	8D	DF	1F	8C	E3	1F	20	00	
2050	20	EE	E3	1 F	AC	DF	1F	68	CO	OD	D0	05	ΑO	00	EE	DE	
2060	1F	8 C	DF	1F	C6	10	DO	E6	A6	0E	4 C	4 D	0 C	18	69	03	
2070	8 D	DF	1 F	C Ś	C8	C8		E3	1 F	20	00			E3		CE	
2080	DF	1F	C 6	10	DO	F3	F0	E0	84	52	57	54		11	20	91	
2090	20	86	0 E	20	00	20	A6	0 E		4 D	0 C	83	52	2F	D7	88	LMR/
20A0	20	FC	0E	33	0E	04	10	F8		C3	11	DO	80	0E		8F	3
20B0	OF	33	0 E	04	10	89	0D	B1	08	06	00	55 12	0C 56	33 0D	.0E	37 0D	. N f V . V .
2000	OD	4E	0E	04	10	B6	11	66	08 08	06 BE	BE 12	85	0 C	89	45	52	F fER
20 D O	12	10	46	1 B	19 49	2.0 5.3	66 CB	08 9B		FC	0 E	66	08	FE	97	OF	ASEDISf
20E0	41 F6	53 1F	45 9F	44 0F	66	08	0C	F6	1F	8F	0F	B4	10	9F	0E	E5	f
20F0 2100	00	89	0D	8F	OF	F6	1F	8F	20	4B	0 C	97	0F	F6	1 F	66	Kf
2110	08	08	BE	12	12	10	66	08	OD	E6	11	DO	08	1E	00	DA	f
2120	15	DF	OF	B1	OF	10	0 B	04		14	0 D	55	00	58	09	DA	
2130	15	90	09	4 B	00	Ai	20	Fi	08	F6	FF	85	0 C	C1	A7	DD	K
2140	20	FC	0E	09	17	E5	0 C	4 B	0 C	BE	12	2 A	0 E	38	18	85	
2150	0 C	88	28	46	4F	52	47	45		A9	3 D	21	FC	0E	4E	0E	(FORGET.=!N.
2160	68	10	9 F		AΖ	11	66	08	15	BE	12	C1	0 C	80	10	9 F	hf
2170	0 E	7 B	09	F8	0 D	A2	11	D0	08	12	00	6 D	19	83	19	9F	,{mm
2180	OΕ	4E	0E	80	10	C3	0E	B1		E8	FF	4E	0E	9F	0F	89	.N
2190	α0	97	12	6 E	12	9 F	0E	4E	0E	7B	09 0E	A2 E5	11 0C	DO DO	08 08	F2 DC	nN. (
21A0	FF	F8	0D	4C	0 D	C3	0E 0E	9F 85	OE OC	5F 86	46	4F	52	47		D4	qFORGE.
21B0	FF	D3	OC FC	71 0E	10 41	21		12		21	85	QC		42		43	Q!A!\!BAC
21C0 21D0	51 CB	21 B9	21	FC	0E	3 C	11	89	00	58	11	85	OC	C5	42	45	! <xbe< td=""></xbe<>
21E0	47	49		CC	21	FC	0E	D8		3 C	11	55	00	85	0 C		GI! ⟨.U
21F0			44				21				12	8F	OF	05	13	3 C	ENDI!
2200	11	F8	0 D				0E				0 C	C 4	54	48	45	CE	3THE.
2210	EF	21	FC	0E	F7	21	85	0C	C2	44	CF	0 B	22	FC	0 E	4 C	.!!D"L
2220	13	58	09	3 C	11	97	OF	85	0 C	C 4	4 C	4F	4F	DO	18	22	.X.(LOD"
2230	FC	0E	97	0 F	05	13	4 C	13	Fi	08	D3		85	00	C5	2 B	L!+
2240	4 C	4F	4F	DO	29	22	FC	0E	97	0F	05		4 C				LOO.)"L.!.
2250	D3	21	85	0 C	C5	55	4E	54	49	CC	3E	22	FU	0E	55	00	.!:UNTI.>"U. L!EN.T"
2260	05					08	D3	21	85	41	10	45	1.2	22	24	ርር ርር	\"AGAI.j"
2270			5 C			10	C5 B1	1.0	47	91	97	00	PA PA	57	45	5.0	UL!REP
2280	55		0.5		4C 22		0E	0 U	U.C.	£1	0.0	7F	22	D3	00	D3	EA. v"""
2290	45 0C		D4 OF	76 89	UD	F7	21	85	90	C2	49	C6	8C	22	FC	0E	!I"
22A0 22B0	4 C		DO		3C	11			58		8F	OF	85	00	C4	45	L(.K.XE
2200	40		C 5			FC				05			13		08		L5"L(
22D0		4 B	0 C	58	11	33	0 E	8F	OF	F7	21	8F	0F	85	0C	C5	.K.X.3!
22E0	57	48	49	4 C	C5	BE	22	FC	0E	ΑE	22	24	0 D	85	0 C	86	WHIL""\$
22F0	5 3	50	41	43	45	D3	DF	22	FC	0E	4B	0 C	E9	1A	5F	0E	SPACE"K

Patent # 5,019,806 -- 28 May 1991

Page 0017 of 0039

"Raskin 5019806 17\_39.PICT" 251 KB 2000-02-25 dpi: 300h x 300v pix: 1948h x 2721v

Address			J	ef F	Rask	kin /	Jar	nes	Wii	nter	/ I <i>F</i>	N P	ater	nt	Sw	yft	Techn	ology
Address										5.0	)19	806	ı				,	
ASCII   ASCI					27					٠,٠	,,,	.000					28	
2310 82 3C A3 EF 22 FC 0E DA 15 18 11 C3 0E 85 0C 82	Address						ŀ	le z a	dec	ima	1							ASCII
2320 23 BE 10 23 FC 0E 2A 0E 2A 0E 18 11 9F 0E DA 15 # * * * * *	2300	D0	08	0 C														
2330 F8 0D 89 0D 85 0C 84 53 49 47 CE 1F 23 FC 0E 0B		82																
2340 0E 02 0D D0 08 07 00 66 08 2D C4 15 85 0C 81 A3																		
2350	2330	F8																
2360			-															
2370																		
2380 F8 0D 12 0C E5 0C D0 08 F4 FF 85 0C 83 44 2E D2	i i																	
2390			_															
23A0 3D 23 24 23 D3 OC F8 0D 89 OD F8 22 2C 14 85 OC = \$***	2380	F8																
23B0 82 44 AE 8C 23 FC 0E 4B 0C 92 23 7D 11 85 0C 82	2390	75		FC														
23C0	23A0	3 D	23															
23D0 81 AE BF 23 FC 0E 7F 1A B5 23 85 0C 81 BF D0 23	23B0	82	44	ΑE														
23E0 FC 0E 9F 0E D4 23 85 0C 82 55 AE DC 23 FC 0E 4B	23C0	2 E	D2	ΒO														
23F0	23DO	81	ΑE	BF	23	FC												
2400 8B 1F 4E 0E A7 10 C3 0E 89 14 06 53 43 52 20 23	23E0	FC	0 E	9 F	0 E													
2410 20 D4 23 F7 OF BB OF 56 1B 4B OC 58 09 8B 1F 90  #V.K.X  2420 09 97 OF C4 23 7D 11 90 09 A7 10 9F 0E 75 1D F1	23F0	0C	B5	23	85		84											
2420 09 97 0F C4 23 7D 11 90 09 A7 10 9F 0E 75 1D F1\$]	2400	8 B	1 F	4 E	0 E													
2430	2410	20	D4	23	F7		BB	0F				0 C						
2440	2420	09	97	0 F	C 4	23	7 D	11	90	09								
2450 90 09 97 0F C4 23 7D 11 4B 0C 90 09 75 1D B3 1F	2430	08	EC	FF	8B	1F	85	0 C	85									
2460	2440	0 E	66	8 0	0 C	6 B	IF	8B					0E					
2470 53 D4 37 24 FC 0E 14 0D 33 0E 58 09 90 09 FC 23 5.7\$ 3.X \$ 2480 F1 08 FA FF 85 0C 85 56 4C 49 53 D4 6C 24 FC 0E VLIS.1\$ 2490 66 08 80 9D 10 C3 0E C2 10 9F 0E 9F 0E 9D 10 9F f 24A0 0E BB 0F 1A 12 D0 08 0A 00 8B 1F 4B 0C 9D 10 C3 K 24B0 0E 4E 0E 7C 17 7D 11 7D 11 97 12 6E 12 9F 0E 4E .N. ! J. J n N 24C0 0E E5 0C B3 1F 12 0C D0 08 D4 FF 2A 0E 85 0C 84 * 24B0 44 55 4D D0 86 24 FC 0E F8 0D 71 0D 33 0E 58 09 DUM. \$ q. 3.X \$ 24E0 8B 1F 90 09 ED 23 89 14 02 3D 20 90 09 B4 0E D4 \$	2450	90	09	97	OF	C 4		7 D										
2480 F1 08 FA FF 85 0C 85 56 4C 49 53 D4 6C 24 FC 0EVLIS.15 2490 66 08 80 9D 10 C3 0E C2 10 9F 0E 9F 0E 9D 10 9F f	2460	D0	08	04	00	Α6		F1										
2490 66 08 80 9D 10 C3 0E C2 10 9F 0E 9F 0E 9D 10 9F f	2470	53	D4	37	24	FC												
24A0       OE BB OF 1A 12 DO 08 0A 00 8B 1F 4B 0C 9D 10 C3	2480	F1	08	FA	FF	85	0 C	85										
24B0	2490	66	80	08	9 D	10	С3			10								
24C0	24A0	0 E	BB	0 F	1A	12		08										
24D0	2480					-												
24E0 8B 1F 90 09 ED 23 89 14 02 3D 20 90 09 B4 0E D4#= 24F0 23 B3 1F D0 08 04 00 A6 0C F1 08 E5 FF 85 0C 84 # 2500 50 49 43 CB CF 24 08 25 16 00 18 8A 75 00 A8 B9 PIC. \$.%u 2510 00 00 95 00 B9 01 00 95 01 4C 46 08 84 52 4F 4CLF.ROL 2520 CC FF 24 25 25 16 00 18 8A 75 00 E8 E8 86 0E AA 2530 B5 00 48 B5 01 48 E4 0E F0 0E B5 FF 95 01 B5 FE	24C0																	
24F0	24D0	44																
2500 50 49 43 CB CF 24 08 25 16 00 18 8A 75 00 A8 B9 PIC. \$.\frac{1}{2}	24E0	8 B	1 F															
2510 00 00 95 00 B9 01 00 95 01 4C 46 08 84 52 4F 4CLFROL 2520 CC FF 24 25 25 16 00 18 8A 75 00 E8 E8 86 0E AA	24F0																	
2520 CC FF 24 25 25 16 00 18 8A 75 00 E8 E8 86 0E AA	2500	50																
2530 B5 00 48 B5 01 48 E4 0E F0 0E B5 FF 95 01 B5 FEHH	2510	0.0																
2540 95 00 CA CA E4 0E D0 F2 68 4C 41 08 85 53 48 49hLASHI 2550 46 D4 1C 25 56 25 E8 E8 B4 FE F0 13 10 0A 56 01 F%V%V. 2560 76 00 C8 D0 F9 4C 46 08 16 00 36 01 88 D0 F9 4C vLF6L 2570 46 08 89 32 56 41 52 49 41 42 4C C5 4C 25 FC 0E F2VARIABL.L%.	2520	CC																
2550 46 D4 1C 25 56 25 E8 E8 B4 FE F0 13 10 0A 56 01 F%V%V. 2560 76 00 C8 D0 F9 4C 46 08 16 00 36 01 88 D0 F9 4C vLF6L 2570 46 08 89 32 56 41 52 49 41 42 4C C5 4C 25 FC 0E F2VARIABL.L%	2530																	
2560 76 00 C8 D0 F9 4C 46 08 16 00 36 01 88 D0 F9 4C vLF6L 2570 46 08 89 32 56 41 52 49 41 42 4C C5 4C 25 FC 0E F2VARIABL.L%		95																
2570 46 08 89 32 56 41 52 49 41 42 4C C5 4C 25 FC OE F2VARIABL.L%																		
The second secon		76																
2580 51 OF 58 11 85 OU 89 32 43 4F 4E 53 54 41 4E D4 U.XZUUNSTAN.																		
	2580																	
2590 72 25 FC 0E 2E 0F 58 11 BF 13 AQ 05 CA B1 0A 95 r%X																		
25A0 00 88 C0 01 D0 F6 4C 46 08 84 32 44 55 D0 86 25LF2DU%																		
25BO B2 25 A9 04 86 0E 18 65 0E A8 CA 88 B9 00 00 95 .%e																		
25CO OO C4 OE DO F5 4C 46 08 82 32 CO A9 25 CF 25 AOLF2%.%.																		
25D0 03 B5 00 85 10 B5 01 85 11 E8 E8 CA B1 10 95 00																		
25E0 88 10 F8 4C 46 08 82 32 A1 C8 25 ED 25 A9 04 85LF2%.%																		
25F0 12 B5 00 85 10 B5 01 85 11 E8 E8 B5 00 91 10 E8	25F0	12	B5	00	85	10	₿5	U I	85	11	£8	£8	<b>ದ</b> ರ	ŲÜ	у1	10	Lö	

"Raskin 5019806 18\_39.PICT" 253 KB 2000-02-25 dpi: 300h x 300v pix: 1949h x 2679v

		Je	ef R	ask	in /	Jan	nes	Wir	nter	/ <b>I</b> A	I Pa	ater	nt	Sw	yft	Tech	nology
									5,0	019,	806					30	•
Address				29		F	le x a	a d e (	cim	a 1						30	ASCII
2600	C8	C 4	12	DO	F6	4 C	46	08	85	32	53	57	41	DO	E6	25	LF25WA%
2610	12	26	A 9	04	86	0 E	18	65	0E	A8	84	10	<b>B</b> 5	00	48	B9	.åeH.
2620	00	00	95	00	68	99	00	00	E8	C8	E4	10	DO	ΕE	A6	0 E	h
2630	4 C	46	8 0	85	32	4F	56	45	D2	08	26	3 D	26	A٩	04	85	LF20VE&=&
2640	10	8A	18	65	10	85	0 E	65	10	A8	CA	88	В9	00	00	95	ee
2650	00	C 4	0 E	D0	F5	4 C	46	08	84	32	5 Z	4F	D4	33	26	61	LF2RO.3&a
2660	26	A9	04	85	10	84	11	86	0E	18	65	0E	AA	65	10	A8	&eee
2670	88	CA	B1	10	48	B9	00	00	91	10	B5	00	99	0.0	00	68	h
2680	95	00	E4	0E	D0	EA	4 C	46	08	83	44	30	ВC	58	26	91	LFD0.X&.
2690	26	16	01	E8	E8	4 C	06	0 D	83	44	30	PD	89	26	FC	0E	&LD0&
26A0	12-	- OC	E5	0 C	85	0 C	82	44	ΑD	98	26	FC	0 E	E1	OD		D &
26B0	0 D	85	0 C	82	44	ВC	A6	26-	FC	0E	AΒ	26	78°F	26	85		b. 3 3 d
26CO	82	44	BD	B3	26	FC	0E	AB		.9Ë	26	85	0 C	82		BE	.D
26D0	, C0	26	FC	0 E	10	26	B8	26	85	0 C	83	44	3 C	BD	CD	26	>dbb.
26E0	FC	0 E	D2	26	FB	0 C	85	0 C	83	44	3 E	BD	DA	26	FC	0E	&B>&
26F0	B8	26	FB	0 C	85	0 C	84	54	48	52	D5	E8	26	FC	0E	14	. & THR &
2700	0 D	33	0E	58	09	90	09	BF	1D		10	9F	0E	AA	13	90	.3.X
2710	09	D4	23	E7	10	C3		F1			FF	85	00	84	44	5.5	#DU
2720	4 D	DO	F6	26	FC	0E	E7	10	9F	0E	08	0E	08		95	13	M &
2730	F8	0 D	71	OD	33	0E	58	09	8B	1F	90	09	4B	00	9F	OF DA	q.3.XK
2740	92	23	90	09	66	08	08	71	OD	90	09	58	09	90	09	B4	.#fqX #
2750	0E	97	0F	C4	23	F1	08	F6	FF	8F	OF	F8	22 A6	90 0C	09 58	66 09	X .
2760	08	08	71	0D	90	09	B3	1F	DO	08 4E	04	00 66	0.8	20	C3	11	f N. f
2770	90	09	B4	0E	66	80	7F	FD	OB 2E	6 B	0E 1F	F1	0.8	E3	FF	66	*.fkf
2780	DO	08	07	0.0	2A	0E	66 8B	08 1F	E?	10	C3	0E	85	00	88	28	1 (
2790	08		21	09	A4 54	FF											ABORT"'
27A0					11									19			.a.<,.},
27B0	1 4	9.2 0.1	10	90	09	R4	0F	14	UU 7.3	n3							
27C0 27D0					52												WOR'
27E0	- C6	41	47	4F	52	54	A 2	n1	2.7	FC	0 E	4 C	13	A 9	27	66	.ABORT'L'f
27E0 27F0					B4												.".'LFRE
2800	45	52	C5	EO	27	FC	0E	5E	12	66	08	00	20	10	C3	0E	EZ'f
2810					1E												⟨.f⟨.f
2820	C3		80		9F												f
2830	4 F.	45	57		53												NEW-SYSTE'K.
2840	5 C	10	C3	0 E	2 C	08	05	08	2 C	08	F2	03	C3	0E	66	8 0	f.
2850					03			85	0 C	8A	53	41	56	45	2 D	49	.,
2860					2 F												MAG./(V
2870					89								14			0E	, , V N .
2880					E0								66	08	0.8	71	[.,qN.fq

10 46 1B 7B 09 2C 08 15 01 71 0D DB 0E D3 0C 2C

08 1A 01 71 0D DB 0E F6 1B 2A 1D 05 28 3C 11 2C

08 00 08 58 09 90 09 90 09 2C 08 00 08 89 0D 2C

08 00 04 56 1B 9F 0F 71 0D 4B 0C A1 20 2C 08 00

04 21 09 E2 FF 85 0C 84 43 4F 50 D9 59 28 FC 0E

"Raskin 5019806 19\_39.PICT" 256 KB 2000-02-25 dpi: 300h x 300v pix: 1936h x 2685v

28B0

2800

28D0

28E0

28F0

.F.(.,...q....,

...q.....\*..((.,

...X....,...,

...V...q.K...

.!.....COP.Y(..

Jef Raskin / James Wint	er / IAI Patent	<ul> <li>Swvft Techno</li> </ul>	loav
-------------------------	-----------------	----------------------------------	------

									5,0	)19,	806					22	
Address				31		ŀ	He x	a d e (	cima	a l						32	ASCII
2900	3 C	11	0.8	ΛF	55	0 C	A1	20	3 C	11	33	0E	4 B	0.0	Αí	20	<u <.3.k<="" td=""></u>
2910	85	00	87	42	4 C	4B	43	4F	50		F7	28	FC		Ci	0 C	BLKCOP(
2920	F8		89	0D	33	0E	D3		F8	OD	71	OD	33		58	09	3 q . 3 . X .
2930	90		4 E	0E	D4	23	F8	OD	90	09	71	0 D	4 E		D4	23	N#q.N#
2940	7 D	11	FE	28	F1	08		FF	2A	0E	85	00	83	4 C	4F	GE	}(*LO.
2950	12	29	FC	0E	20	08	00	C1	66	08	36	C3	0 E	85	00	84	.),f.6
2960	4 C	4 F	46	C6	4 C	29	FC	0E	2 C	08	FO	FD	66	08	36	C3	LOF.L),f.6.
2970	0E	85	00	84	46	4F	52	CD	5F	29	FC	0E	66	08	36	9 F	FOR)f.6.
2980		52	29	66	08.	00	6B	1F	66	08	36	C3	0E	85	00	86	.R) f k . f . 6
2990	4 C	49	53	54	45	D2	73	29	FC		14	0 D	33	0E	52	29	LISTE.s)3.R)
29A0	58	09	90		FC	23	90	09	14		FC	23	7A	29	B3	1F	X##z)
29BO	DO	08	04	00	A6	00	8F	OF	21	09	E8	FF	66	29	85	0 C	f)
29C0	88	56	41	52	49	41	42	4 C	€5	8F	29	FC	0E	4B	0 C	51	.VARIABL)K.Q
2900	OF	85	OC	85	41	52	52	41	D9	CO	29	FC	OΕ	СВ	29	2 C	ARRA));
29E0	0.8	FE	FF	4 C	11	85	O C	83	43	2F	CC	D3	29	57	0 F	28	LC/)W.(
29F0	00	85	56	4 C	49	53	D4	E7	29	FC	ΘE	66	08	80	9 D	10	VLI5)f
2A00	C 3	0 E	C2	10	9 F	0E	9 F	0 E	4E	0 E	19	14	66	8 0	1F	FD	N f
2 A 1 O	OB	4E	0E	9 D	10	9 F	0E	71	OD	ED	29	9 F	OΕ	37	0 D	C 3	.Nq)7
2A20	11	E 5	0 C	D0	08	0 A	00	4 B	0 C	9 D	10	C3	0 E	8B	1 F	2 C	K ,
2 A 3 O	14	7 D	11	97	12	6 E	12	9 F	0 E	4 E	OΕ	E5	OC	B3	1F	12	.)nN
2A40	0 C	D0	08	C 5	FF	ZA	0 E	85	0 C	86	4 E	45	47	41	54	C5	*NEGAT.
2 A 5 O	F1		FC		С8	0D	85	0 C	87	44	4 E	45	47	41	54	C5	.)DNEGAT.
2A60	49	2 A		0 E		0 D	85	0 C	83	4E	4F	DO	58		FC	0E	I*NO.X*
2 A 7 O	85	OC	C 9	41	53	53	45	4 D	42		45	D2	68		5A		ASSEMBLE.h*Z.
2 A 8 O	81	Α0	08	30	73	19	82	58	BO	6F	19	36	0F	8E	00	82	0sX.o.6
2 A 9 O	58	B1	86	2 A	36	OF	90	00	82	58	BZ	8F	2 A	36		92	X*6X*6
2AA0	0.0	82	58	B3	98	2 A	36	0F	94	00	85	58	53	41	56	C5	X≭6X5AV.
2 AB 0	A1	2A	36	OF	98	00	87	41	2 E	50	4 C	41	43	C 5	AA	2 A	.*6A.PLAC*
ZACO :	57	0F	0 F	5F	86	41	2E	4D	4F	44	C5	B6	2A	57	0F	00	WA.MOD*W
2ADO	0.0	84	42	55 11	4D 85	DO OC	C4 83	2A 54	FC 41	OE C4	3 C D1	11 2A	CO FC	2A 0E	D8	0 E 2 A	BUM*(*
2AEO	4 B	0 C 0 E	69		00	01		11			08		69			08	K.iTA** N.,i
2 AF 0 2 B 0 0	0A		58	11				2 A						3F			X*o?TO
2B10	4F				C7			FC						AZ			0-BI*3
2B10 2B20				07		4F		20	42		47	85	OC		54		'.TOO BIGTL
2B20 2B30	CE			FC		D8		2 C				17	2 B		11		+*,+i
2B40				2 E		50	D3		2 B			04		FE			A.OP+W
2 B 5 O	18			08		00								FF			
2B60				FF				FF						FF			
2B70	FF		FF			FF								04			
2B80	0 C			FF				04	14	FF	0C	10	FF	FF	FF	00	
2B90	FF	04	14			10	18		10			00		10			
2BA0	FF	FF	FF	FF	FF	00	10	FF	08	FF	FF	FF	FF	FF	FF	82	
2 BB0	2 C	D8	41	2 B	FC	θE	55	0C	CD	2 A	C3	0E	EC	2 A	85	0 C	,.A+U**
2BC0	82	2 C	D9	ΑF	2 B	FC	0 E	8F	0F	CD	2 A	C 3	0E	EC	2 A	85	. , +
2 B D O	0C	82		A9	CO	2 B		0E			06	CD	2 A		0E		X+f*3
2BE0						Dδ								CD			+)+f*.
2BF0	0E	33	2 B	85	0 C	82	23	C2	E3	2 B	FC	0E	66	8 0	08	CD	.3+ <b>#.</b> +f

"Raskin 5019806 20\_39.PICT" 254 KB 2000-02-25 dpi: 300h x 300v pix: 1954h x 2696v

Jef Raskin / James Wint	er / IAI Patent	<ul> <li>Swvft Techno</li> </ul>	loav
-------------------------	-----------------	----------------------------------	------

									5,0	)19,	806						
				33					· • - ·	. 1						34	ASCII
Address						ŀ	ie x a	ade (	:1 m &	3 1							ASCII
2000	2 A	C3	0E	33	2 B	85	0 C	82	2 E	C1	F5	2 B	FC	0E	66		*3++f.
2C10	09	CD	2 A	C3	0E	D8	2 A	85	0 C	84	4A	4D	50	АC	07	2 C	**JMP,
2 C 2 O	FC	0E	66	08	4 C	69	11	58	11	85	0C	85	29	4A	4 D	50	f.Li.X)JMP
2030	AC	19	2 C	FC	0E	66	80	6 C	69	11	58	11	85	0C	84	4A	$\dots$ , $\dots$ f.li. $X$ J
2 C 4 O	53	52	AC	2B	2 C	FC	0E	66	08	20	69	11	58	11	85	0 C	SR.+,f. i.X
2050	83	53	50	A9	3E	2 C	FC	0E	2 C	08	00	01	17	2 B	B4	2B	.SP.>,,+.+
2060	85	0 C	83	52	50	A9	50	2 C	FC	0E	2 C	08	00	01	17	2 B	RP.P,+
2070	2 C	08	01	01	71	0 D	B4	2 B	85	0 C	82	4F	DO		2 C		,q+O.b,.
2 C 8 O	0 E	<b>D</b> 7	13	69	11	69	11	BF	13	4 C	DF	13	CD			0 E	i.iL*
2C9 <b>0</b>	E5	00	D0	08	06	00	33	0E		2 A		0E		0 D	B4	0E	3*N
2 CA 0	CD	2A		0E	71	0 D	49	2 B		OD					66	80	.*q.I+qN.f.
2CB0		E6	11	Α9	27	07	49		4 C		47	41	4C	4E	0E	66	'.ILLEGALN.f
2000	08	FE		11	DO	08	0B	00	4B		69	11	2 A	0E	66	8.0	
2CD0	18	33		B4		71		CO	2A		0E	DB	0E	CD	ZA	4B	.3q**K
2 CE 0	0C	33	0E	C3	0E	8.5		84	41	44	43	AC		2 C	89		.3ADC.z,., aAND,.,!CM
2CF0	61	00	84	41	4E		AC		2 C	89	2 C	21	00	84 FD	43 2C	4D	P EOR
2D00	50	AC	FZ	2 C	89	2 C		00	84 08	45 2D	4F 89	5 2 2 C	AC A1	00		53	,ALDAS
2D10	2 C	41	00 AC	84 13	4 C 2 D	44 89	2 C	AC	00	84	4F	52	41		1E		BCORA
2 D 2 O	42 89	43 2C	01	00	84	41	53	4 C	AC	29	2 D	89	2 C	06		84	.,ASL.),
2D30 2D40	4 C	53	52	AC	34	2 D	89	20	46	0A	84	52	4F	4 C	AC		LSR.4,FROL.?
2D40 2D50	2 D	89	2 C	26	0 A		52			AC	4A	2 D	89	2 C	66	0 A	,&ROR.J,f.
2 D 6 O	84	42	49		AC	55	2 D	89	2 C	24	14	84	43	50	58	AC	.BIT.U,\$CPX.
2D70	60	2 D	89	2 C	EO	1E	84	43	50	59	AC	6 B	2 D	89	2 C	CO	`,CPY.k,.
2 D8 O	1E	84	44	45	43	AC	76	2 D	89	2 C	C6	28	84	49	4 E	43	DEC.v,.(.INC
2D90	AC	81	2 D	89	2 C	E6	28	84	4 C	44	58	AC	8C	2 D	89	2 C	,.(.LDX,
2 DA 0	A2	32	84	4 C	44	<b>59</b>	AC	97	2 D	89		ΑO	3 C	84	53	54	.2.LDY,.(.5T
2DB0	41	AC	A2	2 D	89	2 C	81	46	84	53	54	58	AC		2D	89	A, F.5TX
2 DC 0	2 C	86	50	84	53	54	59		B8	2 D	89	2 C	84	5 A	83	55	, P.STY, Z.U
2DD0	4 E	C9	C3	2 D	FC	0E		13	69	11	BF	13	4 C	DF	13	B4	NiL
2 DE 0	OΕ	69	11	85	0 C		42			AC						84	.iBRK
2DF0	43	40	43	AC	E5	20	DC	20	10	84	9.5	9 D	99	AU O A	LI.	4.C	CLCCLD
2E00										2 D 4 5				2E			VDEX
2E10			44											4E			DEY INX.
2E20		_		2 D						AC			DC		C8		!INY.+
2E30 2E40	2 1 5 2		49			2 E				84		54			3F		RTI.5@.RTS.?.
2E50										2E		2 D		84		45	'.SEC.I8.SE
2E60			53		DC					45				2 E	DC	2 D	D.SSEI.J
2E70	78		54			AC				2 D			54		59		x.TAX.gTAY.
2E80	71		DC	2 D						AC	7B	2 E	DC	2 D	BA	84	qT5X.{
2E90					85	2E	DC	2 D	EA	84	50			AC		2 E	NOPPHA
2 EA 0	DC		48				50	AC		2E				84		4 C	H.PHPPL
2EB0	41	AC	A3	2 E	DC		68			4 C				2E		2 D	Ah.PLP
2ECO	28	84	54	58		AC										AC	(.TXATX5.
2ED0	Ci		DC			84				AC			DC		98		TYA
2 E E O	4 D									50				36			M6P6.0
2EF0	0 0	82	56	D3	E8	ZE	36	0F	50	00	82	56	43	ΑÜ	rı	LE	V6.PVC

"Raskin 5019806 21\_39.PICT" 264 KB 2000-02-25 dpi: 300h x 300v pix: 1948h x 2690v

2F10	2F00 3 2F10 0 2F20 4 2F30 2 2F40 F 2F50 4 2F60 8 2F70 8 2F80 F 2F80 0 2FR0 0 2FR0 0 2FD0 F 2FE0 0 2FD0 F 2FE0 0 2FD0 F 2FE0 3000 2 3010 0 3020 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	2F FC OE 66 AC 7C OE 66 AC 7C OE 66 AC 7C OE 67 AC 7C OE 68 AC 7C OE 68 AC 7C OE 68 AC 7C OE 7C	36 16 0E 69 37 48 33 14 0E AC 0D 0C 40 2F 33	00 0F 2F 3C 11 2F 45 0E 2E DB 78 69 86 2F 85 0E	BO 36 11 3C FC 4E DB 66 0E 2F 11 41 85 0C	43 00 0F 85 11 0E 08 3C FC 3C 47 0C 86	D3 82 F0 0C 14 69 4E 85 50 11 0E 11 41 86	FA 45 00 86 0D 11 2F 0C 58 37 2C F8 49 45	2E D1 86 55 89 3C FC 85 11 0D 4E 4E	36 0D 42 4E 0D 11 0E 45 3C 85 88 14 AC 44	0F 2F 45 46 4B 3C 11 0C 0D 9B 49	90 36 47 49 11 0C 11 53 87 58 89 2F 46	0F 49 4C 85 69 F8 45 0D 52 11 0D FC AC	DO 4E AC 0C 11 0D AC 14 45 3C 33 0E C3	00 AC 28 83 85 14 60 0D 50 11 0E 14 2F	C3 82 1F 2F 49 0C 0D 2F 89 45 14 DB 2E FC	ASCII  6.pC6N/6E/6  N/6EEGIN/  /(UNTIL.(/
ASCII  2F00	2F00 3 2F10 0 2F20 4 2F30 2 2F40 F 2F50 4 2F60 8 2F70 8 2F80 F 2F80 0 2FR0 0 2FR0 0 2FD0 F 2FE0 0 2FD0 F 2FE0 2FF0 5 3000 2 3010 0 3020 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	2F FC OE 66 AC 7C OE 66 AC 7C OE 66 AC 7C OE 67 AC 7C OE 68 AC 7C OE 68 AC 7C OE 68 AC 7C OE 7C	36 16 0E 69 37 48 33 14 0E AC 0D 0C 40 2F 33	00 0F 2F 3C 11 2F 45 0E 2E DB 78 69 86 2F 85 0E	BO 36 11 3C FC 4E DB 66 0E 2F 11 41 85 0C	43 00 0F 85 11 0E 08 3C FC 3C 47 0C 86	D3 82 F0 0C 14 69 4E 85 50 11 0E 11 41 86	FA 45 00 86 0D 11 2F 0C 58 37 2C F8 49 45	2E D1 86 55 89 3C FC 85 11 0D 08 0D 4E 4E	36 0D 42 4E 0D 11 0E 45 3C 85 88 14 AC	2F 45 54 69 4B 3C 4C 11 0C 50 0D 9B 49	36 47 49 11 0C 11 53 F8 87 58 87 2F 46	0F 49 4C 85 69 F8 45 0D 52 11 0D FC AC	DO 4E AC 0C 11 0D AC 14 45 3C 33 0E C3	00 AC 28 83 85 14 60 0D 50 11 0E 14 2F	C3 82 1F 2F 49 0C 0D 2F 89 45 14 DB 2E FC	ASCII  6.pC6N/6E/6  N/6EEGIN/  /(UNTIL.(/
2F10	2F10 0 2F20 4 2F30 2 2F40 F 2F50 4 2F60 8 2F70 8 2F80 F 2F90 0 2FA0 4 2FB0 0 2FA0 2 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	2F FC OE 66 AC 7C OE 66 AC 7C OE 66 AC 7C OE 67 AC 7C OE 68 AC 7C OE 68 AC 7C OE 68 AC 7C OE 7C	36 16 0E 69 37 48 33 14 0E AC 0D 0C 40 2F 33	0F 2F 3C 11 2F 45 0E 2E DB 78 69 86 2F 85 0E	BO 36 11 3C FC 4E DB 66 0E 2F 11 41 85 0C	00 0F 85 11 0E AC 0E 3C 47 0C 86	82 F0 OC 14 69 4E 85 50 11 0E 11 41 86	45 00 86 0D 11 2F 0C 58 37 2C F8 49	D1 86 55 89 3C FC 85 11 0D 08 0D 4E 4E	0D 42 4E 0D 11 0E 45 3C 85 88 14 AC 44	2F 45 54 69 4B 3C 4C 11 0C 50 0D 9B 49	36 47 49 11 0C 11 53 F8 87 58 87 2F 46	0F 49 4C 85 69 F8 45 0D 52 11 0D FC AC	DO 4E AC 0C 11 0D AC 14 45 3C 33 0E C3	00 AC 28 83 85 14 60 0D 50 11 0E 14 2F	82 1F 2F 49 0C 0D 2F 89 45 14 DB 2E FC	/6E/6  N/6BEGIN  /(UNTIL.(/i.(iI F.7/i.(.K.iTHEN.N/(3ELSE.\/f.PX.(3(.7REPE AT.x/, PX.(AGAIN/
ZF10	2F10 0 2F20 4 2F30 2 2F40 F 2F50 4 2F60 8 2F70 8 2F80 F 2F90 0 2FA0 4 2FB0 0 2FA0 2 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	2F FC OE 66 AC 7C OE 66 AC 7C OE 66 AC 7C OE 67 AC 7C OE 68 AC 7C OE 68 AC 7C OE 68 AC 7C OE 7C	36 16 0E 69 37 48 33 14 0E AC 0D 0C 40 2F 33	2F 3C 11 2F 45 0E 2E DB 78 69 86 2F 85 0E	36 11 3C FC 4E DB 66 0E 2F 11 41 85 0C	0F 85 11 0E AC 0E 08 3C FC 3C 47 0C 86	F0 0C 14 69 4E 85 50 11 0E 11 41 86	00 86 0D 11 2F 0C 58 37 2C F8 49	86 55 89 3C FC 85 11 0D 08 0D 4E 4E	42 4E 0D 11 0E 45 3C 85 88 14 AC 44	45 54 69 4B 3C 4C 11 0C 50 0D 9B 49	47 49 11 0C 11 53 F8 87 58 89 2F 46	49 4C 85 69 F8 45 0D 52 11 0D FC AC	4E AC OC 11 OD AC 14 45 3C 33 OE C3	AC 28 83 85 14 60 0D 50 11 0E 14 2F	1F 2F 49 0C 0D 2F 89 45 14 DB 2E FC	N/6BEGIN /(UNTIL.(/i.(iI F.7/i.(.K.iTHEN.N/(3ELSE.\/f.PX.(3(.7REPE AT.x/,.PX.(
2F20	2F20 4 2F30 2 2F40 F 2F50 4 2F60 8 2F70 8 2F80 F 2F90 0 2FA0 4 2FB0 0 2FC0 0 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	E C5 F FC OE 16 AC 35 54 39 OD 7C OE 10D 33 11 54 11 54 11 54 11 54 12 2F 16 2E 16 85 17 0E 18 2F 18 2	0E 69 37 48 33 14 0E AC 0D 0C 40 2F 33	2F 3C 11 2F 45 0E 2E DB 78 69 86 2F 85 0E	11 3C FC 4E DB 66 0E 2F 11 41 85 0C	85 11 0E AC 0E 08 3C FC 3C 47 0C 86	0C 14 69 4E 85 50 11 0E 11 41 86	86 0D 11 2F 0C 58 37 2C F8 49	55 89 3C FC 85 11 0D 08 0D 4E 4E	4E 0D 11 0E 45 3C 85 B8 14 AC 44	54 69 4B 3C 4C 11 0C 50 0D 9B 49	49 11 0C 11 53 F8 87 58 89 2F 46	4C 85 69 F8 45 0D 52 11 0D FC AC	AC 0C 11 0D AC 14 45 3C 33 0E C3	28 83 85 14 60 0D 50 11 0E 14 2F	2F 49 0C 0D 2F 89 45 14 DB 2E FC	/(UNTIL.(/i.(iI F.7/i.(.K.iTHEN.N/(3ELSE.\/f.PX.(3(.7REPE AT.x/,.PX.(i.(3AGAIN/
2F30	2F30 2 2F40 F 2F50 4 2F60 8 2F70 8 2F80 F 2F80 0 2F80 0 2FB0 0 2FD0 F 2FE0 0 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 G 3080 5 3090 0	2F FC 0E 16 AC 0E 16	0E 69 37 48 33 14 0E AC 0D 0C 40 2F 33	3C 11 2F 45 0E 2E DB 78 69 86 2F 85 0E	11 3C FC 4E DB 66 0E 2F 11 41 85 0C	85 11 0E AC 0E 08 3C FC 3C 47 0C 86	0C 14 69 4E 85 50 11 0E 11 41 86	0D 11 2F 0C 58 37 2C F8 49	89 3C FC 85 11 0D 08 0D 4E 4E	0D 11 0E 45 3C 85 B8 14 AC 44	69 4B 3C 4C 11 0C 50 0D 9B 49	11 0C 11 53 F8 87 58 89 2F 46	85 69 F8 45 0D 52 11 0D FC AC	0C 11 0D AC 14 45 3C 33 0E C3	83 85 14 60 0D 50 11 0E 14 2F	49 0C 0D 2F 89 45 14 DB 2E FC	.i.(iI F.7/i.(.K.iTHEN.N/(3ELSE.\/f.PX.(3(.7REPE AT.x/PX.(i.(3AGAIN/
2F40 FC 0E 69 11 3C 11 14 0D 89 0D 69 11 85 0C 83 49	2F40 F 2F50 4 2F60 8 2F70 8 2F80 F 2F90 0 2FA0 4 2FB0 0 2FC0 0 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 G 3080 5 3090 0	C OE 16 AC 18 5 54 18 9 OD 17 O OE 10 33 11 54 10 89 10 2 85 10 2 6 10 2 6	69 37 48 33 14 0E AC 0D 0C 40 2F 33	11 2F 45 0E 2E DB 78 69 86 2F 85 0E	3C FC 4E DB 66 0E 2F 11 41 85 0C	11 0E AC 0E 08 3C FC 3C 47 0C 86	14 69 4E 85 50 11 0E 11 41 86	0D 11 2F 0C 58 37 2C F8 49	3C FC 85 11 0D 08 0D 4E 4E	11 0E 45 3C 85 B8 14 AC 44	4B 3C 4C 11 0C 50 0D 9B 49	0C 11 53 F8 87 58 89 2F 46	69 F8 45 OD 52 11 OD FC AC	11 0D AC 14 45 3C 33 0E C3	85 14 60 0D 50 11 0E 14 2F	0C 0D 2F 89 45 14 DB 2E FC	F.7/i.(.K.iTHEN.N/(3ELSE.'/f.PX.(3(.7REPE AT.x/PX.(i.(3AGAIN/
2F50	2F50 4 2F60 8 2F70 8 2F80 F 2F90 0 2FA0 4 2FB0 0 2FC0 0 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5	16 AC 35 5439 OD 7C OE 1D 33341 544 1D 89 0E 85 76 2E 0E 68 54 2F 2C 08	37 48 33 14 0E AC 0D 0C 40 2F 33	2F 45 0E 2E DB 78 69 86 2F 85 0E	FC 4E DB 66 0E 2F 11 41 85 0C	0E AC 0E 08 3C FC 3C 47 0C 86	69 4E 85 50 11 0E 11 41 86	11 2F 0C 58 37 2C F8 49	3C FC 85 11 0D 08 0D 4E 4E	11 0E 45 3C 85 B8 14 AC 44	3C 4C 11 0C 50 0D 9B 49	11 53 F8 87 58 89 2F 46	F8 45 0D 52 11 0D FC AC	0D AC 14 45 3C 33 0E C3	14 60 0D 50 11 0E 14 2F	0D 2F 89 45 14 DB 2E FC	.THEN.N/(
2F60	2F60 8 2F70 8 2F80 F 2F90 0 2FA0 4 2FB0 0 2FC0 0 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5	35 54 39 0D 7C 0E 30D 33 11 54 3D 89 3D 85 66 2E 3D 68 3D 68	48 33 14 0E AC 0D 0C 40 2F 33	45 0E 2E DB 78 69 86 2F 85 0E	4E DB 66 0E 2F 11 41 85 0C	AC 0E 08 3C FC 3C 47 0C 86	4E 85 50 11 0E 11 41 86	2F 0C 58 37 2C F8 49 45	FC 85 11 0D 08 0D 4E 4E	0E 45 3C 85 B8 14 AC 44	3C 4C 11 0C 50 0D 9B 49	53 F8 87 58 89 2F 46	F8 45 0D 52 11 0D FC AC	AC 14 45 3C 33 0E C3	60 0D 50 11 0E 14 2F	2F 89 45 14 DB 2E FC	3ELSE.\/f.PX.\(
2F70	2F70 8 2F80 F 2F90 0 2FA0 4 2FB0 0 2FC0 0 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5	39 OD CC OE DD 33 11 54 DD 89 DE 85 F6 2E DE 68 54 2F CC 08	33 14 0E AC 0D 0C 40 2F 33	0E 2E DB 78 69 86 2F 85 0E	DB 66 0E 2F 11 41 85 0C	0E 08 3C FC 3C 47 0C 86	85 50 11 0E 11 41 86	0C 58 37 2C F8 49	85 11 0D 08 0D 4E 4E	45 3C 85 B8 14 AC 44	4C 11 0C 50 0D 9B 49	F8 87 58 89 2F 46	45 0D 52 11 0D FC AC	AC 14 45 3C 33 0E C3	0D 50 11 0E 14 2F	2F 89 45 14 DB 2E FC	3ELSE.\/f.PX.\\REPE AT.x/PX.\\i.\\3AGAIN/
2F80 FC 0E 14 2E 66 08 50 58 11 3C 11 F8 0D 14 0D 89f.PX.(	2F80 F 2F90 0 2FA0 4 2FB0 0 2FC0 0 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 G 3080 5 3090 0	FC 0E DD 333 11 54 DD 89 DE 85 F6 2E DE 68 54 2F 32C 08	14 0E AC 0D 0C 40 2F 33	2E DB 78 69 86 2F 85 0E	66 0E 2F 11 41 85 0C	08 3C FC 3C 47 0C 86	50 11 0E 11 41 86	58 37 2C F8 49 45	11 0D 08 0D 4E 4E	3C 85 B8 14 AC 44	11 0C 50 0D 9B 49	F8 87 58 89 2F 46	0D 52 11 0D FC AC	14 45 3C 33 0E C3	50 11 0E 14 2F	89 45 14 DB 2E FC	f.PX.(
2F90	2F90 0 2FA0 4 2FB0 0 2FC0 0 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	DD 33 11 54 DD 89 DE 85 F6 2E DE 68 54 2F 2C 08	0E AC 0D 0C 40 2F 33	DB 78 69 86 2F 85 0E	0E 2F 11 41 85 0C	3C FC 3C 47 0C 86	11 0E 11 41 86	37 2C F8 49 45	0D 08 0D 4E 4E	85 B8 14 AC 44	0 C 5 0 0 D 9 B 4 9	87 58 89 2F 46	52 11 0D FC AC	45 3C 33 0E C3	50 11 0E 14 2F	45 14 DB 2E FC	.3(.7REPE AT.x/,.PX.( i.(3 AGAIN/ @/ENDIF/.
2FAO	2FA0 4 2FB0 0 2FC0 0 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	11 54 DD 89 DE 85 F6 2E DE 68 54 2F 2C 08	AC 0D 0C 40 2F 33	78 69 86 2F 85 0E	2F 11 41 85 0C	FC 3C 47 0C 86	0E 11 41 86	2C F8 49 45	08 0D 4E 4E	B8 14 AC 44	50 0D 9B 49	58 89 2F 46	11 0D FC AC	3C 33 0E C3	11 0E 14 2F	14 DB 2E FC	AT.x/,.PX.(i.(3AGAIN/@/ENDIF/.
2FBO	2FBO 0 2FCO 0 2FDO F 2FEO 0 2FFO 5 3000 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	D 89 DE 85 F6 2E DE 68 54 2F 2C 08	0D 0C 40 2F 33	69 86 2F 85 0E	11 41 85 0C	3 C 4 7 0 C 8 6	11 41 86	F8 49 45	0 D 4 E 4 E	14 AC 44	0D 9B 49	89 2F 46	OD FC AC	33 0E C3	0E 14 2F	DB 2E FC	i.(3 AGAIN/ @/ENDIF/.
2FC0	2FC0 0 2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	)E 85 F6 2E )E 68 54 2F 2C 08	0 C 4 0 2 F 3 3	86 2F 85 0E	41 85 0C	47 0C 86	41 86	49 45	4E 4E	AC 44	9B 49	2F 46	FC AC	0E C3	14 2F	2E FC	@/ENDIF/.
2FD0 F6 2E 40 2F 85 0C 86 45 4E 44 49 46 AC C3 2F FC@/ENDIF/ 2FE0 0E 68 2F 85 0C 86 57 48 49 4C 45 AC D6 2F FC 0E .h/WHILE/.  2FF0 54 2F 33 0E 85 0C 85 4E 45 58 54 AC E5 2F FC 0E .h/WHILE/.  3000 2C 08 46 08 20 2C 85 0C 84 50 4F 50 AC F6 2F FC ,POP/  3010 0E 4B 0C 56 2C 1A 2D 42 0E B4 2D 32 2E 4B 0C 56 .K.VN2.K.  3020 2C 1A 2D 14 0D B4 2D 32 2E 85 0C 84 34 4F 44 C5	2FD0 F 2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 G 3080 5 3090 0	F6 2E DE 68 54 2F 2C 08	40 2F 33	2F 85 0E	85 0C	0C 86	86	45	4 E	44	49	46	AC	С3	2 F	FC	@/ENDIF/.
2FEO	2FE0 0 2FF0 5 3000 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	DE 68 54 2F 2C 08	2 F 3 3	85 0E	0 C	86											
2FF0	2FF0 5 3000 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	54 2F 2C 08	33	0E			5 1				97	₩1.	118	2.F	F1.	ut.	. n/wnill/
3000	3000 2 3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0	2C 08			0.5		25										
3010 0E 4B 0C 56 2C 1A 2D 4E 0E B4 2D 32 2E 4B 0C 56 .K.V,N2.K. 3020 2C 1A 2D 14 0D B4 2D 32 2E 85 0C 84 43 4F 44 C5 ,2COD 3030 72 2A FC 0E 7E 2A B0 17 CD 2A 4B 0C 33 0E C3 0E r******K.3 3040 84 13 85 0C 84 53 57 41 C2 2B 30 4D 30 B5 00 48SWA.+0M0 3050 B5 01 95 00 68 95 01 4C 46 08 83 4B 45 D9 44 30h.LFKE.D 3060 62 30 A4 24 B1 28 48 29 3F 09 40 91 28 68 2C 00 b0.5.(H)?.e.(h, 3070 C0 10 FB 91 28 AD 00 C0 29 7F 8D 10 C0 D0 02 A9()**** 3080 5C C9 1D D0 02 A9 5B C9 1E D0 02 A9 5F CA CA 95 \	3010 0 3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0		40	กบ	2.0												
3020	3020 2 3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0				_												
3030 72 2A FC 0E 7E 2A B0 17 CD 2A 4B 0C 33 0E C3 0E	3030 7 3040 8 3050 B 3060 6 3070 C 3080 5 3090 0																•
3040 84 13 85 0C 84 53 57 41 C2 2B 30 4D 30 B5 00 48SWA.+0MO 3050 B5 01 95 00 68 95 01 4C 46 08 83 4B 45 D9 44 30h.LF.KE.D 3060 62 30 A4 24 B1 28 48 29 3F 09 40 91 28 68 2C 00 b0.\$.(H)?.@.(h, 3070 C0 10 FB 91 28 AD 00 C0 29 7F 8D 10 C0 D0 02 A9()# 3080 5C C9 1D D0 02 A9 5B C9 1E D0 02 A9 5F CA CA 95 \LFCMOV. 3070 00 A9 00 95 01 4C 46 08 86 2D 43 4D 4F 56 C5 5ALFCMOV. 30A0 30 A3 30 18 B5 01 85 92 75 05 85 8F 18 B5 03 65 0.0u 30B0 92 85 91 B5 04 85 8E B5 02 85 90 B5 00 F0 0F A8	3040 8 3050 B 3060 6 3070 C 3080 5 3090 0																•
3050 B5 01 95 00 68 95 01 4C 46 08 83 4B 45 D9 44 30h.LF.KE.D 3060 62 30 A4 24 B1 28 48 29 3F 09 40 91 28 68 2C 00 b0.\$.(H)?.@.(h, 3070 C0 10 FB 91 28 AD 00 C0 29 7F 8D 10 C0 D0 02 A9 3080 5C C9 1D D0 02 A9 5B C9 1E D0 02 A9 5F CA CA 95 \[	3050 B 3060 6 3070 C 3080 5 3090 0																
3060 62 30 A4 24 B1 28 48 29 3F 09 40 91 28 68 2C 00 b0.\$ (H)?.@.(h, 3070 C0 10 FB 91 28 AD 00 C0 29 7F 8D 10 C0 D0 02 A9()	3060 6 3070 C 3080 5 3090 0																
3070	3070 C 3080 5 3090 0																
3080	3080 5 3090 0																
3090 00 A9 00 95 01 4C 46 08 86 2D 43 4D 4F 56 C5 5ALFCMOV. 30A0 30 A3 30 18 B5 01 85 92 75 05 85 8F 18 B5 03 65 0.0u 30B0 92 85 91 B5 04 85 8E B5 02 85 90 B5 00 F0 0F A8 30C0 88 F0 07 B1 8E 91 90 88 D0 F9 B1 8E 91 90 A5 92	3090 0																
30A0 30 A3 30 18 B5 01 85 92 75 05 85 8F 18 B5 03 65 0.0u																	
30B0 92 85 91 B5 04 85 8E B5 02 85 90 B5 00 F0 0F A8  30C0 88 F0 07 B1 8E 91 90 88 D0 F9 B1 8E 91 90 A5 92  30D0 F0 15 A0 FF C6 8F C6 91 B1 8E 91 90 88 D0 F9 B1  30E0 8E 91 90 C6 92 D0 EB 18 8A 69 06 AA 4C 46 08 84  30F0 42 4F 4F D4 98 30 F8 30 4C 00 C6 C6 45 44 49 54 B00.0.0LEDI  3100 4F D2 EF 30 5A 19 81 A0 13 35 84 2A 85 50 4F 53 0.0Z5.*.PO  3110 49 D4 6F 19 16 31 B5 00 85 25 B5 02 85 24 E8 E8 I.o1%\$.  3120 E8 E8 20 22 FC 4C 46 08 85 42 2F 53 43 D2 0C 31".LFB/SC  3130 57 0F C0 03 86 53 43 52 45 45 CE 28 31 3F 31 B5 WSCREE.(1?1  3140 00 85 8E E8 B5 00 85 8F E8 86 98 A9 00 85 90 48	111 A 11 5																
30C0 88 F0 07 B1 8E 91 90 88 D0 F9 B1 8E 91 90 A5 92 30D0 F0 15 A0 FF C6 8F C6 91 B1 8E 91 90 88 D0 F9 B1 30E0 8E 91 90 C6 92 D0 EB 18 8A 69 06 AA 4C 46 08 84 30F0 42 4F 4F D4 98 30 F8 30 4C 00 C6 C6 45 44 49 54 B00.0.0LEDI 3100 4F D2 EF 30 5A 19 81 A0 13 35 84 2A 85 50 4F 53 O0Z5.*.PO 3110 49 D4 6F 19 16 31 B5 00 85 25 B5 02 85 24 E8 E8 I.o.1	-				0.4	0.1	85	P 5	N 2	85	9.0	B 5	00	FN	OF	Δ8	
30D0 F0 15 A0 FF C6 8F C6 91 B1 8E 91 90 88 D0 F9 B1	_	76 03 00 Ev			0 T	01	0.0	δ ă	חת	FQ	P. 1	8F	91	90	A5	92	
30E0 8E 91 90 C6 92 D0 EB 18 8A 69 06 AA 4C 46 08 84i.LF. 30F0 42 4F 4F D4 98 30 F8 30 4C 00 C6 C6 45 44 49 54 B00.0.0LEDI 3100 4F D2 EF 30 5A 19 81 A0 13 35 84 2A 85 50 4F 53 O0Z5.*.PO 3110 49 D4 6F 19 16 31 B5 00 85 25 B5 02 85 24 E8 E8 I.o1%\$. 3120 E8 E8 20 22 FC 4C 46 08 85 42 2F 53 43 D2 0C 31".LFB/SC 3130 57 0F C0 03 86 53 43 52 45 45 CE 28 31 3F 31 B5 WSCREE.(1?1 3140 00 85 8E E8 B5 00 85 8F E8 86 98 A9 00 85 90 48								01	R1	RF	01	9.0	88	מת	FQ	R1	
30F0  42 4F 4F D4 98 30 F8 30 4C 00 C6 C6 45 44 49 54 B000.0LEDI 3100  4F D2 EF 30 5A 19 81 A0 13 35 84 2A 85 50 4F 53 O0Z5.*.PO 3110  49 D4 6F 19 16 31 B5 00 85 25 B5 02 85 24 E8 E8 I.o1%\$. 3120  E8 E8 20 22 FC 4C 46 08 85 42 2F 53 43 D2 0C 31".LFB/SC 3130  57 0F C0 03 86 53 43 52 45 45 CE 28 31 3F 31 B5 WSCREE.(1?1 3140  00 85 8E E8 B5 00 85 8F E8 86 98 A9 00 85 90 48																	• • • • • • • • • • • • • • • • • • • •
3100 4F D2 EF 30 5A 19 81 A0 13 35 84 2A 85 50 4F 53 OOZ5.*.PO 3110 49 D4 6F 19 16 31 B5 00 85 25 B5 02 85 24 E8 E8 I.o1%\$. 3120 E8 E8 20 22 FC 4C 46 08 85 42 2F 53 43 D2 0C 31".LFB/SC 3130 57 0F C0 03 86 53 43 52 45 45 CE 28 31 3F 31 B5 WSCREE.(1?1 3140 00 85 8E E8 B5 00 85 8F E8 86 98 A9 00 85 90 48																	
3110 49 D4 6F 19 16 31 B5 00 85 25 B5 02 85 24 E8 E8 I.o1%\$. 3120 E8 E8 20 22 FC 4C 46 08 85 42 2F 53 43 D2 0C 31".LFB/SC 3130 57 0F C0 03 86 53 43 52 45 45 CE 28 31 3F 31 B5 WSCREE.(1?1 3140 00 85 8E E8 B5 00 85 8F E8 86 98 A9 00 85 90 48																	
3120 E8 E8 20 22 FC 4C 46 08 85 42 2F 53 43 D2 0C 31".LFB/5C 3130 57 0F C0 03 86 53 43 52 45 45 CE 28 31 3F 31 B5 W5CREE.(1?1 3140 00 85 8E E8 B5 00 85 8F E8 86 98 A9 00 85 90 48																	
3130 57 OF CO 03 86 53 43 52 45 45 CE 28 31 3F 31 B5 WSCREE.(1?1 3140 00 85 8E E8 B5 00 85 8F E8 86 98 A9 00 85 90 48																	
3140 00 85 8E E8 B5 00 85 8F E8 86 98 A9 00 85 90 48						46	40	υď	00	96	/I /F	22	93	25	21	Ďζ · ŋΤ	
3150 A9 04 85 91 A2 08 A0 00 B1 8E 49 80 91 90 C8 C0I																	
3160 28 DO F5 18 A5 90 69 80 85 90 90 02 E6 91 18 A5 (i																	(i
3170 8E 69 28 85 8E 90 02 E6 8F CA DO DA 68 18 69 28 .i(h.i	3170 8 3180 C	ar. hy	£0 7.7	0.5	A6	70	40	7.0	U o	D.V.	57	22	DU DU	2 /	3 / 3 f	57	.i(h.i( .xLFR#.41V

OF E2 97 83 52 23 CC 89 31 57 OF A2 9B 86 43 55

52 53 4F D2 93 31 FC 0E 4E 0E 8F 31 9F 0E 71 0D

53 BE BE 31 FC OE OE 11 9F OE 14 OD 4E OE 99 31

9F 0E E6 11 D0 08 04 00 37 0D 8F 31 9F 0E 89 0D

31 85 OC 84 3C 42 53 BE CD 31 FC OE 0E 11 9F

4F 4D C5 9D 31 FC 0E 4B 0C A6 31 85

9F 0E 46 1B 14 31 85 0C 84 48

"Raskin 5019806 22\_39.PICT" 259 KB 2000-02-25 dpi: 300h x 300v pix: 1937h x 2672v

OC 84 3C 46

OE 11 C3 OE ED 29

3190

31A0

31B0

31C0

31D0

31E0

31F0

....R#..1W....CU

RSO..1..N..1..q.

.....)..F..1...H

OM. .1. .K. .1. .. < F

5..1.....N..1

.......7..1....

.1... (B5..1....

			Je	ef R	ask	in /	Jan	nes	Wii	nter	/	Al P	ater	nt	Sw	yft <sup>-</sup>	Techn	ology
										5,0	)19,	806						
					37					-,	,						38	
A	ddress			•	•		ŀ	lexa	d e o	ina	1							ASCII
	3200	0E	37	0 D	8F	31				1A		31		0E		00		.711
	3210	31		0 C	84	3 C	55	50	BE	F4	31	FC	0E	0E	11	9F	0E	1 (UP1
	3220		29	9F		89	OD	4E	0E	8F	31	9F	0E		11	DO	08	.)N1
	3230		00	ΕD	29	9 F	0E	71	0 D	8F	31	9 F		89	0D	A6	31	)q11
	3240		0C	84		4 C	46	BE			FC	0E		11	9F	0E		(LF2
	3250		9 F	0E	71	0 D	4 E	0E	99	31	9F	0E	A2	11	E5		D0	)q.N1
	3260	08	08	00	ED	29	9 F	θE	89	0 D	8F	31	9 F	0E	89		A6	1(CR.B2
	3270	3 1		0 C	84	3 C	43	52	BE	42	32	FC	0E	0E	11	9F	0E 11	.1)R*
	3280	8F	31	9 F		89	0D	ED	29	9 F	0E	A7	1B 54	5 2 BE	2A 73		FC	o.12 (EMIT.52.
	3290		0E	49	32	85	00	86	3 C	45	4 D	49 08	80	28	00	66	08	.Nf(.f.
	32A0		4E	0E		11	9F	0E	DB OE	0E 71	66 0D	DB	0 E	D4	31	85	0 C	(f.\$q1
	32B0	28		0E	66	08 96		B4 FC		0E	11	9F		4E	0E	8F	31	.EO2N1
	3200	83	45 0.E	4F 89		ED	29	9F		A7	1B	89		ED	29	9F	0 E	))
	32D0	9 F 71	OD	85	0C	84		49		BE		32		0E	0 E	11		q(IC2
	32EO 32FO	0E		0 E	14	0 D	C6	32	F8	OD	89	0D	AI	30	0 E	11	9 F	.N20
	3300	ΰE	DB	ΟĒ		31	9F.		3 D	31	85	9 C	84	3 C	44	43	BE	1=1 <dc.< td=""></dc.<>
	3310	E4		FC	0 E	0E	11	9 F	0E	4 E	0E	14	0 D	33	0E	C٤	32	. 2 N 3 2
	3320	F8	OD	89		E9	0A	B1	0F	C6	32	37	0 D	DB	0E	8F	31	
	3330	9 F	0E	3 D	31		0 C	84	3 C	49	4 C	BE	0B	33	FC	0 E	C6	=1 <il3< td=""></il3<>
	3340	32	4E	ΟE	ED	29	9 F	0E	89	0 D	4 E	0 E	C1	0 C	33	0 E		2N)N3
	3350	31	9 F	0 E	F8	0 D	89	0 D	Ai	30	D3	0 C	ED	29	۶F		B5	1
	3360	15	8F	31	9F	0 E	3 D	31	85	0 C	84	3 C	44	4 C	BE	36	33	1=1(DL.63
	3370	FC		C6		4E	0 E	ED		9 F	0E	89	0 D	F8	0 D	99	31	2N)1
	3380	9F	OΕ	33	0E	89	0 D		OA	99	31	9 F	0E	ED	29	9 F	0E	3 1 )
	3390	89	0 D	ED	29	9 F	0E	B5	15	8F	31	9F	0E	3D	31	85	0C	)1=1 .(SAV.i3*
	33A0	85	3 C	53	41	56	BE	69	33	FC	0E 0E	F6	1B 31		1D 0F	85 9F	0 C 3 2	.(BSD312
	33B0	85	30	42	53	44	BE									11		.1GEO3
	3300		31				89		RE.	15	8E	31	OF	OF	317	31	85	2
	33D0	0.5	0 E	3 2 3 C	52													(RE531
	33E0 33F0			0 E												00		U1=1
	3400	45	2 E	4 D	4F	44	C.5	E1	33	57	OF	00	00			49		E.MOD3W(IN
	3410	53	BE	FF	33	FC	0E	08	34	55	OC	33	0E	C3		85	0 C	S34U.3
	3420	86		4 E	49	4E	53	BE	00	34	FC	0E	08	34	4 B	0 C	- 33	. < NIN544K.3
	3430			0E				3 C	52	54	BE	20	34	FC	0 E	C6	3 2	(RT. 42
	3440	37	OD	4E	0E	B4	0E	66	08	20	E6	11				0 D		7.Nf
	3450			0 E			12		DO		E7		14			31		· · · · · · · · · · · · · · · · · · ·
	3460			OD						45						35		1E.INI.54
	3470			4 E								CC	10			8F		N)4N1
	3480			4E												C3		N.=101q1
	3490			9 F	0E					F8					0E			K.,z# \$#u.K1(NX.g
	3 4 A O						űΓ	Ab	J I	0.0	70	24	3 C	ህር ትር	94	BE 3C	50	4p4 <p< td=""></p<>
	34B0			0E AA		10										85		R. 4 7 . p4
	3400	56	BE	45	J4 57	1 b												. (ERR 4 \$
	34D0 34E0	05	U.E.	CC	10	ЯQ	מט	30	31	9 F	0E	D1	1A	A6	31	85	0 C	011
	34F0	84	30	43	4C	BE	DO	34	FC	0 E	0E	11	9F	0E	8F	31	9 F	.(CL41.
	0310	U 1							-	"D	1.7	5040	200.00		DIOT!	0501	/D 0000 0	00 05 de 1 000h 000 1 4054h 0007-

"Raskin 5019806 23\_39.PICT" 258 KB 2000-02-25 dpi: 300h x 300v pix: 1954h x 2667v

Jef Raskin / James Wint	er / IAI Patent	<ul> <li>Swvft Techno</li> </ul>	loav
-------------------------	-----------------	----------------------------------	------

									5,0	019,	806						
Address				39		Ŧ	ie ха	dec	cima	a 1						40	ASCII
Add: 655						•				-							
3500	0E	DF	0F	71	OD	F8	0 D	89	0 D	B5	15	8F	31	9F	0E	3 D	q1=
3510	31	85	0 C	84	4 B	45	59	D3	FO	34	57	OF	6 E	2 A	FΒ	31	1KEY4W.n*.1
3520	3 D	33	6 E	2 A	12	33	6E	2 A	6 E	2 A	6E	2 A	B8	33	14	34	=3n*.3n*n*n*.3.4
3530	6 E	2A	70	33	CB	33	7A	32	B1	3 4	E9	33	A8	33	C5	31	n*p3.3z2.4.3.3.1
3540	C 4	34	D4	31	6 E	2 A	3 C	34	F7	34	1A	32	D8	34	29	34	.4.1n*(4.4.2.4)4
3550	49	32	84	45	44	49	D4	FB	30	FC	0 E	70	34	60	30	4 E	12.EDIOp4`ON
3560	0 E	66	8 0	1 B	E6	11	E5	0 C	D0	8 0	31	00	4E	0E	66	08	.f1.N.f.
3570	1 C	C3	11	DO	08	10	00	56	0 D	1A	35	71		9 F	0E	8 A	V5q
3580	8 0	B1	08	14	00	8 0	34	9 F		DO	8 0	0A	00	EB	32	D4	4 2 .
3590	31	B1	0.8	04	00	9F	32	B1	08	C 4	FF	2 A		2 C	08	00	12*.,
35A0	0 4	2 C		0.0	04	66	08	A O	10	0B	4B	00	4 B	00	14	31	.,fK.K1
35B0	85	0 C	85	52	45	44	49	D4	52	35	FC	0E	A7		9 F	0 E	REDI.R5
35 C O	5 9	3.5	85	00	85	45	52	52	45	C4	B2	35	FC	0E	31	11	Y5ERRE51.
35D0	9 F	0E	59	35	85	0 C	83	52	41	CD	C 4	35	36	0F	00 44	68	Y5RA56h
35E0	83	45	4 F	D6	D6	35	36	OF	00	B7	86	57 EA	49 35	4E 36	0F	.91 62	.EO56WINDO 56h.BO56.b
35F0	D7	E0	35	36	0F	00	68	83	42 0F	4F 64	D3 68	84	43	3 0 4 C	49	GE CE	h.EO56.dh.CLI.
3600	68	83	45	4F OF	D3 66	F7	35 84	36 4F	4°C	49	CE	0 B	36	36		67	.66.fh.OLI66.g
3610	01	36 83	36 42	4F	D4	16	36	36	0F	68	68	84	42	45	4F	D4	h.BO66.hh.BEO.
3620	68	36	36	0F	6A	68	83	45	4F	D4	2 B	36	36	0 F	6 C	68	!66.jh.EO.+66.lh
3630	21 87	57	52	41	50	41	44	D2	36	36	36	OF	6E	68	85	50	.WRAPAD.666.nh.P
3640 3650	46	3 7 4 C	41	C?	40	36	36	OF	70	68	83	50	43	D4	4E	36	FLA.@66.ph.PC.N6
3660	36	0 F	71	68	83	4 C	43	D4	5A	36	36	0F	73	68	84	4 C	6.qh.LC.Z66.sh.L
3670	4 D	41	D8	64	36	36	0F	75	68	84	44	45	4F	D3	6 E	36	MA.d66.uh.DE0.n6
3680	36	OF	76	68	84	44	42	4F	D3	79	36	36	OF	78	68	86	6.vh.DBO.y66.xh.
3690	50	46	4F	52	4 D	D4	84	36	36	0F	7A	68	84	43	55	5 2	PFORM66.zh.CUR
36A0	· D2	8F	36		OF	80	68	84	50	41	54	D4	9 C	36	36	OF	66h.PAT66.
36B0	Di	68	84	56	45	43	D4	A7	36	36	0F	20	69	83	2 E	4 C	.h.VEC66. iL
36C0	C 6	B2	36	36	0F	22	69	86	57	52	41	50	43	D4	BD	36	66."i.WRAPC6
36D0	36	OF	23	69	83	2 E	42	CC	C 7	36	36	OF	24	69	83	2 E	6.#iB66.\$i
36E0	4 C	D0	D4	36	36	OF	25	69	83	51	49	CE	DE	36	36	0F	L66.%i.QI66.
36F0	40	69	84	51	4F	55	D4	E8	36	36	OF	41	69	83	50	47	@i.QOU66.Ai.PG
3700	D3	FZ	36	36			69	85	4 C	49			D3				66.Bi.LINE66
3710 .	OF	43				4F		07	37				69		4 C		.Ci.BO76.Ei.LC
3720	5 4		13			OF		69		4C	52	46			C7 ·		T76.Gi.LRFLA
3730	37	36		49			4C				28	37			4 B		76. Ii: LRA. (76. Ki
3740			46		41	C?	35	37		OF	51		86				EFLA.576.Qi.FND
3750	4 C			40		36			69				44.				LI.@76.Ri.FNDPO.
3760	4 C				53				46				59				L76.5i.XFLA.Y76.
3770	55	69			55				C7		37 69	36			69		Ui.NUFLA.f76.Vi. OLDE.r76.Xi.BO.≡
3780			44		69	72			C3		37	36			69		76.Zi.EO76.\i.
3790 37A0	37 4 C			95	37	36	95 0F		69		52	54			37		LT76.hi.RT76
		6A		85	4 C	44		4F		A9	37				69		.ji.LDEO76.li.
37B0 37C0			45		D3	B3		36	OF		69	85			44		RDEO76.ni.OLDB
3700 37D0	A3	BF			OF	70			45		CB		36		74		76.pi.E76.ti
37E0			A3			36			69		42						.B76 .vi .BYT7
37F0											OF						6.xi.C76.zi.RE
0,10				•				٠									2-25 dpi: 300h x 300v pix: 1931h x 2678v
									110	AUTUI I	JU 100	JJ 27	_55.1		_, _ 1\	000 0	

Jef Raskin / James Winter / IAI Patent Swyft Technology
---

															_		
									5 (	)19,	806						
				41					٥,٠	,,,	000					42	
Address			٠			ŀ	le x a	a d e c	cima	1							ASCII
2000	C 4	CF	F4	37	36	OF	7C	69	87	5.2	45	54	4 E	43	48	D2	T76.:i.RETNCH.
3800	54 FD	CE 37	36	0F	7D	69	84	43	4F	4C	A3	08	38	36	OF	7E	.76.Ji.COL86.~
3810		87	50	52	49	4E	54	45	DZ	16	38	36	OF	7F	69	84	i.PRINTE86.Mi.
3820	69 4F	45	4F	D3	21	38	36	0F	81	69	84	58	50	4F	D3	2 F	OEO.!86i.XPO./
3830	38	36	0F	83	69	84	59	50	4F	D3	3 A	38	36	OF	84	69	86i.YPO.:86i
3840	85	58	42	41	4E	CB	45	38	36	OF	85	69	88	53	41	56	.XBAN.E86i.SAV
3850	45	43	48	41	D2	50	38	36	0F	86	69	83	42	4 C	BO	5 C	ECHA.P86i.BL.\
3860	38	36	0 F	87	69	83	42	4 C	B1	6B	38	36	OΓ	89	69	83	86i.BL.k86i.
3870 3880	43	54	D2	75	38	36	OF	8B	69	84	4 B	51	55	C 5	7F	38	CT.u86i.KQU.#8
3890	36		F0	69	85	50	41	47	45	D3	89	38	36	0F	00	6 A	6i.PAGE86j
3840	85	53	41	56	45	C4	94	38	36	OF	00	6B	85	4 C	4F	4 D	.SAVE86k.LOM
	45	CD	A0	38	36	OF	00	6E	83	42	4F	D6	AC	38	36	0F	E86n.BO86.
38B0		72	87	44	45	46	41	55	4 C	D4	B8	38	57	0F	4 C	3 C	.r.DEFAUL8W.L(
3800	00	12 4C	3 A	DB	00	00	FF	6C	4 C	99	EI	02	00	6B	20	00	.L:1Lk.
38D0	D4	04	00	B7	7F	00	EO	14	00	00	FF	FF	00	10	00	28	
38E0	E0	18	0.0	17	00	F8	DO	07	DO	07	F8	06	00		FF	00	
38F0	00		0 F	28	FO	FD	1B	FD	00	00	3 C	00	FF	00	00	00	(
3900	FF	AA		70	DC	D8	00		0.0	00	FF	FF	8E	B3	69	FF	Bp.pi.
3910	42	70	00	FF	00	00	FF	FF	00	00	FF	FF	38			FF	U8
3920	.55	00	FF	FF	0.0	01	6E	03	6E	18	6E	18	6E	00	72	FF	n.n.n.r.
3930	0.0			FF	FF	00	FF	FF	00	00	FF	00	08	00	FF	FF	<b>r</b>
3940	00	00	72 EE		00	FF	FF	00	00	00	FF	FF	00	03	4C	FF	L .
3950	00	00	FF	FF		00	FF	00	00	00	0.0	88	FF			69	i
3960	00	0.0	FF	FF	00		00	00	00	00	00	09	0.0	03		E6	
3970	FF	00	0.0	D0	D1	01			C 9	3A	B0	0A	C 9	20		EF	
3980	B8	DO	02	E6	B9	AD D0	05 60	02 80	4F	C7	5 <i>2</i>	FF	00			FF	8.08\.O.R
3990	38	E9	30	38	E9	0.0	7F	FF	00	00		FF	0.0	00	FF	FF	
39A0	00	00	FF	FF FF	00	00	FF	FF	00	00	FF	FF	00	00	FF	01	
39B0	0.0	00	FF		00	DF	19	00	01	00	40	00	00	FF	00	00	
3900	0.0	00	FF	FF	0.0	00	00	00	DO	D2	00	FF	00	00	00	D2	
39 D O	00		C1	0.0			00		0.0		0.0				00		
39E0	CF	02	01	00				18	00	82		C8				0F	.I86C96.
39F0	82		D0 84	C2	38 53	36 41	OF ne	F9			0F		00		50		\$ASA96PS
3A00	24		02					00	84	58	53	41	D6		3A		A:6XSA:6
3A10	41	FD		84	59		41	D6	18	3A		OF				_	YSA:65
3A20				23	3 <i>7</i>	36			00	83	46		C2	2 E	3A		5A.#:6F):A
3A30	53		D6 62		63	BA		64		00		00			6 C		:.b.cd1.
3A40	3A		95				F3			BD		01	9D	80		BD	.k
3A50	0.0								A6						10		@1ii
3 A 6 0	40		9 D				D4			8D	70				A4		LD!i
3A70			A0		4C		60		42	*		39		8F	3A		H(`.B).9:.:.
3A80			48		FB				FE				AZ	00		00	h
3A90			68				FD	84 00	E8	DO		A2	CO		00	01	kl
3 A A O	9D		6B			6C						F1	A6		9A		.elld
3AB0	9 D					6C	9 D		01	E8		87			3A		c.blFGH>:.)
3 A C O	63		62	4C	46	08	84	43	48						7 D		图.}i8.\$.~i.;i.}i
3AD0	7F		7 D			A5		ED			8D						
3AEO	C9										69				E6		\$.~i.P\$ .\$.~i.}iL.:.INIT
3AF0	A5	Z 4	۵D	/L	6 9	ΑIJ	ıΩ	<b>0</b> Y	4C								
									"Ra	askin	50198	06 25	_39.F	יICT"	261 K	LB 2000-0	2-25 dpi: 300h x 300v pix: 1930h x 2673v

		Je	ef R	ask	in /	Jar	nes	Wir	nter	/ IA	d Pa	ater	nt	Sw	yft 7	Гесhr	nology
									5,0	)19,	806						,
				43			•	د		. 1						44	ASCII
Address						ŀ	ie x a	a e c	: 1 m a	11							ADUII
3 B 0 0	2 D	42	41	53	49	C3	C6	3 A	FC	0E	CC	38	A8	38	2 C	08	-BASI:8.8,.
3B10	00	01	E9	0 A	CC	38	2 C	8 0	00	01	71	0 D	B4	38	66	08	8,q8f.
3B20	50	E9	0 A	85	0 C	87	44	49	53	50	4 C	41	D9	ΓB	3A	57	PDISPLA:W
3B30	OF	00	04	80	04	00	05	80	05	00	06	80	06	00	07	80	
3B40	07	28	04	A8	04	28	05	8 A	05	28	06	8A	06	28	07	A8	. ( ( ( (
3B50	07	50	04	D0	04	50	05	DO	05	50	06	D0	06	50	07	D0	. P P P P
3B60	07	86	4 F	4E	2F	4F	46	C6	25	3 B	6 C	3 B	AD	84	69	C9	ON/OF.%;1;i.
3B70	18	90	07	A9	28	8 D	83	69	Α9	1.7	0 A	A8	В9	31	3 B	85	(ii;.
3B80	8 E	B9	32	3 B	85,		AD	19	CO	30-	FB	AC <sup>-</sup>		69	AD	85	2;0i
3 B 9 O	69	DO	09	8 D	01	CO	8 D	55	CO	B8	50	06	8 D	00	CO	8 D	iVP
3BA0	5 4	C 0	60	82	4F	CE	61	3B	AA	3B	20	60	3B	B1	8E	8 D	T. '.O.a;.; 1;
3 BB O	86	69	A9	FF	91	8E	8 D	00	CO	8D	54	CO	4 C	46	08	83	.iT.LF
3BC0	4 F	46	C6	A3	3 B	C7	3 B	20	6C	3 B	AD	86	69	91	38	DB	OF;.; 1;i
3 B D O	0.0	CO	8D	54	CO	4 C	46	8 0	86	3F	42	4 C	49	4E	CB	BF	T.LF?BLIN;808
3BE0	3 B	FC	0 E	8 A	0F	85	38	6F	0E	85	38	9F	0E	D0 04	80 00	16 C5	8 [8
3BF0	0.0	85	38	9F	0E	7B	38	9F	0E 38	E6 9F	11 0E	D0 85	08 38	C3	0 E	85	; ; q8 8
3000	3 B	B1	80	0 C 4 3	00 52	A8 BE	3B D8	71 3B	FC	9 E	66	08	0 D	6B	1F	85	(GR;fk
3C10	0.0	84 84	3C 55	4 D	41	D8	11	3 C	FC	0E	BO	25	A2	11	DO	08	UMA
3C20	0 C 0 4	00	33	0E	2A	0E	85	00	84	55	4 D	49	CE	21	3 C	FC	3.*UMI.!<.
3 C 3 O 3 C 4 O	0 E	B0	25	AZ	11	DO	08	08	00	2 A	0E	B1	08	06	00	33	% * 3
3C50	0E	2A		85	0C	84	42	45	45	DO	38	3 C	FC	0E	2 C	0.8	.*BEE.8(,.
3060	AA	01	4 B	00	58	09	55	00	55	0 C	A4	0 B	2 C	80	30	CO	K.X.U.U,.0.
3 C 7 D	DB	0 E	F1	08	F2	FF	85	0 C	84	45	58	49	D4	55	3 C	FC	EXI.U(.
3080	0 E	D3	0 C	2A	θE	85	00	84	58	4 C	41	D4	78	3C	57	0F	*XLA.x <w.< td=""></w.<>
3090	01	04	02	00	00	00	00	00	00	OB	00	00	00	0 D	00	00	
3CA0	8 0	00	05	00	00	00	00	00	00	07	00	0 C	06	03	00	00	
3 C B O	85	3 C	51	55	45	ΒE	87	3 C	BA	3 C	C9	FF	69	0.0	29	7F	.(QUE(.(i.)#
3CC0	C 9	20	B0	04	A8	B9	90		AC	40	69	99	FO	69	88	10	(.@ii
3 C D O			04	8 C			8D										@i\QU( .(\LF(Q
3CEO		3 C				10		20		30		46	08				. ( . ( . (
3 CF 0	BE						00						FO CC				(
3D00		CA	CB				01						B9				.@(.=Aii.
3D10	82						69						01		46		AiLF.
3D20 3D30	10 84		41					39	3 D	2.0	F.5	3 C	FO				.?A5=9= .<
3D40		C 9								C 9			02				iL
3D40 3D50	46	08			CB								FO				$F \dots ? \dots 0 = Y = \dots \langle \dots \rangle$
3D60	95						3 F										LF?DU.R=
3D70	85	OC	84	4E			D0										NOO.e=X.
3D80	72		36	OF	96	00		58	<b>B</b> 5			36			00		r=6X.}=6
3 D 9 O	59		41	56	C5	86	3 D	36	0F	9 C	00	84	53	49	5A	C5	YSAV=6SIZ.
3DA0	8 F		36		50	00			45	56	45	52				3 D	.=6.PREVERS=
3 DB 0	B2						B5						85		B5		.= <u>-</u>
3DC0	85	91										8F			90		R
3 DD 0	C6						8E							85			ee
3DE0	8 F	A0	FF	B1	90	85	94	A1	92	91	90	A5	94	81	¥2	88	<u></u>
3 DF 0	E6	92	DO	EF	E6	93	CO	FF	F0	23	CO	UU	1.0	11	RI	90	

		Je	ef R	ask	in /	Jan	nes	Wir	nter	/ IA	l Pa	ater	nt	Sw	yft <sup>-</sup>	Гесhr	nology
									5.0	)19,	806						
				45					•							46	
Address	•					ŀ	iexa	dec	cima	3.1							ASCII
3 E 0 0	85	94	A1	92	91	90	A5	94	81	92	E6	92	88	DO	EF	B1	
3E10		85	94	Ai	92	91	90	91	90	A5	94	81	92	E6		B8	
3E20		A8	A5	8E	4A	18	A4		FO	02	69	80	A8			85	PJi.e
3E30	92		00	65	91	85	93	46	8E	90	06	E6	92	DO	02	E6	eF
3E40	93	88	CO		FO	15	B1	90	85	94	A1	92	91	90	A5	94	
3E50	81	92	E6	92	DO	02	E6	93	B8	50	E6	A6	98	4C	46	08	PLF.
3E60	84	46	4 C	49	DO	A6		FC	0E	08	0E	C1	00	BO	25	71	.FLI=%q
3E70		90	09	33	0E	BO	3 D	90	09	F8	0 D	ВО	3 D	D3	00	71	3 = = q
3E80	OD	33	0E	BO	3 D	85	0C	89	46	4 C	49	50	2 F	54	52	49	.3=FLIP/TRI
3E90	CD	60		EC	0E	BO	25	33	0E	Ci	0 C	C1	0C	71	0 D	71	. `
3EA0	OD	F8	0D	C1	0 C	BO	3 D	D3	0 C	4E	0 E	90	09	BO	3 D	D3	= N = .
3EB0		71	OD	D3	00	BO	3 D	85	0 C	83	43	4 C	D2	87	3E	CI	.q=CL).
3EC0		86	98	A2	2 E	BD	31	3B	85	8E	BD	32	3 B	85	8F	A0	<pre>&gt;1;2;</pre>
3ED0		A9	ΑO	8D	01	CO	8 D	55	CO	91	8E	88	10	FB	8 D	00	′ʊ
3EE0	CO.	8D	54		ΑO	27	91	8E	88	10	FB	CA	CA	.10	D6	A6	T'
3EF0	98	4 C	46	30	85	4 D	41	54	43	C٤	B9	3E	FE	3 E	84	94	.LFMATC>.>
3F00	98	18	6 D	D1	68	A8	ΑE	D1	68	88	CA	30	2 B	BD	D2	68	$\dots$ m.hh0+h
3F10		61	9.0	1A	C9	7B	90	0A	D1	8E	F0	03	A4	94	60	B8	.a{
3F20	50	09	51	38	29	DF	F0	03	A4	94	60	B8	50	07	D1	8 E	P.Q.)P
3F30	FO	03	A4	94	60	B8	50	Di	68	68	A6	98	18	<b>A</b> 5	94	65	`.P.hhe
3F40	8E	95	00	A9	00	65	8F	95	01	4 C	46	08	85	53		45	eLFSEE
3F50	4 B	ΒE	F 4	3 E	56	3F	38	B5	02	85	8E	F5	00	85	9A		K>V?8
3F60	03	85	8F	F5	01	85	9 B	E8	E8	Α9	00	95	00	95	01	90	
3F70	03	4 C	46	08	86	98	38	Α9	00.		9 A	85	9A	A9	00	E5	LF8
3F80	9B	85	9B	AD	DZ	68	29	DF	85	90	AD	D3	68	29	DF	85	h)h)
3F90	92	A5	9 A	C9	90	A5	9 B	E9	00	90	60	AC	D1	68	88	DO	
3FA0	11	B1	8E	29	DF	C 5	90	D0	03	20	FE	3E	C8	10	F2	B8	)
3FB0	50	30		01	B1	8E	29	DF	C5	92	DÓ	11	88	B1	8E	29	PO))
3FC0		C5		DO	03	20	FE	3E		B1	8E	29	DF			90	))
3FD0					29		C5		DO			E6	8F	•	A5		i8
3FE0		D2		A5		69		85	8E	90 50			00	B1	8E		P)
3FF0					B0				C8						98		
4000		C5		D0			4B			3F	10	40	38		00		FSEEK.L?.@8
4010		08 F5	85 02		9A				8F						E8.		
4020		94	00		01	BO				08			DO		4 C		LFLF
4030 4040	0 0 0 8	86	98		D2	68			85						DF		h)h)
4050			9A			A5	9B	E9	00						80		
4060	8E	BO	03	C6	8F		A5			80				02		9 B	8
4070			AE		68		DO	11			29		C5		DO	03	. <b>m</b> h )
4080					10				2 C	B1	8E	29	DF	C5	90	DO.	.)P,)
4090					29		88		92						B1		)
40A0					92		0 B	B1	8E							20	))
40B0	FE	3 E	88	10	D4	B8		99		8E							. ) P
4000			A4		B1						DO				3E		)).
40D0		F2		98		46				52					E0		LFWRA@.@
40E0	AO	00	8C		68				85							CD	ph.nhoh
40F0	6 D	68	90	10	8 C	23	69	АУ									mh#i0h
									K	askin :	JU 198	UO 21	_39.1		∠၁3 K	'D \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	-02-25 dpi: 300h x 300v pix: 1930h x 2654v

			<u> </u>		,	-		• • • •		, .,	\1 I \	410.			<i>y</i>	COIIII	
			•						5.0	119	806	ı					
				47					٠,٠	J17,	000	ı				48	
Address						ŀ	ie x a	dec	ima	1							ASCII
AGG1 COO																	
4100	FA	4 C	46	08	Bi	8E	C9	0 C	D0	14	C8	8 C	23	69	A9	BD	.LF#i
4110	8C				4F	99	80	68	88	10	FA	4 C	46	08	AD	73	.ph.OhLFs
4120	68	CD	75	68	90	14	8 C	23	69	A9	AD	C8	8 C	70		A0	h.uh#iph.
4130	4F	99	80	68	88	10	FA		46	08		8E	49	80		8 E	0hLFI
4140	BO	1 C	C9	8 D	D0	08	C8	8C	23			B8	50	03	8 C	23	#i₽#
4150	69	A9	ΑO	99	80	68	C8	CO	50	90	F8	4 C	46	08		80	i, hP., LF
4160	68	C 8	CO	51	DO	D4	A9	20	88	10	08	Α9	50	8D		69	hQ P.#i
4170	4 C	46	08	D1	8E		F1	88	10	08	A 9	50	8D	23		4 C	LFP.#iL
4180	46	8 0	D1	8 E		F1		8 C		69	A 9		99	80	68	C8	F#ih.
4190	CO	50	90			46		-86		44	4A		53	D4	D7	40	.PLFADJU5@
41A0	ΑZ	41	ΑD	6 F	68		6D		DO	03	4 C	46	80	AC	23	69	.A.oh.mhLF#i
41B0	CO		F0	19	AD		68			AD		68	85	8 F	B1	8E	.Pnhoh
41C0	C9		D0	09	88		8E		0E		01	83	C8	84	8F	AD	
41D0	78	68	85	90	AD	79	68		91			88	85	92		77	xhyhvhw
41E0	68	85	93	38	AD	6 E	68		6A			6F	68	ED		8 8	h8.nh.jh.oh.kh .D8.xh.jhyh.k
41F0	ВО	44	38	AD	78	68	ED	6A		85	94	AD	79	68	ED 95	6B 6D	hmdhm
4200	68	85	95	90	0F	18	A5		6D	64	68	85 85	90 94	A5 AD		68	eh8.vh.jhwh
4210	6,5	68	85	91	38	AD	76	68		94	68 6D	64	68	85	92	A5	.khmdh
4220	ED	6 B	68	85	95	90	0F	18	90	ED	6E		A8	A5	91		meh8nh
4230	95	6D	65	68	85 A0	93 00	38 B8	A5 50	0D	F0	03,		46	08	98	C5	ohPLF
4240	6 F 8 F	68 90	10	05 4C	46	08	38		92	ED	6E		85			93	LF.8nh
4250	ED	6 F	68	F0		10	03	4 C	46	08	A9	50	B8	50		A5	.oh LFP .P
4260 4270	8F	C5	8E	90	00	DO	05		50	B8	50	02	A5	8E		50	P.PP
4270		`A9	50	85	8E	C4	8E	90	03	4 C	46	0.8	B9	80	68	49	PLFhI
4290	80	99	80	68	C8	C 4	8E	90	F3	4 C	46	08	87	3 F		50	hLF?UP
42A0	44	41	54	C5	97	41	A8		B5	00	ΑO	01	94	00	0 A	0 A	DAT A . B
42B0	A8	AD		68	D9	01	68		1F	ΑD	6 E		D9	00	68	D0	ohhnhh.
42C0	17	AD		68		02.		DO.		AD	71	68	D9	03		D0	shhqhh.
4 2 D O		A9	00	95						6 E	68	99	00	68	AD	6 F	LFnhh.o
42E0			01									71			03	68	hh.shh.qhh
42F0	4 C	46	08	87								9 C			42	AC	LFENDWRAB.B.
4300	70		D0	06	EE	.73	68	B8	50	0A	88	8 C	73	8 8	8 C	70	phsh.Psh.p
4310	68	EE	71	68	18	AD	23	69	6D	бE	68	8 D	6 E	68	90	03	h.qh#imnh.nh
4320	EE	δF	68	38	ED	64	68	AD	6 F		ED		68		CA		.oh8.dh.oh.eh
4330	01	C8	90	01	88	94	0,0	AD	6 F			٥D	68				oh.mh
4340	00	8 D	6E	68	4 C	46	8 0	88			53		50	41		€5	nhLFTESTPAG.
4350	F3	42	54	43		73	68		2 C	AD	71			0A		AD	.BTC.sh.,.qh
4360	6 F						6E			00			47	69		02	ohj.nhj.Gi
4370	δA		48	69		03		A9		99		6A			6A		j.Hijjj.
4380	06		99				66			47	69	DO	03	EE	48		.jj.fh.GiHi
4390	4 C	46	80	84				DO			9 C		B5	0.0		A8	LFDIS.GC.C
43A0	E8	E8		98	B9		3B		8E		32			8F		4E	1;2;N
43B0	A0	27	8D	01	CO	8 D		CO				CA					.'Uh
43C0			AD			30	FB	ds as				54				AO OB	0TO.
43D0	27		80	68			91			10	F6			4 C		08 68	'hLF. . (WRAPC.Cph
43E0	86		57		41 8E		BE	93		EB	43		00	8C			.nhohmh
43F0	ΑIJ	θ£	bδ	0.5	ō£.	AD	10	00									
									"R	askın	50198	306 28	s_39.I	-ICT"	266 K	'R 5000-0	2-25 dpi: 300h x 300v pix: 1937h x 2666v

		Je	ef R	ask	in /	Jan	nes	Wir	nter	/ IA	l Pa	iten	t	Swy	/ft T	echn	ology
				40					5,0	)19,	806					50	
Addres	5			49		F	iexa	ad e c	ima	1 l						<b>5</b> 0	ASCII
				•							٠			_			
4400		69		46	08		8E			D0	0A		8 C		69		#iLF#i.
4410		6.8	4 C	46		AD	73	68		75	88	90	0A	38	23	69	phLFsh.uh#i
4420		8C	70	68	4 C	46	08	B1	8E	C9	0E	BO	0B	C9	OD	D0	phLF
4430		C8	8 C	23	69	4 C	46	80	C8	CO	51	DO		A9	20	88	#iLFQ
4440		08	A9	50	8D	23	69	4C	46	80	D1	8E	FO	F1	88	10	P.#iLF
4450		A 9	50	8 D	23	69	4 C	46	08	D1	8E	D0 E0	F1	C8 6F	8C 44	23	P.#iLF# iLF5CROLCoD.
4460		4 C	46	80	86	53	43	52	4F	4 C	CC C0	60	D0	F5	4 4 A 9	A0 00	hh
4470		86	98	B9	04	68	99	00	68	C8 3B	85	8E	E8	BD	31	3 B	. hh1;1;
4480		5E	68	8D	5F	68	AA	BD	31	BD		3B	85	91	A0	27	1;1;
4490		8 F	E8	BD	31	3B	85	90	E8	8E	31 88	10	63 F9	AD	19	CO	U
44A0		01	0.0	8D	55 .C0	0.D	B1 54	90 C0	91	27	B1	90		3B	88	10	0T
44E0			8D	00	DO	8D C1	34 A6	98	4 C	46	08	84	3F	45		C4	LF?EN.
4400		CA	E0	2E 0E	12	36	B4	9 O E	66	08	18	E6	11	D0	08	34	dD6f4
44D0		44	FC			50 F3	35	66	08	5 C	71	OD	9F	0E	89	0D	65f.\q
44E0		07	36	9F	0E	13 4A	36	9 F	0E	32	36	9F	0E	E6	11	12	f.OJ626
44F0		08	4F	1A	12 00	6D	44	A8	OF	12	36	6F	0E	55	00	19	mD60.U
4500		DO	08	10	0 C	86	28	46	50	4F	53	A9	CB	44	FC	0E	70(FPO5D
4510		6F	0 E	85			09	4E	0E	F3	35	66	08	17	90	09	fK.X.N5f
4520		80	18	4B	00	8 2		0D	9 F	0E	A2	11	E5	00	DO	08	V . V . q
4530		0 D	56	0 D	56	0D 08	71 17	9 D	09	89	0 D	56	0 D	56	0 D	71	= 5 f V . V . q
4540		00	F3	35	66	66	08	80	F8	0 D	A2	11	DO	08	0E	00	-,, <b>,,</b> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
4550			0E	89	0 D	OD	32	36	9F	0E	89	0 D	66	08	17	90	.6q.26f
4560		36	9F	0E	71			D3	0C	2A	0 E	85	0 C	F1	08	A8	**
4570		89	0D	D3	00	2 A	0E 66	08 D3	17	85	0 C	84	46	50	4F	D3	.*.f.PfFPO.
4580		2A	0E FC	66 0E	08 4E	50 0E	B4	0E	66	08	0 C	E6	11	F8	0D	4E	. E N f N
4590		45 32	36	9 F	0E	E6	11	DO	08	08	00	2A	0E	07	36	9F	. 26 6 .
45A0			0 D	91 E4	0E	66	08	0 D	1A	12	FD	0 B	DO	08	10	00	.7f
45B0			1E		33		14	0D	3 3.			08	04		1E		7E33E
4500		0D 37											08			2 A	U7N.f.P*
45D0				55		55	37		0E		37		0E		00		.K.U.U70.b7
45E0				43			8B					36		0E		0 D	FNDCUE67.
45F0 4600		45			14	OD		0D	66	08		AZ	11		0D		.E3ff
4610		50				OB			9F		37	OD		0E	66		.P67f.
4620		A2	11			DO		08	00			14		4 B	00.		
4630		4F							18					4 C	38		.OfL8.
4640				28		38			2 A					08	16	00	.f.(A8*.*
4650		0E				38			55			0B		38	DB	0E	N.d.A8UX8
4660			DB		71				85			0E			85		L8q88;
4670			45		2 E			EF		7B			67				.SET.UE(F.gh.f
4680			02	BO	08	AO	00	8 C		68	B8				66		hfh.Pfh
4690		0 A			02	68	DO					AD		68	0A		hfh.fh
46A0		B9	00		8 D	6E		B9		68			68				h.nhh.ohh
46B0		73			03	68	8 D	71	68	18	AD	66	68		45		.shh.qhfhmEi
4600			69		00	6 D		69	8D		69	AD		68		8E	.GimFi.Hi.dh
46D0		65				AD			85				68				.eh jh kh
46E0		B1															QLFBM.p
46F0		F3															F.Fei8
4010	, 30			, ,		- <b>v</b> ,											2 25 dai: 200h y 200y aiyy 1026h y 2654y

Jef Raskin / James Winter / IAI Patent Swyft Tech	chnology
---	----------

									5,0	)19,	806					= /	
				51		,	· ·			. 1						52	Z ASCII
Address						ı	техс	e d e c	; i lii c	11							K2011
4700	A 5	90	ED	64	68	A5	91	ED	65	68	BO	01	60	AD	6 A		dheh`.jh
4710	E5	90	AD	6B	68	E5	91	90		38		90	ED	64	68	85	kh8dh.
4720	90	A5	91	ED	65	68				A5	90		6A	68	85	90	ehmjh
4730	A5	91	6 D	6B	68	85	91			4C	2 E		ΕB	46	40	47	mkh`.LF@G
4740	Α9	0 C	ΑO	00	D1	90	D0	02	C8	60	A9		D1	90		08	
4750	A9	OD	D1	90	DO	01	C8	60	C8	CO	51	DO		A9		88	
4760	10	03	A0	50	60	Di	90	FO	F6	88	10	03	A0	50		D1	P'P'.
4770	90	D0	F6	C8	60	87	4 C		43	2E	41	44	D2	38		81	`.LOC.AD.8G. GBi
4780	47	B5	00	85	8E	B5	01	85	8F	E8	E8	AD 00	42 6A	69 25	0A	0A F9	i8j
4790	69	04	A8	88	88	88	88	38	A5		F9	6A	85	91	B9	02	. j j <sub>~</sub> j
4?A0	01	6A			BQ.		6A	85 8D	90 50	B9 69	01 98	4A	4 A	8 D	4E	69	j.Oij.Pi.JJ.Ni
4780	6A	0.0	4F 84	69	E6	03 94	6A 20	40		A5	90	85	92	A5		85	@G
4700	A0	00	F3	94 46	38	A 5	90	Ë5		85		A5	91	E5	8F	90	F8
47D0	93	20 -05	95	D0		A5	90	8 D	4B	69	A5	91	B8	50		A5	
47E0 47F0	E3	8D	4B	69	A5	93	C 6	94	8D	4 C	69	18	A5	94	8 D	4 D	KiLiM
4710	5 9	6 D	4F	69	8D	4F	69	A 9	00	6 D	50	69	8D	50	69	4 C	imOi.OimPi.PiL
4810	46	08	87	4 C	4F	43	2 E	4E	55	CD	75	47	1E	48	B5	00	F. LOC.NU.uG.H
4820	85	8E	B5	01	85	8F	E8	E8	AD	42	69	0 A	0A	69	04	A8	Bii
4830	88	88	88	88	38	A5	8E	F9	02		A5	8F	F9	03	6 A	90	8 j j .
4840	EF	B9	0.0	6 A		90	В9	01	6A		91	38	A5	8E	F9	02	jj8
4850	6 A	8 D	4 D	69	98	4 A	4 A		4E		ΑO	FF	84	94	E6	94	j.Mi.JJ.Ni
4860	A 5	94	CD	4 D	69	FO	07	20	40	47	20	F3	46	18	90	EE	Mi @G .F
. 4870	A5	90	8D	4 B	69	A 5	91	8D	4 C	69	4 C	46	08	82	3 F	C 4	KiLiLF?.
4880	12	48	84	48	CA	CA	ΑO	0.0	94	01	94	00	AC	41	69	CC	.H.HAi.
4890	40	69	F0	1B	B9	FO	69	69	01	D0	14	88	10	02	ΑO	04	@ii
48A0	·8 C	41	69	A 0	01	95	00	CE	D1	68	10	03	EE	Di	68	4 C	.AihhL
48B0	46	08	88	42	55	4 D	50	57	52	41	D0	7 D	48	BF	48	38	F. BUMPWRA. JH. H8
48C0	ΑD	6 A	68	ED	64	68	85	8E			6.8	ED	65		85	8F	.jh.dhkh.eh
48D0	18			68			8D		68			68		8F		6F	nhenh.oheo
48E0	6.8	CD	6 D	68	DO	05	A9	0.0	80	1.0	68	40	40	υø	89	41	h.mhnhLFA
48F0				52													FTER.EOH.H.nh. zh.ch.(h.sh.!h.q
4900				6F 68													h. Jh. Gi. "h. Hi. #h
4910	88			88				CA							17		.fhgh
4920 4930	AC 02	66 A9		95	00	4 C	46					EE					EF?H?I.
4930		A0		94		AD	61					30					ab.0L
4950	46			94	00	AD	61	CO		62		10		AD			FabUi
4960				-03								61		30			UiLFa.O
4970	03			69		46	08		53					4 E	C5	38	UilF SETLIN.8
4980	49			<b>B</b> 5			E8		0A				68	8D	6 E	68	I.Ih.nh
4990				8D									B9	03	68	8 D	h.ohh.shh.
49A0				46		82	3F	Ci	77	49	AC	49	CA	CA	AO	00	qhLF?.wI.I
49B0	94	01	94	00	AC	41	69	CC									Ai.@ii.
49C0	0 B	D0	0 C	88	10	02	ΑO					A0					
49D0		80	82					D9						95			F?I.I
49E0				69													Ai.@i.0i)
49F0	88	10	02	ΑO	04	8C	41	69	A0	01	94	00	AC	49	69	DO	AiIi.
									"Ra	askin <sup>j</sup>	50198	06 30	30 P	ICT"	261 K	B 2000	-02-25 dpi: 300h x 300v pix: 1949h x 2672

				<b>5</b> 2					5,0	019	,806					54	
Address				53		ŀ	ie x a	ı d e c	ima	1						. 34	ASCII
4 A D O	0 B	AC	D1	68	CO	1F	FO	01	63	B8	50	02	AO	01	8 C	D1	hP
4A10	68	99	Di	68	A0	00	8C	49	69	4 C	46	08	85	4C	45	4D	hhliLFLEM
4 A 2 O	49	D4	D2	49	26	4A	<b>B</b> 5	00	E8	E8	AC	21	69	84	37	AC	II&J!i.7.
4A30	20	69	84	36	A0	60	8C	FO	FD	20	ED	FD	A 4	37	8C	21	i.6.`7.!
4 A 4 O	69	A4	36	8C	20	69	ΑO	FD	84	37	ΑO	F0	84	36	A0	C9	i.6. i76
4A50	8 C	FO	FD	4 C	46	08	83	53	45	CC	1 C	4A	5E	4A	38	CA	LFSEJ <sup>*</sup> J8.
4 A 6 O	CA	AD	64	68	ED	62	68	95	00	AD	65	68	ED	63	68	95	dh.bheh.ch.
4A70	01	4 C	46	80	85	4E	55	44	47	C5	56	4A		0E	٩C	38	.LFNUDG.VJ8
4 A 8 0	20-	08	00	01	71	0 D	9 C	38	58	09	90	09	9 F		07	36	,.,.q8X6
4A90	9 F	0 E	14	0 D	A2	11	DO	08	0 C	00		0E	9.0	_		0E	
4 A A O	B1	08	04	00	A6	0 C	9F	0F	21		ΕO		36	38	9 F		! 68
4ABO	32	36	9 F	0 E	ΑZ	11	D0		08		4E	0 E	36	38		0 E	26N.680.
4 A C O	4E	0E	F3	35	6F	0E	4E	0E	FD	35	6F	0E	4E	0E	8 B	36	N50.N50.N6
4AD0	6 F	θE	4 E	0E	07	36			4E	0E	80	36	6F	0E	27	36	o.N6o.N6o.'6
4 A E O	6F	0E	85	ΩC	87	5 Z	45		4 C		47	CE	74		FC	0 E	oREALIG.tJ
4AF0	FD	35	9 F	0 E	7 F	47		37			4A	36	C3	0 E	3C	37	.5.,EG<7J6<7
4B00	9 F	0F	71	OD		0 E	4E		24		С3	0E		37	C3	0E	qN.\$77
4B10	3 C	37	24		<b>B4</b>		6A		DB			37	97	OF	71	0 D	⟨7\$j6⟨7q.
4 B 2 O	B4	OΕ	60		DB	OΕ	32		9 F		07	36	9 F		A2	3 D	`6266=
4 B 3 O	14		E۶	0A		43		4.3	FD		E5.		DO	80	F6	FF	CRC.B
4 B 4 O	BD	48	4A	36	9F			36		OE'		11	D0	08		0.0	.HJ6(6
4B50		43	52	43	FD	42		0 E				FF	24	37		0E	.CRC.B*\$7
4B60	0 F	37	C3	0E	60	36	B4		03		DB	0E	85	00	84	4 D	.7`67M
4B70	58		B0	E4			30		0C		36	DB	OE OC	66 E4		10 14	X8JK6f .6f6K6.
4 B 8 O		36	DB	0E		80	0F			DB		4B		4B		C3	ID.nKK
4B90		DB	0E	85	00	83	49	44 TD	D3 OE	6E 2C	4B 08	FC 1E	1B	E4		C3	6K6,6.
4 BA 0	36	DB	0E	4B	0C	DA	36	DB		C3		2 C	08	36		E4	.,.J,.6\$,.60.
4BB0	0 E	2 C	80	4 A 0 4	71						2 C				66		6fq, 5.6f.
4BC0	36	66									36					OD	.q,R.6fq.
4BD0	06 C3	\r	אר הח	U B	25	31	FA	36	56	0.8	0 A	71	מח	03			,.,1.6fq,
4 BE 0											C3						.,\$.6fqK6
4BF0	08 66	08									46						fqFX8K
4 C 0 0 4 C 1 0			4B			36					DA		DB				K6K6,
4010	1B		E4		C3	0E		08	1B			36	24		C 3		.M.6,1.65
4030	66	08		E4		9F		71				85	0 C	85	51	•	f6qQA
4040	4E		D8	09		FC		55	0 C	C3	36	DB		4 B	0 C	DA	NTLU6K
4050	36		0E		08		5 B			C3	0E	2 C	80	36	73	E4	6,[.6,.65.
4060	36	24		C3			08	1B	5 B	E4	36	9 F	0F	71	ΟĎ	C3	6\$,[.6q
4C70	0 E	2 C		32		E4	36	66	80	06	71	0 D	C3	0E	4B	0 C	.,.2w.6fqK.
4 C 8 O	E4			08	08	71	ØD	DB	0 E	85	0 C	84	51	5 5	4 D	C5	.6fqQUM.
4090	3 D	4 C	FC	0E	55	0 C	C3	36	DB	0E	66	80	0 C	DA	36	DB	=LU6f6.
4 CA 0	0E	4B	0 C	E4	36	C 3	0E	85	0 C	88	45	4E	44	2 E	46	4F	.K6END.FO
4CB0	5 2	CD	8B	40	FC	0 E	98				4A		C3			36	R.L6J66
4000	24	OD	B4	OE	6A	36	DB		98		97	0F		0 D			\$j66q
4CD0	60	36	DB			36	9F	0 F	71	OD		0E	24		C3	0E	`66q\$7
4 CEO	4A	36	9F		3 C				AZ		DO	08		00			J6(6
4CF0	5 2	43	FD	42	2 A	0E	37	3 D			E5						RC.B*.7==I
		_							"Ra	askin	50198	306 31	ı_39.F	rici":	∠63 K	R 5000-(	02-25 dpi: 300h x 300v pix: 1948h x 2685v

																Techn	
				55					5,0	019,	806					56	
Address			•	55		ŀ	le x a	a d e o	cima	3 1							ASCII
4 D 0 0	0 4	00	85	00	B1	30	DA	FF	52	43	24	37		0E			
4D10	C3	0E	€0	36	B4	0E	03	37	DB	0 E	32	36	9 F		92		`6?26E
4D20	85	0 C	83	4 C	43	D2	A9		FC	0E	66	80	0 D		4A		LCLf\$J.
4 D 3 O	36	B4	0E	D0	08	07	00	66	08	OA		4A		0.0	85		6f\$JL
4D40	5 4		50	C5	22	4 D	FC	0E	DA		B4		6 C	3 D	D0	08	TYP. "M61=
4 D 5 O	OF	00	4 B	00	58	09	66	08	20	24	4A	F1	08	F9		A3	K.X.f. \$J
4D60	36	4E	0 E	4 E	0E	A2	3 D	71	OD	33	0E	58	09	90	09	B4	6N.N. = q.3.X
4 D 7 O	0E	66	08	7F	FD	0B	66	08	20	1A	12	DO	80	06	00	2A	.f.⊞f*
4D80	0 E	90	09	F1		E8	FF	14		A3		58	09	90	09	B4	6X
4 D 9 O		66	08	80	C3	11	DO	08	-	00			B4	0E	24	4 A	.f;\$J*
4DA0	B1	8 0	07	00	66	80	20	24			-08	E2	FF	85 E 0	0C	85 C3	f. \$J
4 DB 0	50	52	49	4E	D4	3E	4D	FC		2 C	80	00	Ci	B9		C 3	PRIN. >M,6.
4DC0	0 E		36	4E	0E	B4	0E	60	3 D	DO	08	0A	00	24		14	6NI=\$J.
4 D D O	0 D	B1	8.0	FO	FF	2A		E5	37	91 B4	OE OE	1 C 6 A	48 36	3 C DB	5 / 0 E	9 F 3 C	*7H<7. .J6<7\$j6<
4DE0		4A	36	C3	0E	3 C	37	24	0D			DE		A0	41	56	7q6@.AV
4 DF 0	37	97	0F	71	0D	B4	0E	60	36	DB OC	0E	4A	28	4D	28	4D	6f\$J(M(M
4E00	36	B4	0E	D0	80	15	00 B1	66 08	08 04	00	24 46	4 D	28	4 D		42	(M(M(MFM(M.B)
4E10	28	4D	28	4 D	28	4D FF	07	36	9F	0E	36	38	C3	0E	85	0C	668
4E20	E5	00	DO	8 0	D7 4E	C4	AF	4 D	FC	0E	DC	37	9F	0E	4E	0E	.NEWNM7N.
4E30	85	4E 37	45. 9F	0 E	C3	11	33	0E	19	37	9F	0E	66	08	17	71	.737fq
4E40 4E50	19 0D	1A	12	12	0C	80	36	9F	0E		35	9F	0E	E6	11	27	6 5 ′
4E60	36	9 F	0 E	07	36	9F	0E	A2		FD	OB	12	00	4E	0E	7B	66N.(
4E70	37	DB	0E	DO	08	85	00	E5	37		0 E	66	08	17	71	OD	77fq.
4E80	DC	37	9 F	0E	C3	11	DO	08	OF	00	DC	37	9F	0E	66	08	.7
4E90	0B	89	ØD	Bi	08	26	00	E5	37	9F	0E	66	08	OΒ	71	0 D	&7fq.
4EA0	DC	37	9 F	0E	1 A	12	DO	08	0F	00	DC	37	9 F	0E	66	08	.77f.
4 E B O	0 B	89		B1	08	06			37	9 F	θE	4 B	0 C	E9	1A	0 F	
4EC0						18			4B	0 C	E9	1A	DI	1A	4E	0E	7fKN.
4ED0	10	48	19	37	C3	0E	3 C	37	9F	0 E	F3	35	C 3	0E	3 C	37	.H.7<75<7
4EE0						35											\$5\$<7q.
4EFO				35		OF											5qNEW
4F00	42	4 E	C 4	30	4 E	FC						9F			11		BN.ONN6
4F10		9F	0E	87	37	C3	0E	£5	37	9F							7777
4F20	08	08	00	2 A	0 E	B1	08	16	00	4E	0 E	7F	47	30	37	.9F	*N.⊞G<7.
4F30	0F	71	0 D	9F	0E	DC	37										.q76N
4F40	36	9 F	0E	E6	11	D0						Bi					6
4F50	0E	7F	47	3 C	37	9 F						E5					.⊞G⟨7q7
4F60			0 E		0 C	86						D7					6RE5HON
4F70	58	09	90	09		49			ΑO				9 A		E0		XI.@.AC.(
4F80			F0			0 C					D7			FC			SHO.eOK
4F90			49			18			18			58			09		IffK.X
4FA0						A0										D0	B*@.AC.B
4FBO						90						EO				DE	*
4FC0						32						DO					. J6 26
4FD0						18											HN . f % . f 3
							4.0	2 A	A T			3.0		~ ~	~ ~	~ *	.XB*@.A

		1 -	t D	o o lei	in /	ام ا	200	۱۸/:	.+	/ 1 ^	LD	<b>.</b>	4	C	,£1 <del>-</del>	- o o b : - :	alo av
		Je	i K	aski	ın /	Jar	ies	vvir	ιτer	/ IA	1 P	aten	τ	2M)	/π l	echno	ology
							. *		5,	019	,806	5					
Addmose				<b>57</b>		ī	ie x a	i d e i	n i m	a 1						58	ASCII
Address						1	ICA	100	J 1411								AD011
5000	0E	85	OC	88	50	52	49	4E	54	45	52	D3	86	4F	57	OF	PRINTEROW.
5010	75	4 B	9 B	4 B	10	4 C	45	4 C	92	4C	8A	53	45	54	50	52	uK.K.LEL.L.SETPR
5020	49			45	DZ	03		FC	0E		38	B4	0E	9 F	0F	D1	INTEP+8
5030	1A	56	0 D	0E	50	71	0 D	9F		A8	08	85	00	85	3 C	53	.VPq(5
5040	48	4F	BE	1A	50	FC	0E	DC	3.7	9 F	0E	87	37	9F	0E		HOP77
5050	1A	19	37	9F	0E	89 0E	OD D1	24 1A	0D 19	66 37	08 9F	18 0E	D1 89	IA OD	E5 4C	37 0 D	7\$.f7
5060 5070	9F 4B	OE OC	D3	37 1A	9F 6E	4F	85	OC	83	53	48	CF	3 D	50	FC	0 E	Kπ0SH.=P
5080	05	4F	38	4E	7B	37	B4	0E	DO	08	08	00	8D	4F	B1	08	.08N{70
5090	04	00	45	50	80	36	9F	0E	92	45	85	0 C	86	4F	55	54	EP.6EOUT
50A0	4C	2F	D2	78	50	FC		19	37	9F	0E	66	0.8	17	71	0 D	L/.xP2fq.
50B0	DC	37	9 F	0E	A2	11	DO	0.8	0 C	00	8B	36	9 F	0 E	80	36	. 7 6 6
5000	9F	0E	7E	50	8B	36	9F		FD	35	C3	0E	80	36	9 F	0 E	~P.656
50D0	07	36	9 F	0E	E6	11	D0	80	04	00	85	00	80	36	9F	0E	. 6
50E0	07	36	9 F	OE,		11	D0	80	32	00	07	36	9F	0E	80	36	.6266
50F0		0E	89	0 D	C1 A1	0C 30	80 D3	36 0C	9F 52	0E 2A	32	36 36	9F 6F	0E 0E	7B 80	09 36	626{. {0R*2606
5100 5110	89 9F	OD OE		09 36	C3		B1	08	32 A4		80	36	9F	0E	32	36	6626
5120	9 F	0E	89	OD	C1		07	36	9F		F3	35	9F	0E		11	6 5
5130		08	10	00	07	36	9F	0E	32	36	9F		89	0 D	F 3	35	6265
5140		0E	9 C	38	2 C	08	00	01	71		9 C	38	58	09	07	36	o8,q8X6
5150	9 F	0 E	90	09	9F	0E	A2	11	DO	80	10	00	07	36	9F	0E	6
5160	32	36	9F	ΟE	89	OD	90	09	6F	θE	9 F	OF	21	09	ΕO	FF	26
5170	3 Z	3€	9 F	0E	07	36	9F	0E	7B	09	E9	0A	8B	36	9F	0E	2666
5180	32	36	9F		AZ	11		0 C	DO	80	16	00	8B	36	9F	0E	266
5190	32	36	9F	0E	89 6F		07 D3	36 DC	9F 07	0E 36	71 6F	OD OE	FD 07	35 36	C3 9F	OE OE	266q5 {.260606
51A0 <sub>.</sub> 51B0	7B 80	09 36	32 C3	36 0E	FD		9F		8B		C3		85		83	4 C	.656L
51CO							80										EP , 6 6
51D0							27										
51E0							9 F										6 ? < . @ l =
51F0	04		85				9F							0E			26 6 7 .
5200	28						54										(((6T?REQ
5210					9F					0E		OD			D0		66
5220					9F					0E				3 C			2667.(<6
5230							DO B4										T?!='6 .666?(
5240 5250							45										.eSEARCRn
5260							11										7UQ
5270							00							9F			R 1 = 6 7
5280	0 D		0E				50							54			.N~PDE.TR.
5290	0 E				0E					07	•		0E		36		6 6 6 .
5 2 A O	0E						OD								08		676JR
52B0	00						OD EC								0C		676 <sup>7</sup> P
52C0							FC OC								35 na		SAVRf5.5%
52D0 52E0							0 C										*INIR
52F0							A4										.5,0K65
JELU	23							_ •									

1

"Raskin 5019806 33\_39.PICT" 260 KB 2000-02-25 dpi: 300h x 300v pix: 1942h x 2660v

					,	-					806		•	<u> </u>	,		ology
				59												60	30011
Address			-			1	нех	a d e	CIM	1.5							ASCII
5300	66	08	60	A4	15	4 B	0 C	ΑE	36	DB	0E	BE	38	27	36	C3	f.'K68'6.
5310	0E	4B	0 C	19	37	C3	0E	27	36	9 F	0E	4E	0 E	8B	36	€3	K7'6N6.
5320	0 E	14	0 D	80	36	C3	0 E	2 C	08	00	02	71	38	C3	0E	2 C	6,q8,
5330	08	00	01	7B	38	C3	0E	66	08	0C	27	36	9 F	0 E	DB	0 E	{8f'6
5340	E6	35	37	0 D	32	36	C3	0E	2 C	08	0 D	0 D	32	36	9F	0E	.57.26,26
5350	C3	0E	E6	35	3 C	36	C3	0E	27	36	9 F	0E	4E	0 E	FD	35	5(6'6N5
5360	C 3	0 E	14	0 D	07	36	C3	0 E	27	36	9 F	0E	F3	35	C3	0 E	665
5370	BE	38	91	37	C3	0E	BE	38	9B	37	C3	0E	66	08	36	75	.8.78.7f.6u
5380	36	DB	0 E	4 B	0 C	6A	36	DB	0 E	4 B	0C	60	36	DB	0E	27	6K.j6K.'6'
5390	36	9F	0E	9 C	38	C3	0 E	4 B	0 C	EE	36	DB	0E	4 B	0 C	F9	68K6K
53A0	36	DB	0 E	55	0 C	2 C	08	0 D	CO	DB	0E	4 B	00	2 B	38	DB	6U.,K.+8.
53B0	0E	10	4 C	07	36	9F	0E	36	38	C 3	OΕ	08	3 B	85	0 C	85	L.668;
53C0	46	52	45	53	C8	E7	52	FC	0E	79	46	12	36	B4	0E	A6	FRESRyF.6
53D0	42	2 A	0E	DE	40	ΑO	41	12	36	B4	0 E	9 A	43	52	43	FD	B*@.A.6CRC.
53E0	42	D0	08	21	00	12	36	B4	0E	66	08	18	E6	11	D0	8 0	B!6f
53F0	10	00	6 D	44	A8	OF	12	36	6 F	ΘE	55	0C	19	37	6F	0E	mD60.U70.
5400	B1	0.8	C9	FF	55	0 C	48	37	DB	0 E	BD	48	D2	44	FA	48	U.H7H.D.F
5410	DO	08	31	00	66	08	18	12	36	B 4	0 E	58	09	90	09	A6	1.f6X
5420	42	D0	08	12	00	DE	40	90	09	9 A	43	52	43	FD	42	2 A	B@CRC.B*
5430	OΕ	B1	08	0A	00	A6	0 C	4 B	0 C	48	37	DB	0 E	ΕO	3 C	F1	K.H7
5440	08	DC	FF	48	37	B4	0E	D0	08	0F		44A	36	9F	0 E	F3	H7J6
5450	35	66	8 0	60	71	OD	C 3	0 E	85	0 C	87	52	45	46	52	45	5f.`qREFRE
5460	53	C8	ΒF	53	FC	0E	C5	3 B	C7	53	F8	45	B4	4 C	85	0 C	55;.S.E.L
5470	87	3F	53	48	52	49	4E	CB	5A	54	FC	OΕ	8 F	0F	07	36	.?SHRIN.ZT6
5480	9 F	0 E	FD	35	9 F	0 E	89	0 D	ΑZ	11	DO	08	18	00	07	36	5 6
5490	9F	OΕ	37	0D	4 E	0E	FD	35	C3	0 E	07	36	9 F			50	7.N56~F
54A0														35			67.N5
54B0														CA			.6?.pT.T
54C0	00	94	01	AD										46			Ui I.) LF
54D0	45	58	50	41	4 E	C4	B6	54	FC	0 E	66	0'8	05	6 E	37	DB	EXPANTfn7.
54E0	0E	80	36	9 F	0 E	07	36	9 F	0E	89	0 D	D0	8 0	2 E	00	80	6 6
54F0	36	9F	0E	07	36	9F	0E	AZ	11	DO	08	0 E	00	8B	36	9 F	666.
5500	0 E	07	36	9 F	0 E	Bi	08	0 C	00	07		9F	0E	37	OD	80	6 6 7
5510			OΕ		4F 0D	45		B1 28		36 36	00 38			9F 32			6OEP6.68 6(6826.

"Raskin 5019806 34\_39.PICT" 260 KB 2000-02-25 dpi: 300h x 300v pix: 1936h x 2672v

9F 0E 07

OE 07 36 9F

0E 37

0E 14

0E

36

OC 83 52

28

9F

32 36 9F

85

9F

36

0 D

0E 80

OD A2

3 C

9F 0E 37

0E 6E

3F

58

OE 80 36

85

0D 80

OE 54

0E 80

0E 80

0E 89

00

08 04 00 85 OC 27 36 9F

37 B4 OE 55 OC E6 11 DO 08 08 00 57 55 B1 08 04

00 27 36 9F

36

0C

3F

36

36 9F

0D 80

52 45 DO 9D 55 FC

08 24

OD 14

36 9F

36 9F

36 9F

36 9F

D8 51

11 D0

36 9F

5550

5560

5570

5580

5590

55A0

55B0

55C0

55D0

55E0

55F0

OC 83 4C 58 D8 CF 54 FC

89

DO 08 04

3 C

07

32

9F OE AE 36 B4

OE 14 OD A2 11 DO

40 6C 3D

0E 28 3C

55 FC 0E

08 1A 00

0E 54

3F 6C 3D D0

OD 3F 3C 1A 40 85 OC 83

OE AE 36 B4 OE

..LX..T...6...6.

. . . . . . . \$ . '6 . . . 6 .

. . 6 . . . . . . . 6 . . 7 . ?

<.091 = . . . . . . 26 . . .

6..(<<6..T?...RX

.QU...6...6....

. . . . . 26 . . . 6 . . ( < <

6..T?l=.....'6.

. . 6 . . . 6 . . . . . 6 . . 7

.?<.@...RE..U..n

Jef Raskin /	James Winter	/ IAI Patent	Swyft	Technology
oci ixaskiii/	Janics Winter	/		

																,					
										5,0	019,	806									
		-			61										62						
	Address			•			ŀ	iexa	dec	ima	11							ASCII			
			• •			^ A TO	<b></b>	۵.	nn	nΩ	nα	0.0	0.7	3.6	o F	0 E	37	U 1 = 6 7			
	5600				6 C			50		0 C		54		2 D	46	4F		.N~PTO-FOR			
	5610	0 D	4 E		14					2 C		0 C		DB		4B		T U K. , K.			
	5620	54	C8	E7		FC	0E			85			4 C	45		52		, LEXRE			
	5630	2 C	08	0 E		DB	0E					0 E	55		6E		DB	VU.17U.n7.			
	5640	D8	19	56		0E	55		31	37				OD	9F	0E		6 ⊞G<7q			
	5650	0 E	07	36		0E	7 F			37		OF	71	0F	71	0D		75 #G<7q			
	5660	37	C3	0E				0E		47		37				00		7=1.(.;6			
	5670	0E		37		0E	3 D		E0	3 C		3B	D0	08	36	08		H; .R.E.I			
	5680	48	DO	08	08.		C5	3 B		52			D7	49	DO			; JR.E.I;			
	5690	00	C5	3 B	5 D	52				49		08	80	00	C5	3 B		U.E.T;.T.E.			
	56A0	55	F8		BB	54	DO	08			C5		D8			45		66			
	56B0	08	C 4		80	36			07	36	9F	0E	89	0 D	D0		26				
•	56C0	00	80	36		ŨΕ	07	36	9 F	0E		11	DO	8.0	0A		32	6 6			
	56 D O	36		0 E		08	8 0	00	07		9F	0E	37	OD OF	36		C3	667.68.			
	56E0	ŪΕ	B1		18	00	δB		9 F		FD	35			89			65			
	56F0	08	0 A		07		9F		36	38		0E		50	4B	00	1D	668PK			
	5700	36	DB	OΕ		0 C	20		10	CO		0E		36	B4	0E		6K.,6			
	5710	36	DB	0 E			88			44		41	53		C5	3A		6ENDPAST.:V			
	5720	FC			4A	07	36	9 F		7F			37			71		J.6 #G<7q.			
	5730	9 F		DC		C 3		38		4B	00		36	DB		64		78NK6dT			
	5740	85		87	3 C	50	41				BE			FC				(PASTEW			
	5750	07	36	9 F	0 E	90	09		0A		0C	4E		07	36		0E	.6N60.			
	5760	80	36	6F	0E			85		84	47	45	54	D3	42	57	FC	.60. WGET.BW.			
	5770	0 E	3 C	11	66	08		55		Ai	20	07	36	DC	35	89	Q Q	.(.fU6.5			
	5780	3 C	11	71	ΰD			FD				89	0D	3 C	11	71	0D	(.q5.5(.q.			
	5790	9 F		4 E		DC		89		F0	37	C3	30		OD OC	F9	37	N577			
	57A0	C 3	0E	F9	37	9 F		E5	00	DO		04		85			37 0E	,q.266			
	57B0	9 F	0 E	2 C	08	00	05		0 D	32	36 00	9F 5C	0E	07 85	36 0C			,			
	5700	89	OD	A2	11	E5		DO	80		36		0E		11			N536<7			
	57D0				0E	0.0	33	L S	10	6.5				0 D				V.fq.U			
	57E0	9F	0E	2 C	08							03	FD	OB	71	00		ζ7,q			
	57F0	20	3 C		F0	37			20	08	2 C	08	00		FO	37		6,			
	5800	36				08	FD	04	89		F9	37	9F		14	OD		.,			
	5810	0E				_			9F		2 C		00	04		37		a6,7.			
	5820	11	DO		61	00	07 FD	0 B	89	OD			FO		9F	0E		.,q7,			
	5830	0 E	20	08		1B	66	08		71	0 D	F9	37	9 F	0E	2 C		V.fq7			
	5840	80	00	04	56	9F	0 E	2 C		FF		FD	0 B	89	0 D	89	0 D	7,			
	5850	0.0	04	FO	37	56	1B	14		F8	0 D	71	0D		ŌΕ			, V q . 3 . X .			
	5860	2 C	80	00	D4 09	55		Ai	20	2 C	08	00	04	71		F1		NU,q			
	5870	4E			07 0E		37		0E	4 E	0E		36	6F	0 E	80	36	*7N606			
	5880	FO			4A		36	9F	0E	7F	47	3 C	37	9F	OF	71	0 D	oJ.6₩G<7q.			
	5890	6F		DC		C3	0E		4E	4B	00	1 D	36	DB	0E		54	78NK6dT			
	58A0	9F 07			0E	36		C3	0E	85			30	45	4E	54	45	.668(ENTE			
	58B0	52		68		FC	0 E		36	9F		2 C	08	00	01	71	0 D	R.hW6,q.			
	58C0	32		9 F		A2	11		08	10	00	07	36		0E	DB	0E	26			
	58D0	55	0 C	07	36	6F			OC	80				7A				U60.U60.zT.5			
	58E0	B1	08		0.0		0E							4E				*.\ <ente.< td=""></ente.<>			
	58F0	ĐΙ	00	UU	00	Į.A.		Ų <u>.</u>													
			_							ĸ	askiii	JU 190	500 J	J_39.I	IUI	201 K	.D ∠UUU-(	02-25 dpi: 300h x 300v pix: 1936h x 2666v			

	Jef Raskin / James Winter / IAI Patent Swyft Technology														ology		
5,019,806																	
Address		63 Hexadecimal														64	ASCII
Addicas						•	1011										
5900	BA	58	FC	0E	C5	3B	C 4	58	F8	45	B4	4 C	85	00	83	47	. X ; . X . E . L G
5910	45	D4	FA	58	FC	0E	66	08	1 E	E6	35	DC	35	58	09	90	EX.,f,5.5X
5920	09	F8	0 D	55	0 C	A1	20	14	0 D	2 C	8 0	00	04	21	09	FO	U,!
5930	FF	2A	0E	07	36	9 F	0E	80	36	C 3	0 E	FD	35	9 F	0 E	8B	.*665
5940	36	C 3	0E	F3	35	9 F	0 F	71	0 D	66	08	5 C	A.4	15	4 B	0C	65q.f.\K.
5950	1D	36	DB	0E	64	54	85	0 C	83	43	55	D4	0 E	59	FC	0E	.6dTCUY
5960	07	36	9 F	0E	4 E	0 E	FD	35	9 F	OΕ	89	0 D	71	ΟD	2 C	08	.6N5q.,.
5970	00	01	71	0 D	32	36	9 F	0 E	A2	11	DO	08	8E	00	27	36	q . 26 ′ 6
5980	9 F	0 E	91	37	9 F	0E	5 C	4A	71	0 D		25	89	0 D	C1	00	7\Jq%
5990	07	36	9 F	ΟE	27	36	9 F	0E	89	0 D		09	02	0 D	DO	08	.6'6
59A0	08	00	Ai	30	B1	8 0	04	00	E9		. D3	00	52	2 A	7 C	4A	0
59BO	FD	35	9 F	ØΕ	91	37	9 F	0 E	5 C		E9	0A	91	37	9 F	0E	.57\J7
59C0	5 C	4A	71	0 D	9 B	37	C3	0 E	27	36	9 F	30	FD	35	9 F	0 E	\Jq7'65
59DO	AZ	11	DO	08	0E	00	A8	0F	FD	35	6F	0 E	A8	0F	8 B	36	506
59E0	6 F	0E	FD	35	9F	0E	14	0 D	4E	0E	07	36	C3	0E	80	36 00	05N66
59F0	C3	0E	EE	4A	E5	37	9F B1	0E	DC 73	37 00	C3 91	0E 37	38 9F	4 E 0 E	4B 27	0 C 3 6	J.778NK. .6dTs7'6
5A00	1 D 9 F	36 0E	DB 91	0E 37	64 9F	54 0E	89	08 0D	FD	35	9 F	0E	27	36	9 F	0E	756
5 A 1 O 5 A 2 O	89	0 D	5 C	4 A	93	3E	5 C	4A	91	37	9F	0E	71	0 D	27		\J.>\J.7q.'6
5A30	9F	0E	89	0 D	7 C	4A	FD	35	9 F	0E		36	9 F	0 E	E6	11	IJ.5'6
5A40	DO	08	11.		66	08	00	FD	35	9F	0E	DB	0E	55	0.0	FD	f 5 U
5A50	35	6F	0E	FD	35	9F	0E	4E	0E	07	36	C 3	0E	80	36	C 3	505N66.
5A60	0 E	07	36	9 F	0E	37	OD	4E	0E	FD	35	C3	0E	8B	36	C3	6 7 . N 5 6 .
5A70	0E	27	36	9 F	0E	9 B	37	C3	ØΕ	20	57	07	36	9 F	0E	36	.'67 W.66
5A80	38	C 3	0 E	85	0 C	88	44	45	4 C	45	54	C5	58	59	FC	0E	8DELET.XY
5 A 9 O	27	36	9 F	ΘE	14	0 D	07	36	9F	0E	E6	11	DO	08	04	00	<b>'</b> 66
5AA0	85	0 C	07	36	9 F	0E	36	38	9 F	0 E	14	0 D	A2	11	36	38	6 68 68
5 A B O	9 F	0 E	32	36	9F	OΕ	A2	11	FD	0B	DO	08	08	00	A8	OF	26
5AC0	36	38	6 F		FD		9F	0E	14	0 D	07	36	9 F	0E	E6	11	68056
5 A D O	DO	08	4 B			0F									6F		KN6060.
5AEO	A 8					35					6F					0E	N50606
5AFO	F3			0E		11								0E		08	.57f.
5B00	0 C	89	0 D		00	E9		4E 64			37 08	04	0E 00	1C 5E		3C	KN7H( 7.5dT*Y.
5B10 5B20	37 0C	F3 83	35 54	9F 41	OF C2	85	5A			32	36	9F			45		TAZ26Eb
5B20 5B30	37	B4	0E		08				DO	08	3 B	00	66	08		62	7f.K; fb
5B40	37	B4	0E		08				89	0 D	07	36	9F	0 E		0 D	7f6
5B50	66	08	20		0B		0E				0E	80	36		0E		fN6060
5B60	36			37		4 E			35			8B	36		0E		67.N56d
5B70	54					66			02				85		41		TfYPA5
5B80	54			5B		0E		36				37				37	T.![677
5B90	9F	0E	89	OD	71	θD	2 C	08	00	01	71	0D	32	36	9 F	0E	q.,q.26
5BA0	A2	11	D0	08	34	00			9F	0E	91	37	9 F	0E	E6	11	4 7 7
5 BB 0	DO	08	04	00	85	0 C	07	36	9 F		4E			35	C3	0E	6N5
5BC0	8 B	36	C3		91	37	9 F		9 B				91			0 E	. 6 7 7 7
5 B D O	89	0D	4 C		Bi	80	60	00	91	37		0 E			9F	0E	LW`7'6
5BE0	91			0 E		OD		36		0E		36				OD	.766
5 B F O	67	3E	УВ	37	9 F	UE	91	37						0 C			g).777
) = 1 = 1				N /	4.0				"Ra	askin :	50198	06 36	_39.F	PICT" 2	256 KI	B 2000-0	02-25 dpi: 300h x 300v pix: 1924h x 2672v

_		J	lef R	Rask	kin /	Jar	nes	Wii	nter	/	Al P	ater	nt	Sw	yft <sup>-</sup>	Techn	ology		
	5,019,806															·			
Addres	55		-	65		ŀ	de x a	deo	ina	1.1				66 ASCII					
5000	) 9F	0E	27	36	9F	0E			7C	4A	07	36	9 F	0 E	4 E	0 E			
5010	) FD	35	C 3	0E	8 B	36	C3	0E	07	36	9F		D3	0 C	71	0 D	.566q.		
5 C 2 (	) 4E	0E	07	36	C3	0E	80	36	C3	0 E	91	37	9 F	0E	9 B	37	N 6 6 7 7		
5030	) C3	0 E	20	57	5 C	3 C	07	36	9 F	0 E	36	38	C3	0 E	85	0 C	W\<.668		
5 C 4 (	81	D6	7C	5B	FC	0E	2 C	9.0	80	80	12		4 B	30	A8	38	![,K0.8		
5050	66	08	6 B	71	0 D	9 F	0 E	Α8	38	66		.69	71	0 D	9 F	30	f.kq8f.iq		
5060	58	09	4E	0E	90	09	9 F		E6	11	DO	08	12	00	2 A	0E	X.N*.		
5079	90	09	24	0 D	D3	0 C	2 A	0 E	D3	00	2 A	0E	7F	3 C	66	80	\$*#.E(f.		
5 C 8 (	07	21	09	DF	FF	2 A	0 E	4 B		85	0 C	82	56	A1	40	5 C	.!*.KV.@\		
5090	) FC	0 E	44	5 C	6 C	3 D	DO	8 0	0E	00	33	0E	4 B	30	33	0E	D\ I = 3 . K 0 3 .		
5 CA (	C 3	θE	B1	08	04	00	2A	θE	85	0 C	82	56	CO	8 B	5 C		*V\.		
SCB	) 0E	44	5 C	9 F	0 E	4 B	30	85	0 C	87	53	45	54	52	4F	4F	.D\KO SETROO		
5000		AA	5C	FC	θE	32	36	9 F		07	36	9 F	0 E	89		2 C	\266		
5CD(		00	01	89	0 D	20	0.8	4 F	52	90	5 C	85	0 C	87	53	45	, OR.\SE		
5 C E (		56	41	5 Z	D3	B9	5C	FC	0E	2 B	38	B4	0E	2 C	08	52	TVAR\+8, R		
SCF(			5 C	85	0 C	8C	43	48	45	43	4B	43	48	41		47	P. V CHECKCHANG		
5 D 0 (		D3	DD	5 C	FC		2 C	8.0	52	50	AF	5 C	66	8 0		E6	E		
5D1(		E5	0 C	D0	08	20	00	2C	08	52	50	AF	5 C	2.B	38	B4	,.RP.\+8.		
5 D 2 (			11	E5	0 C	DO	08	0E	00	2 C	08	52	50	AF	5 C	2 B	,.RP.\+ 8'PCLEANU		
5D3 (				27	50	85	00	87	43	40	45	41	4E	55	D0 09	F5 B4			
5D4(			0E	2 C	08	00	03	2 C	08		02	58	09	90 08	09		,X .1=f		
5D5 (			3 D	D0	80	16	00	66 E1	80 80	20 04	C3	11 A6	DO DC	F1	08	00 DE	f		
5D6 (		08	20	90 88	09 56	DB 41	0E 4C	B1 49	44	41	54	C5	37.	5 D	FC	0E	VALIDAT.7J		
5D7(			0C 4F	52	44	5 C	DO	08	1A	00	2 C	08	41	4 D	44	5 C	, ORD\ AMD\		
5D8(			10	00	2 C	08	52	50	44	5 C	DO	08	06	00	55	0 C	, RPD\U.		
5D9( 5DA(			CC	38	2 C	08	03	01	71	OD	A8	38	66	08	69	71	<b>E</b> ⟨.8,q8f.iq		
SDB(				66	08	18		OA		38	66	08	69	71	OD	9 F	f8f.iq		
5 D C (			08				4E					08	6 B	71			.f.,q.N.,8f.kq.,		
5 D D (		84	38	66													8f.mqKB		
5 DE (		53	49	£3	73	5 D	FC	0 E	91	37	9 F	0E	2 C	08	00	02	ASI.sJ7		
5DF		4 A	66	08	50	3F	3 C	4 B	0C	F8	OD	2 C	08	00	02	71	\Jf.P? <k,q< td=""></k,q<>		
5E0		C3										2A					^YAJ~J*.f.L		
5E1			3 C	D4	DB	0E	20	08	8F	3A	20	8 0	3 D	D4	C3	0E	, . ( , : . : , . =		
5 E 2 1		08			08	FO	FD	DB	0E	2 C	08	CF	3 A	2 C	08	.F1	f.L,;:,		
5E3		C 3	0E	66	08	FF	04	38	DB						DB		f8K8		
5E4	0 4B	0 C	A8	38	FE	39	71	OD	DB	OΕ	С3	5 C	E7	5 C	3 F	3 A	K8.9q\.\?:		
5E5		38	B4	0E	66	8 0	7F	€3	11			4 F		04	38		.8f.≝O8.		
5E6		6 C										F8					.1=#6f.		
5E7	0 10	0 B	4 E	0 E	4 E	0E	4 E	0 E	07	36		0 E					N.N.N6060.		
5 E 8			6F	0E	88	36	6F	0E	12	38	B4	0E	66	08	07	E6	.50608f		
5E9		D0										12					\<8f		
5EA		0 D			C 4							5D					X~JdT		
5EB		00					C9					FD					],,f.		
5EC		20		F2			0E					5 4					.,LTABL.		
5ED			57		79	3 D						3 D 5 B					. JW . y = . Z . My = . RoW \$V . [ . ] y = y = ' [ . Y . L		
5 EE		56	84 4B	שנ	T.D												OOKU		
5EF	u 4f	1 P	4 D	<b>33</b>	טע	U 7	J L	17	JL "「								22.25 dai: 200h y 200y aiy 4026h y 2660y		

"Raskin 5019806 37\_39.PICT" 260 KB 2000-02-25 dpi: 300h x 300v pix: 1936h x 2660v

				-			-				, .,				• ,		CCITIO	9,
										5 (	110	و <u>۸</u>						
					67					٥,١	019,	٥٥٥	,				68	
Δ	ddress				U1		ŀ	ie na	a de o	cima	a l							ASCII
••							•											
	5F00	CA	Α9	0 C	0 A	A8	B9	D4	5E	95	00	В9	D5	5E	95	01	A0	
	5F10	00	4 C	8 C	80	84	4D	41	49	CE	ΕE	5E	FC	0E	55	0 C	2 C	.LMAIU.,
	5F20	8 0	0F	CO	DB	0E	55	0 C	2 C	08	0 D	CO	DB	0 E	3 D	49	D0	U . , = I .
	5F30	08	0A	00	43	56	64	54	B1	08	0 C	00	57	3 D	DO	08	06	CVdTW=
	5F40	00	15	3 D	F7	5 E	Ei	3 B	BI	0.8	E4	FF	85	0 C	85	52	45	=.*.;RE
	5F50	55	53	C5	14	5F	FC	0E	2 C	8.0	8 D	CO	B4	0E	2A	0E	2 C	US*.,
	5F60	08	00	D0	2 C	08	00	DO	2 C	08	00	30	E۶	0 A	2 C	8 0	8F	, , 0 ,
	5F70	CO	B4	0E	2 A	0E	2 C	08	8F	CO	B 4	0E	2A	0 E	85	0 C	82	* . , *
	5F80	52	C5	4 D	5 F	FC	·0£	66	08	0 D	3 C	36	9 F	0 E	DB	0E	71	R.Mf(6q
	5F90	OC	F3	35	9 F	0 F	71	0 D	66	8 0	5 C	A4	15	4 B	0 C	1 D	36	5q.f.\K6
	5FA0	DB	0E	5 5	0 C	2 C	8 0	0 F	CO	DB	θE	55	0 C	2 C	8 0		CO	U.,U.,
	5FB0	DB	-0E	55	5F	64	54	1 B	5F	85	0 C	8 4	4 D	53	47	B0	7F	U_dTM5G.#
	5FC0	5 F	FC	0 E	89	14	3 C	20	20	45	44	44	45	20	56	45	52	EDDE VER
	5FD0	53	49	4F	4 E	20	36		33	2 E	20	20	5 0	52	4F	50		SION 6.3. PROPR
	5FE0	49	45	5 4	41	52	59	20	54	52	41	44	45	20	53	45	43	IETARY TRADE SEC
	5FF0	52	45	5 4	20	20	20	20	20	20	20	20	20	20	20	2.0	20	RET
	6000	20	6 F	8 5	0 C	84	4 D	53	47	Bi	BA		FC	0E	89	14	3 C	oMSG(
	6010	43	6 F	70	79	72	69	67	68	74	20	28	63	29	20	31	39	Copyright (c) 19
	6020	38	3 4	20	62	79	20	49	6 E	66	6F	72	6D	61	74	69	6F	84 by Informatio
	6030	6E	20	41	70	70	6C	69	61	6E	63		-20	49	6 E	63	2 E	n Appliance Inc.
	6040	20	20	20	20	20	20	20	20	20	20	20	70	85	30	84	4 D	1M
	6050	53	47	B2	04	60	FC	0E	89	14	3F	20	20	20	20	20	54	5G? T
	6060	68	69	73	20	70	72	6F	67	72	61	6D	20	69	73	20	61	his program is a
	6070	6E	20	75	6E	70	75	62	6 C	69	73	68	65	64	20	77	6 F	n unpublished wo
	6080		6 B	2 E	20	20	20	20	20	20	20	20	20	20	20	20		rk.
	6090	20	20	20	20	20	20	20	74	6 D	85	0 C	84	4 D	53	47	B3	tmMSG.
	60A0	4 E		FC	0E	89	14	1F	20	20	20	2.0	20	20	20	20	20	N'
	60B0			20	41	4 C		20	52	49 84	47	48	5 4 5 3	53	2.0 9.B	5 2 6 0	45 EC	ALL RIGHTS RE
	60C0		45		56		44											SERVEDMES
	60D0			36			66 05				0B				OD			6.=fq6
	60E0		OD				0E		00		09		0D		60		0 D	? K . X q .
	60F0		0E		2A										DB 49			f(q *.*CSIGN
	6100		E9 CE		60		0E				08					55		O'K.,'U.
	6110 6120		08		60		60			2 C	08	57	60			97		,\.\.,. <u>\</u> \\.\.
	6130		08		60			85			47		0 B		FC			,`.`GaU
	6140		EE		14	61			00	CO	B4		66	08	7F	1A		R.a,f.#
	6150		08		FF		5F			84			44		38			RED.8a.
	6160			35			60			27					35			5f.`'65
	6170		0C				0E						01		15			K78,
	6180		0 C							43		58			0E		OC	REPLAC.Xaa.
	6190			AA		6 D	19			55					0.0		08	JmURU.,.
	61A0		CO				00				CO				08		08	U . , ,
	61BO				03					AD					DB			, f ,
	61C0		14												CD			).a.YWARa
	61D0				19										20			mb
										"R	askin (	50198	06 38	_39.P	ICT" 2	246 KE	3 2000-02-	25 dpi: 300h x 300v pix: 1960h x 2582v

Page 0038 of 0039

Patent # 5,019,806 -- 28 May 1991

I claim:

1. Apparatus for designating a desired region of the contents of a computer storage apparatus comprising:

69

- a processing unit coupled to the storage apparatus;
- a display connected to the processing unit;
- a keyboard connected to the processing unit to control the processing unit and the display; and
- first and second switchable designation means coupled to the processing unit for causing the processing unit to search the storage apparatus for a pattern entered into the keyboard while at least one of the first and second switchable designation means is activated, wherein the first designation means causes the processing unit to search for the pattern 15 in a first direction from a selected location on the display and the second designation means causes the processing unit to search in an opposite direction from said selected location.
- 2. Apparatus as in claim 1 wherein each of the first <sup>20</sup> and second designation means comprise keys on the keyboard.
- 3. Apparatus as in claim 2 wherein the keys comprise momentary contact push buttons.
- **4.** Apparatus as in claim **3** wherein the first and second designation keys are disposed adjacent a space bar key.
- 5. Apparatus as in claim 1 wherein the display includes a cursor at a position.
- 6. Apparatus as in claim 5 wherein the first designation means causes the cursor position to change from a first cursor position to the first occurrence of the pattern to the left of the first cursor position.
  - 7. Apparatus as in claim 6 wherein the second desig- 35

nation means causes the cursor position to change from the first cursor position to the first occurrence of the pattern to the right of the first cursor position.

70

- 8. Apparatus as in claim 7 wherein the second designation means causes all of the region on the display between the first cursor position and the first occurrence of the pattern to the right of the first cursor position to be designated.
- Apparatus as in claim 1 wherein the region on the display comprises a region of text displayed on the display.
  - 10. Apparatus for directing a search to designate a desired segment of alphanumeric material stored in a computer storage apparatus comprising:
    - a data processing unit coupled to the storage apparatus:
    - a display connected to the processing unit;
    - a keyboard connected to the processing unit to control the display;
    - first and second switchable designation means coupled to the processing unit for causing the processing unit to search the storage apparatus for a pattern entered into the keyboard, which pattern corresponds to an end of the desired segment while at least one of the first and second switchable designation means is activated, wherein the first designation means causes the processing unit to search for the pattern in a first direction from a present cursor position on the display and the second designation means causes the processing unit to search in an opposite direction.
  - 11. Apparatus as in claim 10 wherein each of the first and second switchable designation means comprises a momentary contact push button key on the keyboard.

40

45

50

55

60

65

"Raskin 5019806 39\_39.PICT" 161 KB 2000-02-25 dpi: 300h x 300v pix: 1900h x 2829v