

**TABLE OF CONTENTS**

<b>Letters to NAUG</b>	<b>2</b>	<b>My Favorite Macro</b>	<b>22</b>
<ul style="list-style-type: none"><li>• Speeding up TransWarp GS cards.</li><li>• Changing file types.</li><li>• Laptop computers and AppleWorks.</li><li>• Inexpensive hard drives for Apple IIs.</li><li>• RepairWorks compatibility.</li><li>• Technical support by fax.</li><li>• Members get their Zip Chips.</li></ul>		<ul style="list-style-type: none"><li>• How to add an alarm clock to AppleWorks.</li></ul>	
<b>Spreadsheet Tips</b>	<b>5</b>	<b>Public Domain Update</b>	<b>24</b>
<ul style="list-style-type: none"><li>• How to preserve cell formats in AppleWorks 3.0.</li></ul>		<ul style="list-style-type: none"><li>• Change-A-File and CheckWorks now in NAUG's Public Domain Library.</li></ul>	
<b>Inside AppleWorks</b>	<b>7</b>	<b>Novice Notes</b>	<b>25</b>
<ul style="list-style-type: none"><li>• An explanation of the boot up process.</li><li>• How to save space on your disks.</li><li>• A tip for 5.25-inch disk users.</li></ul>		<ul style="list-style-type: none"><li>• How to prepare your first spreadsheet—Part 4.</li><li>• How to compute averages, format cell, and copy formulas.</li><li>• Value formats available in AppleWorks.</li></ul>	
<b>Beagle Bros Update</b>	<b>11</b>	<b>Quick Tip</b>	<b>31</b>
<ul style="list-style-type: none"><li>• Beagle releases TextTools, MacroEase, and SuperFonts Activity Guide.</li></ul>		<ul style="list-style-type: none"><li>• How to tell if your copy of AppleWorks is patched.</li></ul>	
<b>Software Review</b>	<b>14</b>	<b>AppleWorks News</b>	<b>32</b>
<ul style="list-style-type: none"><li>• FlexiCal: The automated appointment calendar.</li><li>• How to manage your macros.</li></ul>		<ul style="list-style-type: none"><li>• News of interest to AppleWorks users.</li></ul>	
<b>Word Processor Tips</b>	<b>21</b>	<b>Word Processor Tips</b>	<b>33</b>
<ul style="list-style-type: none"><li>• How to get faster scrolling on an Apple IIs.</li></ul>		<ul style="list-style-type: none"><li>• Should you use QuickSpell?</li></ul>	
		<b>Members Helping Members</b>	<b>34</b>
		<ul style="list-style-type: none"><li>• Fifty members who offer help with the Apple IIs.</li></ul>	
		<b>Electronic Index Disk Update</b>	<b>35</b>
		<b>Guidelines for Contributors</b>	<b>36</b>

**Support for AppleWorks and ///EZ Pieces Users**

## Speeding Up TransWarp GS Cards

Dear NAUG:

I heard that I can speed up my TransWarp GS card from its current 7 megahertz speed to almost 13 megahertz. My dealer knows nothing about this. Can you help?

Barbara McDonald  
Dearborn, Michigan

*[Ed: While it is true that you can speed up a TransWarp GS accelerator so it runs between 10 and 13 megahertz, the upgrade is neither trivial nor inexpensive. The process requires that you desolder and solder parts on the TransWarp GS board (at the risk of ruining the card), costs more than \$150, and voids your TransWarp GS warranty. In addition, there is no guarantee that the upgraded card will work; the only guarantee is that the new microprocessor you must install on the card was in good condition when it left the factory.]*

*The upgrade involves replacing the 65C816 processor on the TransWarp GS with a special high-speed version of the chip. You can buy the high speed processor from the Western Design Center (WDC), the developer of the chip. The replacement costs \$95 (plus \$3 s/h). You will also need to purchase and replace the oscillator and the Cache SRAMs on the TransWarp GS board. (WDC does not supply these parts but lists suppliers in a set of instructions that describe how to upgrade the board.) To get the maximum speed from these chips, you also have to use an adjustable voltage regulator to change the voltage going to the board.*

*If you are still interested after all these warnings, contact the Western Design Center and request their "Upgrading a TransWarp GS Board" information kit.*

*Western Design Center, 2166 East Brown Road,  
Mesa, Arizona 85213; (602) 962-4545.]*

## Changing File Types

Dear Cathleen:

I recently used version 9.0 of Copy II+ to format some data disks and then copied my AppleWorks word processor files onto those disks. When I tried to load those files onto the AppleWorks desktop, AppleWorks reported that there were no AppleWorks files on the disk. I could list the files from the Other Activities Menu, but they appeared in the catalog with a filetype of "Other". I loaded the files onto the AppleWorks desktop as text (ASCII) files, but the text appeared amidst some other characters, including what looked like a tab ruler line.

I cataloged the disks with Copy II+ and each of the filetypes was listed as "BIN", not "AWP" (AppleWorks Word Processor). Apparently, Copy II+ changed the filetype designator for each file.

Is there any way to make these files recognizable to AppleWorks? Is this a problem with Copy II+?

Thomas Waldrop  
Groton, Connecticut

*[Ed: You can recover these files by using TimeOut FileMaster to change the filetype designator from "BIN" to "AWP". The procedure is to boot up AppleWorks, issue an Apple-Escape to access the TimeOut Menu, and select FileMaster. Press the Return Key to select "File Activities" and choose #8, "Change file type". Then follow the on-screen prompts to change all the filetypes to "AWP"; the on-screen prompts make the process easy.]*

*I tested the file copy function of Copy II+ 9.0 and could not replicate your problem. Central Point Software, the developers of Copy II+, also report no problems with changed file type designators when copying AppleWorks files. They suggest that you might have inadvertently formatted your disks in DOS 3.3 format, copied the AppleWorks files onto the DOS 3.3 disks, and then transferred them from DOS 3.3 back to ProDOS. Since there is no AWP filetype designator in DOS 3.3, Copy II+ changes the AppleWorks filetype designators to BIN if you copy these files onto a DOS 3.3 disk.]*

## Laptop Computers and AppleWorks

Dear Cathleen:

Does anyone produce a laptop computer that is compatible with AppleWorks?

Earle F. Zeigler  
London, Ontario, Canada

*[Ed: This is a bad news / good news situation.*

*The bad news is that there are no laptop computers available that run AppleWorks. While you can configure an Apple IIc to run as a portable, you end up with a 20 pound "luggable" computer with a barely readable screen and a single disk drive. Obviously, I cannot recommend that configuration. (See the article entitled "Portable AppleWorks" in the September 1986 issue of the AppleWorks Forum for more information about configuring a IIc as a portable.)*

*The good news is that you can use virtually any laptop computer to produce files that you can import into AppleWorks.*

*The best values in laptop computers today can be found in the MS-DOS world, so you could prepare your word processor files on any MS-DOS laptop and transfer the files into AppleWorks.*

*There are at least two ways to accomplish that transfer. The easiest approach is to use Softspoken's Cross-Works program to transfer the data. Cross-Works transfers files and converts them between AppleWorks, WordPerfect, Microsoft Works, dBASE, and Lotus 1-2-3 formats. The Cross-Works package includes the necessary software for your Apple II and MS-DOS laptop and the cable you need to connect the two computers. (See the review of Cross-Works in the May 1989 issue of the AppleWorks Forum.)*

The **National AppleWorks Users Group (NAUG)** is an association that supports AppleWorks users. NAUG provides technical support and information about AppleWorks and enhancements to that program. Our primary means of communicating with members is through the monthly newsletter entitled the **AppleWorks Forum**.

*If you don't want to use Cross-Works, you can save your files in ASCII format on the laptop and use any communication program on the Apple II and the laptop to transfer the files into AppleWorks. Complete directions appear in the articles entitled "How to Transfer Files into AppleWorks" in the September and October 1988 issues of the AppleWorks Forum.*

*If you do not already own a laptop and if price is a consideration, look at the Tandy 1100FD or the Bondwell laptop computer. The Tandy includes built-in word processing and telecommunications software and has a single 3.5-inch non-Apple compatible disk drive. The Bondwell includes two non-Apple-compatible drives and does not have any built-in software, although DAK, the catalog company selling the computer, bundles the Bondwell with all the software you need.*

*The Tandy 1100FD has a suggested list price of \$999; until June 30, educators can get a 20% discount on this computer and many other Radio Shack units. (Ask your local Radio Shack store for information about the Educator's Discount Program.)*

*The heavier and larger Bondwell system costs \$799 (plus \$32 s/h) including all necessary software from DAK ((800) 325-0800). Both Tandy and DAK have excellent guarantees in case you are not satisfied.]*

## AppleWorks Forum

Editor: Cathleen Merritt

Associate Editor: Warren Williams

Page Layout: Nanette Luoma

Publisher: The National AppleWorks Users Group

©COPYRIGHT 1990, by NAUG, The National AppleWorks Users Group, for the exclusive use and enjoyment of its members. Any reprint or reproduction must be approved in writing and in advance by NAUG.

The "AppleWorks Forum" (ISSN 0893-4118) is published monthly for \$29 per year by the National AppleWorks Users Group, 49068 Harvest Dr., Plymouth, MI 48170.

Second Class postage paid at Plymouth, MI, and additional mailing offices.  
POSTMASTER: Send address changes to AppleWorks Forum, NAUG, Box 87453, Canton, MI 48187

## Inexpensive Hard Drives for Apple IIs

Dear Cathleen:

The September 1989 issue of the *AppleWorks Forum* includes information about inexpensive SCSI-compatible hard disk drives from Ehman Engineering. Your article asked if any NAUG members are using Ehman drives with AppleWorks. I run AppleWorks 3.0 on an Ehman 45 megabyte drive that is connected to my Apple IIe with an Apple SCSI card. The drive and card cost only \$569.

Delivery time was reasonable; it took about three weeks for me to get the drive. I am satisfied with that turn-around time considering shipment was by UPS ground from Wyoming to New Jersey. [Ed: Two other NAUG members report that they received their Ehman drives within two weeks of placing an order.]

I got the drive working easily but could not use the Macintosh utility software that came with the system. Instead, I used the utilities supplied with the Apple SCSI card and re-formatted the drive with the Apple SCSI "HDSCPARTITION" program, then with the Filer program on my ProDOS Users Disk.

Two notes of interest to potential buyers:

1. The 45 megabyte drive offers only 40 megabytes of storage under ProDOS; the 45 megabyte claim is for Macintosh computers.
2. You should plan to partition the 40 megabyte drive into two 20 megabyte volumes. I could not partition the drive into different size volumes.

Frank Wassner  
Westwood, New Jersey

[Ed: Ehman Engineering recently lowered the prices of their hard disk drive systems. NAUG members might also consider drives from Hard Drives International (HDI), another manufacturer of low-priced SCSI drives that should be compatible with Apple SCSI cards running on Apple IIe and IIGs systems. (NAUG has not tested the drives from either Ehman or HDI.) Figure 1 lists the current prices for the drives from both companies. Add the cost of shipping and an Apple SCSI card (suggested retail price of \$129) to these prices. The

**Figure 1: Prices for Low Cost SCSI Drives**

Size	Mechanism	Ehman Price	HDI Price
20MB	Seagate	\$299	\$319
30MB	Seagate	349	349
40MB	Quantum	459	459
45MB	Seagate	399	399
45MB*	SyQuest	649	649
60MB	Seagate	449	449
80MB	Seagate	499	499
80MB	Quantum	649	649
105MB	Quantum	699	699
180MB	Fujitsu	1099	NA
*Removable media			

drives with Quantum mechanisms have faster access times than the Seagate systems.

Ehman Engineering, P.O. Box 2126, Evanston, Wyoming 82931; (307) 789-3830.

Hard Drives International, 1912 W. Fourth Street, Tempe, Arizona 85281; (800) 234-3475.]

## RepairWorks Compatibility

Dear NAUG:

Would you please tell your readers that RepairWorks will not run on an unenhanced Apple IIe. The program runs on any enhanced IIe and on all IIGs, IIc, IIc Plus, and Laser 128 computers.

Steven Mediodia  
Quality Computers

[Ed: You can tell if you have an enhanced Apple IIe by turning on the computer without any disks in the drives. If the top of the screen shows "Apple IIe" (with slashes to represent the "2") you have an enhanced IIe. Unenhanced IIe's display "Apple ][e", using the right and left bracket symbols to construct the display.

NAUG published a favorable review of RepairWorks in the April 1989 issue of the *AppleWorks Forum*.]

## Letters...

### Technical Support by Fax

Dear NAUG:

Can any of NAUG's Members Helping Members volunteers be reached by fax?

Otto Trixner  
Glan, Austria  
Fax #: 011/43/42/12/21 3 72

*[Ed: Providing technical support by fax is an excellent idea. Would all Members Helping Members volunteers who can accept fax please send NAUG their fax numbers for publication in the AppleWorks Forum.]*

*If you are not a Members Helping Members consultant, please consider volunteering for this valuable program. Write NAUG and ask for a Members Helping Members form or complete the form that appeared in the September 1989 issue of the AppleWorks Forum.]*

### Members Get Their Zip Chips

Dear Cathleen,

I just received a replacement for the defective Zip Chip I returned to Zip Technology almost a year ago. Thanks to you and NAUG for your help getting replacement products.

Jim Brownlow, Jr.  
Western Spring, Illinois

*[Ed: This is one of more than a dozen letters NAUG received indicating that Zip Technology has fulfilled its promise and replaced all NAUG members' defective chips. If you have not yet received a replacement chip for your defective unit, please notify both Zip and NAUG immediately.]*

*We are presently testing Zip's 8-megahertz accelerator chip and will publish a review of this product in next month's issue of the AppleWorks Forum.]*

## Spreadsheet Tips

### How to Preserve Cell Formats in AppleWorks 3.0

by Warren Williams

One of the important new features available in the AppleWorks 3.0 spreadsheet module is the program's ability to treat labels as if they were values. This feature lets you use AppleWorks' @IF, @CHOOSE, and @LOOKUP functions to display words or numbers in any cell. For example, you can use the @IF statement to test if a value is within an allowable range. If the user enters a reasonable value, you can tell AppleWorks to display a calculated answer. If the user enters an unreasonable value, you can display the text "Check G3" or any other message you want to give the user.

However, once you display a label in a cell, the cell loses the format specified for the values that appear in that cell. For example, if you used the Apple-L command to display the numeric answer in dollar format, numbers no longer appear in dollar format after the user sees the label "Check G3".

#### A Work Around

Fortunately, there is a way to preserve the format of these values. Displaying text in a cell cancels the value format set with the Apple-L command but does not affect the standard format you set with Apple-V. The trick is to use AppleWorks' Apple-V command to specify the format for the numbers that will appear in these cells. You can then use the Apple-L command to set the value format for all the cells that do not shift between text and numeric entries.

Although this technique only works if all the cells that display labels have the same value format, you should be able to overcome this limitation in most settings.

*[Ed: See the article entitled "How to Manipulate Text in AppleWorks 3.0" in the August 1989 issue of the AppleWorks Forum for more information about how to use @IF, @CHOOSE, and @LOOKUP to display text in spreadsheet cells.]*

# Introduction to AppleWorks GS

Easy-to-follow activities help you learn by doing.

## Explore the basics of AppleWorks GS.

*Introduction to AppleWorks GS* is a collection of practical explorations designed to introduce basic AppleWorks GS concepts and features. Learn about Works' fully integrated modules—word processing, spreadsheet, database, page layout, graphics, and communications—as you successfully design and implement a simulated school fund-raiser. Each fund-raising activity focuses on a particular AppleWorks GS module. So as you complete each hands-on project, you become a more knowledgeable and skilled user.

## The Introduction to AppleWorks GS advantage.

The nine explorations in *Introduction to AppleWorks GS* are designed as independent units that can be used as the basis for a workshop, as a text, or for self-paced, independent study. In no time, you'll be making better and more efficient use of AppleWorks GS and your Apple IIGS computer.

**Product #T-646-3. Includes a manual and 3.5" activity disk. AppleWorks GS must be purchased separately.**

## Six versatile modules in one all-around package.



### Word Processing

- includes a built-in spell checker and thesaurus
- merges information from database documents



### Spreadsheet

- generates charts and graphs
- utilizes powerful calculation features



### Database

- stores graphics and text
- designs and prints reports
- creates templates and mailing labels



### Page Layout

- combines text and graphics by using master pages, multiple text columns, guides, and graphics tools



### Graphics

- includes painting, drawing, and editing tools



### Communications

- allows for the exchange of information between computers

## Hardware Requirements

Apple® IIGs with ROM 01 and 1.25 mb or ROM 03 and 1.125 mb of memory, two 3.5" disk drives, and a color monitor. An ImageWriter printer with color ribbon is recommended but is optional.

## Introduction to AppleWorks® GS Order Form

Name \_\_\_\_\_

Title \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_ Zip \_\_\_\_\_

Phone (\_\_\_\_) \_\_\_\_\_



3490 Lexington Avenue North

St. Paul, MN 55126

Call: 800/228-3504 or 612/481-3500 ext. 527

Qty	Title	Product Number	Price
	Participant Package: Manual and a 3.5" data disk. Each \$19.95	T-646-305	
	Quantity Discount Rate. (Participant Package at quantities of 10 or more for \$17.75 each.)	T-646-305	
	Presenter Notes and reproducible overhead materials. Each \$20.00	T-647-M	

### Method of Payment:

☐ Enclosed is full payment (check only)

☐ Please invoice per attached Purchase Order No. \_\_\_\_\_



Charge this order to my charge account as I have indicated, to be paid according to the current terms of that account.



\_\_\_\_\_  
Expiration Date

Minnesota residents  
add 6% sales tax

**TOTAL**

*When you order materials using the Classroom or Workshop Discount Rate, you save 25% over the regular Participant Package price!*

\_\_\_\_\_  
Authorized Charge Card Signature

# The Boot Up Process

by Randy Brandt

---

*This is the first in a series of articles that describe the internal workings of AppleWorks 3.0. These articles will help intermediate and advanced AppleWorks users understand why the program behaves the way that it does. Mr. Brandt is one of the authors of AppleWorks 3.0.*

---

**T**here are at least three ways to launch AppleWorks: by booting your computer with an AppleWorks Startup Disk, by using a program selector, or by typing the necessary BASIC commands. However, loading AppleWorks into memory follows a similar path no matter which procedure you use to start the program. In this article, I will describe what occurs each time you launch AppleWorks.

## Booting a Disk

Whenever you boot your system with a disk containing the ProDOS operating system, the computer loads and runs ProDOS. ProDOS then looks for the first system file with a name that ends with ".SYSTEM" and launches that file.

The 5.25-inch AppleWorks Startup Disk and 3.5-inch Program Disk both include ProDOS and a file called APLWORKS.SYSTEM. If you boot your computer with either disk, your system will load ProDOS into memory and launch the file APLWORKS.SYSTEM.

TimeOut UltraMacros' installation process installs a file named ULTRA.SYSTEM on your AppleWorks disk and renames the AppleWorks program file from APLWORKS.SYSTEM to APLWORKS.SYS. After you install UltraMacros, your system will load ProDOS into RAM and then launch the file ULTRA.SYSTEM, which in turn launches APLWORKS.SYS.

The more enhancements you make to AppleWorks, the more complex the process becomes. For example, if you use SpellCopy to automatically copy your spelling dictionaries and other files into memory, the program installs SPELCOPY.SYSTEM on

your disk and renames APLWORKS.SYSTEM to APLWORKS.SYS. If you have SpellCopy on your AppleWorks Startup Disk, it copies the dictionaries and then launches either UltraMacros or AppleWorks.

## Using Program Selectors or BASIC

If you use a program selector or BASIC to launch AppleWorks, you have already loaded ProDOS into RAM. All you need do now is select the system file you want to run. UltraMacros users can choose ULTRA.SYSTEM to launch UltraMacros (which then launches AppleWorks) or can select APLWORKS.SYS to run AppleWorks without UltraMacros. An Applied Engineering memory card user might pick BASIC.SYSTEM to run a program for setting up a RAM disk prior to running AppleWorks.

## APLWORKS.SYSTEM

The file APLWORKS.SYSTEM contains the startup code, and much of the main controlling code for AppleWorks. This includes the keyboard and screen display routines used by every facet of the program.

The first thing that APLWORKS.SYSTEM does is make certain it is running on a machine with at least 128K. Then it locates itself in memory so the permanent code, called the Host, is in place to control AppleWorks.

Next, AppleWorks sets up its working environment. First, it disconnects /RAM, the small RAM disk set up by ProDOS that uses the second 64K memory bank in all 128K machines. Since that area of memory will be used to store AppleWorks



## How to Save Space on Your Disks

Once you know how ProDOS decides which program to launch, you can rearrange your disks to force ProDOS to launch any program you choose. All you need do is reorganize the catalog on the disk so the system file you want to launch is the first file in the catalog.

Two popular utility programs let you reorganize the files on a disk. Copy II+, version 9.0 and later, offers a menu-driven option that lets you sort the files on the disk catalog in any order you specify. CAT.DOCTOR, a utility program on Glen Bredon's ProSel disk, also lets you reorganize the disk catalog.

If you do not have Copy II+ or ProSel, you can use any disk utility program to create a new disk that has ProDOS followed by the system file you want to launch from that disk. Follow these steps to prepare a bootable disk that launches any ProDOS program you specify:

1. Use a disk utility program to format a blank disk.
  2. Copy ProDOS from the original disk onto the newly formatted disk.
  3. Copy the system file that launches the program you want to run.
  4. Use the file copy program to transfer the remaining files from the original disk onto the new disk.
- When you boot your computer with this disk, ProDOS will launch the first system file you copied onto the disk.

If you want to rearrange the existing files on a disk, the quickest way to get the desired system file to run is to swap the position of two .SYSTEM files on the disk. Proceed as follows:

1. Copy both the first ".SYSTEM" file on the disk and the desired file onto another disk.
2. Delete the two files from the original disk.
3. Copy the desired start file back, followed by the other file.
4. Since ProDOS always adds a new file to the directory in the first available directory position, your two files will now be swapped and ProDOS will launch the correct file.

desktop file information, any files on the RAM disk would be destroyed anyway. Disconnecting /RAM keeps users from trying to use it to store files.

Then AppleWorks stores the pathname that was used to start APLWORKS.SYSTEM. AppleWorks uses that pathname to locate the other AppleWorks files, no matter what prefix was set when you launched the program. For example, you could set the prefix to "/HD", and then launch AppleWorks from Applesoft BASIC with the command "-/HD/AW/APLWORKS.SYSTEM". AppleWorks would know that its files are in "/HD/AW" and not in the prefix-specified directory.

## Memory Managers

Next, AppleWorks chooses the memory manager that is appropriate for your computer. (AppleWorks comes with four memory managers that I will discuss in greater detail in a future article in this series.) The memory manager contains the code that stores and recalls desktop information; having different memory managers lets AppleWorks use the unique features of the various memory configurations found in Apple II systems.

AppleWorks follows these steps to select the appropriate memory manager:

1. The program checks if it is running on a IIGS. If so, it loads SEG.RM. If not, it tries step 2.
2. Now that AppleWorks knows it is not running on a IIGS, it checks if you have an auxiliary slot memory board such as a RamWorks, Z-Ram, or MultiRAM memory card. [Ed: See the sidebar entitled "Memory Cards: Which Type Do You Own?" on page 8 of the February 1990 issue of the *AppleWorks Forum* for information about the different types of memory cards.] If AppleWorks finds a card with at least two 64K banks of memory, the program loads SEG.AM. If not, it tries step 3.

(Thanks largely to requests from NAUG member Dave Gair, we purposely have



AppleWorks test first for an auxiliary slot card. Thus, if you have both an auxiliary slot card and a peripheral slot card, you can use the peripheral slot card as a RAM disk and the auxiliary slot card to expand the AppleWorks desktop.)

3. AppleWorks then checks if you have a peripheral slot ("slinky") card such as a RamFactor, RamExpress, or Apple Memory Card. If it finds a peripheral slot card, AppleWorks loads SEG.XM and creates a dummy disk file to use for desktop memory. If this fails, the program proceeds to step 4.
4. Since you do not have a IIGS, or an auxiliary slot card, or a peripheral slot card in your computer, AppleWorks assumes that you have only 128K of memory in an Apple IIe or IIC, and it loads SEG.ØØ. This leaves about 40K for desktop memory after space is reserved for the program and related files.

AppleWorks next asks the memory manager to allocate the available memory and compute the amount of available desktop space.

Note that AppleWorks only uses one memory manager on any particular hardware configuration; you can delete the extra managers from your working AppleWorks disk. For example, IIGS users can delete SEG.XM, SEG.AM, and SEG.ØØ, leaving only SEG.RM on the disk.

## Environmental Aspects

The next step is to load the file SEG.EL. This file contains the elementary arithmetic functions for SANE, the Standard Apple Numerics Environment. The memory manager copies SEG.EL onto the language card area of memory, where it provides the math routines used by the spreadsheet and data base modules.

Then AppleWorks scans the Apple II slots to identify your disk drive and printer slots. It stores that information for later use.

Next, AppleWorks loads SEG.ER, the Environment Record file that contains the settings you can modify from the Standard Settings Menu. This file contains your preferred preloading settings, the spell checker settings, date/time formats, the stan-

## A Tip for 5.25-inch Disk Users

AppleWorks is a large program; the complete program requires three sides of a 5.25-inch disk, and all disk volumes must have the same volume name (the name on all the original disks is /APPLEWORKS). However, ProDOS cannot manage multiple disks with the same volume name. As a result, 5.25-inch disk users who want to switch between modules cannot simply insert the appropriate disk in an empty drive while leaving a different AppleWorks disk in the first drive. ProDOS will not look at the second drive because it "knows" that drive one holds the volume that AppleWorks is requesting. However, if you open the door on the first drive, ProDOS will hunt through the remaining disk devices for the correct program file and will find the second AppleWorks disk. Thus, you can leave AppleWorks disks in both drives and force ProDOS to find the correct disk by closing and opening the doors on the two drives.

dard data disk, and printer drivers. (Note that while SEG.PR contains all the printer drivers, AppleWorks only accesses SEG.PR when you change the standard settings. Once you configure AppleWorks for your printer, you no longer need SEG.PR on your working disk.)


With SEG.ER in memory, AppleWorks checks ProDOS to see if you have a clock. If it finds a clock, AppleWorks reads the clock to find the current date. Otherwise the program prompts you to enter the date. AppleWorks then stores the date in the file SEG.ER.

## Preloading

The next step in the startup process is to preload any AppleWorks modules you specified. AppleWorks checks if you have sufficient memory and then loads the selected segments into desktop memory where they can be retrieved quickly.

AppleWorks consists of more than 30 segments which are managed by the Host. These segments, known as overlays, let a large program run on a machine which has insufficient memory to load the entire program. Any time AppleWorks needs a segment, the Host checks if the segment is already

**Figure 1: AppleWorks Boot Up Sequence**



stored on the desktop. If the segment is there, the Host immediately retrieves it.

If the segment is not in memory, the Host loads it from the disk. That is why the disk drive may activate the first time you perform an AppleWorks task but not the second time you use the same command. When the Host finds the segment, it loads the code from the disk and tries to store that code on the desktop so that succeeding calls for the segment can be answered without a disk access. AppleWorks displays a message such as "Place the

DB PROGRAM disk in a drive" when it cannot find the appropriate segment on a disk in a drive.

Now that everything is loaded and initialized, AppleWorks calls the Organizer segment to display the Main Menu and you are ready to work. I will discuss the Organizer in the next article in this series.

## Summary

Figure 1 contains a flowchart that depicts the steps that occur when you boot AppleWorks 3.0. You

## Inside AppleWorks...

also learned the following concepts about AppleWorks 3.0:

1. ProDOS always looks for the first system file whose name ends with ".SYSTEM" and launches it. You can manipulate which program boots from a disk by reordering the system files on that disk.
2. Your copy of AppleWorks does not use all the files on the disk. You can save disk space by deleting the file SEG.PR and the unused memory managers once you configure a working AppleWorks disk.
3. There is a rationale behind AppleWorks' seemingly random disk accesses.

Next month I will describe AppleWorks' Organizer; the "command center" for AppleWorks.

*[Randy Brandt, an author of AppleWorks 3.0, is the developer of TimeOut UltraMacros, PowerPack, and numerous other AppleWorks enhancements. Mr. Brandt also owns JEM Software, a company that produces AppleWorks enhancements.]*

FRENCH	GERMAN	ITALIAN
<b>EuroWorks™</b>		
v3.0		
v2.0		
PORTUGUESE	SPANISH	

Type accented foreign text quickly and simply with the classic AppleWorks® word processor. Then, from **inside** AppleWorks, **EuroWorks** prints your foreign text on an ImageWriter® or compatible printer.

Foreign word processor files may include every character on your American keyboard plus 13 French, 7 German, 10 Italian, 13 Portuguese, or 10 Spanish: just two sensible keystrokes per foreign character.

**EuroWorks** requires an Apple DMP; ImageWriter I, II, or LQ; Scribe; an MT85/86; or a Seikosha SP-1000AP printer. **EuroWorks** is compatible with, but does not require, the TimeOut™ series from Beagle Bros, Inc.

**EuroWorks v3.0 for AppleWorks v3.0**  
**EuroWorks v2.0 for AppleWorks v2.0 or v2.1**

**French...\$24      Spanish...\$24**  
**ALL FIVE...on one disk...\$39**

USA, Canada, Mexico postpaid; others add \$3  
AppleWorks®, ImageWriter® by Apple Computer, Inc.

Check, MO, Net-30 School PO, Visa, MC  
**The S.A. AuTeur Co: A70**  
P.O. Box 7459 Beaverton, OR 97007  
**(503) 645-2306**

## Beagle Bros Update

### Beagle Releases TextTools, MacroEase, and SuperFonts Activity Guide

**B**y the time you read this, Beagle Bros should be shipping TimeOut TextTools and MacroEase. A description of both products appears in the Beagle Bros Update article in the April issue of the *AppleWorks Forum*.

Beagle continues to experience delays in the development of TeleComm 1.2 and has not set a release date for this update. NAUG members who order TeleComm will receive version 1.1 and will get a free upgrade to version 1.2 when it becomes available. If you purchase TeleComm, please copy the version 1.1 disk for your own use and then return the original with a self-addressed, stamped mailer to NAUG. We will ship version 1.2 as soon as we receive copies from Beagle.

Beagle also announced the release of the SuperFonts Activity Guide, edited by Dave Chesebrough, editor of the AppleWorks Educator, and Jim Carlisle, founder of the Teachers Idea and Information Exchange. The SuperFonts Activity Guide consists of a 166-page workbook and a disk that contains teaching materials and activities to help educators use TimeOut SuperFonts in the classroom and for their personal productivity. Lessons include how to develop and print an advertisement, how to write letters in code using graphic fonts, how to prepare mathematics and science lessons and quizzes, how to print in foreign languages, how to print two-column reports, and how to print musical notes with SuperFonts. The licensing agreement gives teachers permission to duplicate the workbook materials and disks for their own classroom.

The SuperFonts Activity Guide has a suggested list price of \$49.95 (\$99.95 including TimeOut SuperFonts) and is available for \$34.95 (\$69.95 including SuperFonts), plus \$3 s/h, directly from NAUG.


*[Beagle Bros, 6215 Ferris Square, Suite 100, San Diego, California 92121; Outside California: (800) 345-1750. In California: (800) 992-4022.]*

# Look Here First!

Quality Computers 800-443-6697 or 800-966-1508

Attn: Price Hunters:  
We'll match any  
price! Plus, our  
service can't be  
beat!

## HARD DISKS



### RELAX

with Apple SCSI  
20 meg. ....\$579  
46 meg. ....679  
80 meg. ....899  
+\$50 for Sierra models

### CHINOOK

\*w/Apple SCSI  
CT20\* .....\$599  
CT40\* .....779  
CT20C .....599  
CT40C .....799  
CT80\* .....1,145

### CMS

with CMS SCSI  
20 meg. ....\$599  
45 (remov.) .939  
60 meg. ....749

### HARD-DISK BUYERS' GUIDE



Base your decision to buy a hard-disk on fact, not fiction. The Hard-Disk Buyers' Guide is packed with performance reports and charts on all the top brands. Make the smart move. Get the Hard-Disk Buyer's Guide before you buy. \$6 Shipped overnight (redeemable when you buy a hard-disk from Quality Computers).

### VULCAN

20 meg. ....\$519  
40 meg. ....675  
100 meg. .1,285

### INGENUITY

Inner 20 ....\$499  
Inner 40 .....619

## HARDWARE

### APPLIED ENG.

RAMWORKS III  
256K .....139  
512K .....159  
1 meg. ....209  
ULTRA II  
256K .....179  
512K .....219  
1 meg. ....269  
RAM EXPRESS  
256K .....179  
512K .....219  
1 meg. ....269  
RAMFACTOR  
256K .....169  
512K .....199  
1 meg. ....249  
GS-RAM  
256K .....129  
1 meg. ....249  
GS-RAM PLUS  
1 meg. ....229  
2 meg. ....329  
3 meg. ....429  
GS-ULTRA  
1 meg. ....229  
2 meg. ....329  
3 meg. ....429  
RAMWORKS EXP.  
1 meg. ....199  
2 meg. ....299  
RAMFACTOR EXP.  
1 meg. ....279  
2 meg. ....379  
NEW! 3.5" Drive  
5.25" Drive .....119  
Buffer Pro .....89  
ColorLink .....99  
Conserver .....79  
DataLink 2400 ...174  
DataLink Express 184  
FastMath .....139  
Parallel Pro .....79  
PC Transporter ...299  
PC Trans. (Ile kit) 29  
PC Trans. (GS kit) 39  
Phasor .....139  
Power Supply .....69  
RamCharger .....139  
RamKeeper .....139  
ReadyLink .....59  
Serial Pro .....109  
Slot Mover .....34  
Sonic Blaster .....98  
TimeMaster .....78  
TransDrive .....199  
TransDrive (Duo) 299  
TransWarp GS ...289  
TransWarp III ...149  
280 Plus .....119

### APPLE

AppleMouse Ile ..119  
AppleMouse Iic ...89  
NEW! SCSI Card 109  
3.5 Dr. (Ile, II+) .319  
3.5 Dr. (GS, Iic+) 329  
ImageWriter II ...459  
Apple Controller  
(3.5, 5.25) .....69  
Ile Enhance Kit ...59  
Video Overlay ....439  
Apple IIGS CPU  
with 1 meg. ....875  
RGB Monitor .....465

### LASER

3.5" Drive .....179  
5.25" Drive .....99  
UDC .....49  
128EX .....399  
128EX-2 (5.25) .419  
128EX-2 (3.5) .459

### MISCELLANEOUS

AMR 3.5" Drive ...189  
AMR 5.25" Drive 144  
Cables (most) ...14.95  
Comp. Eyes Ile ...99  
Comp. Eyes GS ...195  
Diskettes  
3.5 (10) .....8.95  
5.25 (10) .....6.95  
Disk Holders .....12  
Joy Sticks  
Flightstick .....47  
Mach II .....28  
Mach III .....36  
Mach IV Plus ...62  
Mirage (mouse) ...39  
Modems  
Mitac 2400 ....119  
Supra 2400 ....119  
Cables .....12  
Monitors  
12" Amb./Grn. .99  
Magvx. RGB ...289  
Sony KV1311. 529  
Panasonic Printers  
1624 .....449  
1191 .....249  
1124 .....329  
1180 .....199  
Printer Interfaces  
Fingerprint GSI 94  
Fingerprint Plus 89  
Fingerprint SS. 59  
Fingerprint G+ ..59  
Grappler 9 Pin. 84  
SuperWriter ....78  
SMT .....54  
Quickie Scanner  
Ile, IIGS .....199  
SMT No Sit Click .39  
Thunderware  
Thunderscan ..159  
LightningScan 199

### KENSINGTON

Antiglare Filter .39  
System Saver Ile .59  
System Saver GS .69  
Turbo ADB .....115  
Turbo Quad .....115

### COMPLETE GS PACKAGES

#### BEGINNER SYSTEM \$2,039

- IIGS CPU w/1 meg.
- Apple RGB Monitor
- ImageWriter II Printer w/cable
- AE 3.5" Disk Drive
- 10 3.5" Diskettes
- Mouse Pad
- 1,000 sheets of paper

#### SUPER STORAGE SYSTEM \$3,399

- IIGS CPU w/ 1 meg.
- Apple RGB Monitor
- ImageWriter II Printer w/cable
- AE Vulcan 40 meg. w/EasyDrive
- AE 3.5" Disk Drive
- AE GS-RAM Plus 2 meg.
- AE TransWarp GS
- Mouse pad, diskettes and paper

## SPECIALS

### THE DECKED OUT GS

# \$4,280

How does your GS  
match up to this Super  
System?

AMR 3.5" Disk Drives (2) \$189 ea.

Relax 40 meg. Hard-Disk with Apple SCSI \$679

SupraModem 2400 \$119

Apple IIGS CPU \$875

AE PC Transporter \$299

AE TransWarp GS \$289

Cutting Edge Keyboard \$129

Magnavox (\$289) or Apple (\$465) RGB Monitor

Custom Cable \$24

AE Conserver \$79

Cable \$19

AE GS-RAM Plus 3 meg. \$429

Panasonic 1191 Printer \$249

Superwriter 924 interface \$78

Media Mate Printer Stand \$18

Kensington Turbo Mouse ADB \$115



# SPECIALS

## MEMORY CHIPS

Expand your RAM with these high-quality ramchips. Fully Apple IIc, IIe, IIGS compatible. 5 year warranty.

256K ..... \$32/bank  
1 meg. ...100/bank

## SENSIBLE GRAMMAR

Check manuscripts for over 2,000 common writing errors including misused phrases and punctuation mistakes. Can be used with most ProDOS word processors ..... \$52.95

## GS-RAM Plus

Get up to 6 meg. of RAM on board plus 2 meg. more with expander.

1 meg. .... \$229  
2 meg. .... 329  
3 meg. .... 429

## CROSS-WORKS 2.0

Copy and convert files between Apple II and IBM. Exchange AW files with Microsoft Works WordPerfect, Lotus 1-2-3 and dBase. .... \$69.95

## BUSINESSWORKS Bundle

Includes General Ledger, A/P, A/R, and Inventory Control functions. Each can be used alone, or fully integrated via the System Manager ..... \$269.00

## ORCA Programming Environments

ORCA/M Assembler ..... \$39.00  
ORCA/C Compiler ..... 80.00  
ORCA/Pascal system ..... 80.00

## ATTENTION: CANADIAN RESIDENTS

All of these products, with the same great service, are available to you from Dandam Software. Avoid import-export delays.

Laser 128EX/2 ..... \$579 Can.  
with color monitor .... \$979 Can.  
40 meg. Vulcan ..... \*\$899 Can.  
PC Transporter ..... \*\$409 Can.  
TransWarp GS ..... \*\$409 Can.  
SupraModem 2400 ..... \$149 Can.

Dandam is an authorized AE dealer with a large selection of Apple II, Amiga & IBM software.

Call for Free Catalogue:  
1-800-265-9576

8408 Wyandotte St., E. • Windsor, Ont. N8S 1T6  
(519) 974-3011 • Fax (519) 974-6643

# SOFTWARE

## BUSINESS

Alpha Check ..... 32.00  
AppleWorks 3.0 ..... 170.00  
GS ..... 199.00  
BeagleWrite ..... 48.95  
GS ..... 59.95  
Book Ends ..... 74.95  
BW Bundle ..... 269.00  
BW Payroll ..... 109.00  
DB Mast. Pro ..... 189.95  
Dol. & Sense ..... 74.95  
Font Fact. GS ..... 25.95  
GraphicWriter III ..... 84.95  
GS Font Ed. .... 29.95  
Labels, Labels ..... 28.95  
MYM 4.0 ..... 89.95  
Point to Point ..... 59.95  
Prgrm. Writer ..... 29.95  
ProTerm ..... 79.00  
Publish It! 3 ..... 79.95  
Quicken ..... 38.00  
Report Card II ..... 36.95  
Sens. Gram. .... 52.95  
Sens. Spell. .... 79.95  
TimeOut Series  
DecisionPak ..... 83.95  
StylePak ..... 73.95  
Perf. Pak ..... 63.95  
DeskTools ..... 29.95  
FileMaster ..... 29.95  
PowerPack ..... 29.95  
Thesaurus ..... 29.95  
SideSprd. .... 29.95  
MacroTIs ..... 16.95  
SprdTools ..... 37.95  
Ultracms. .... 37.95  
Rpt. Writer ..... 45.95  
Graph ..... 52.95  
SprFonts. .... 39.95  
Telecomm ..... 39.95  
QuickSpell ..... 37.95  
WordPerf. GS ..... 104.95

## EDUCATION

We carry a complete line of educational software. Call for your free catalog.

Alge-Blaster ..... 29.95  
Carmen (World) GS ..... 29.95  
(Time) ..... 29.95  
(USA) ..... 29.95  
(Europe) ..... 29.95  
Designsrs. GS ..... 29.95  
Gert's Sec. .... 34.95  
Math Bl. + GS ..... 29.95  
Math Rab. GS ..... 25.95  
Music Stud. GS ..... 45.95  
Read. Rab. GS ..... 36.95  
Rev. 76 GS ..... 29.95  
World Geog. .... 89.95  
Wrttr. Rab. GS ..... 29.95

## GRAPHICS

Dazzle Draw ..... 33.95  
Deluxe Paint GS ..... 65.95  
Dsgn Your Own Home Archt. GS ..... 59.95  
Int. GS ..... 59.95  
Ldscp. GS ..... 59.95  
Grphcs. Exch. .... 34.95  
PaintWks. Plus ..... 32.95  
Gold ..... 45.95  
PrintShop ..... 29.95  
GS ..... 36.95

## UTILITIES & LANGUAGES

Bag of Tricks ..... 29.95  
Copy II Plus ..... 23.95  
CrossWorks ..... 69.95  
Merlin 8/16 ..... 75.00  
Orca/M ..... 39.00  
Orca/C ..... 80.00  
Orca/Pascal ..... 80.00  
TML Pascal II ..... 84.00  
TML Basic ..... 84.00  
Vitesse  
Exorcizer ..... 29.95  
Guardian ..... 34.95  
Genesis ..... 54.95  
Renaissance ..... 34.95  
Salvation ..... 34.95

## GAMES

Battle Chess ..... 34.95  
The Duel ..... 24.95  
Hardball ..... 27.95  
Hunt for R.O. .... 34.95  
HyperStudio ..... 89.00  
Jck. Nick. Golf ..... 34.95  
Test Drive ..... 27.95

# Q LABS

## TIC

TIC is serious communications software at a price you can handle. *inCider* calls TIC a best buy. **\$39.95 (SPECIAL! \$34.95 with purchase of any modem!)**

## REPAIRWORKS

AppleWorks data repair and retrieval program. Reduces or eliminates the need to recreate your work. *inCider* Magazine Editors' Choice. **\$39.95**

## EASYDRIVE

The complete hard-disk management system for the Apple II. Makes getting started quick and easy. A must for every hard-disk owner. **\$59.95**

## SUPERPATCH

AppleWorks enhancements and modifications. Install over 150 patches on 2.0 and 2.1. Over 100 on 3.0. Installs and de-installs patches as you wish. **\$39.95**

**POLICY:** VISA, MasterCard, and Discover - no added surcharge.  
C.O.D. certified - add \$3.95. If order is split, we pick up freight on balance of items.  
Shipping UPS, Airborne, Federal Express and U.S. Mail. Saturday deliveries available.  
Prices subject to change without notice. Quality Computers is not an authorized Apple dealer.

**PRICE MATCHING POLICY** is at manager's discretion. All price matched sales are final.

**RETURNS:** Returns of defective items for replacement accepted within 30 days of ship date. Items returned for credit subject to a 15% restocking fee. Software is non-returnable after the original factory seal is broken. Call Quality Computers Customer Service for exceptions and details.


**SCHOOLS:** Schools are half of our business. We accept school P.O.'s by mail or by fax.

**DEALERS:** Call

**USER GROUPS:** Volume discounts on group purchases. Call us for details.

## BUSINESS HOURS

Sales: (800) 443-6697 Mon.-Fri. 9 a.m. - 6 p.m. (Eastern)  
Technical Support (313) 331-1115 Mon.-Fri. 10 a.m. - 5:30 p.m. (Eastern)  
Customer Service: (313) 331-0700 Mon.-Fri. 9 a.m. - 5:00 p.m. (Eastern)



Circle 136 on Reader Service Card.

## Quality Computers

POWER FOR PERFORMANCE

15102 Charlevoix • Grosse Pointe, MI 48230 • 313/331-0700  
Orders & P.O.'s by FAX 313/331-0663

# 800-443-6697 or 800-966-1508

# FlexiCal: The Automated Appointment Calendar

by Gary Hayman

The seventeenth century writer, Sir Thomas Browne, stated "... there is music wherever there is a harmony, order, or proportion." Lester Simpson's FlexiCal program may not make your computer sing, but it certainly can bring harmony, order, and proportion to your busy schedule.

## Functionality

FlexiCal is a TimeOut enhancement for AppleWorks 2.0, 2.1, or 3.0 that produces daily, weekly, and monthly calendars that help you organize your schedule. In its most basic form, FlexiCal prints blank calendars you can fill in manually, much as you would enter appointments in a calendar you can buy at an office supply store. However, I would not recommend buying a \$30 program for this purpose alone. It is FlexiCal's automated features that make it a valuable program for educators, business people, professionals, and others who must keep track of an ever-changing busy schedule.

The macros built into FlexiCal make the program easy to use. FlexiCal's macros can insert, delete, and transfer information between dates and calendars. For example, you can enter your appointments into a monthly calendar, and FlexiCal's macros will automatically prepare weekly calendars you can view on the screen or carry with you.

Although FlexiCal gets much of its power from its use of macros, it does not require you to own a

macro program; FlexiCal includes a special run-time version of TimeOut UltraMacros that provides access to all the macros on the disk.

**Figure 1: Blank FlexiCal Monthly Calendar**

File: APRIL 1991      REVIEW/ADD/CHANGE      Escape: Main Menu

2|MONTH - APRIL 1991

	MONDAY	TUESDAY
3		
4		
5		
6	1)	2)
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18	8)	9)
19		

Q2: (Label, Protect-N)

Type entry or use A commands      1612K Avail

**Figure 2: Monthly Calendar on the Screen**

File: APRIL 1991      REVIEW/ADD/CHANGE      Escape: Main Menu

2|APRIL 1991

	MONDAY	TUESDAY
3		
4		
5		
6	1)	2)
7	- 9:00 Weekly Staff Meeting	- 8:30 ACMF Briefing
8	- 10:00 Financial Presentation	- 9:30 Conference Call
9	- 11:00 Conference Call	
10	- 12:00 Lunch with Tom Miller	
11	- at USDA Cafeteria	
12		- 12:00 Lunch w/VP, her office
13		- 3:30 Speech in Rm 10
14		- 4:45 Photo session
15	- 4:00 AV Presentation- Rm 12	
16	- 5:30 Bill's Retirement	
17		
18	8)	9)
19	- 6:00 Leave for NYC	- 9:00 Stockholders Meeting

Q2: (Label, Protect-N)

Type entry or use A commands      1574K Avail

## An Example

Now you are ready to record your appointments. I will assume that you have a staff meeting every Monday at 9am, so you will enter that appointment now. First, you invoke the macro <sa-A> (for “add”) and specify the date you have the appoint-

One approach uses the FlexiCal clipboard. You can issue a <sa-C> to copy the entry onto the clipboard, enter a <ba-down arrow> to move the cursor to the same position for the following week, and issue a <ba-m> to copy the stored information from the FlexiCal clipboard to the new location. Although it is not specified in the FlexiCal manual, you can also use data stored on the FlexiCal clipboard to add appointments to your schedule for any other month that is on the AppleWorks desktop.



**Figure 4: Printed Weekly Calendar**

DAY	SPECIAL DAY	THINGS TO DO	HOURS	APPOINTMENTS
1) MONDAY		- Call AOF Officers	6	
			7	
			8	
			9	- 9:00 Weekly Staff Meeting
			10	- 10:00 Financial Presentation
			11	- 11:00 Conference Call
			12	- 12:00 Lunch with Tom Miller at USOA Cafeteria
			1	
			2	
			3	
			4	- 4:00 AU Presentation- Rm 12
			5	- 5:30 Bill's Retirement
			6	
			7	
			8	
2) TUESDAY		- Conference Call	6	
			7	
			8	- 8:30 AOF Briefing
			9	- 9:30 Conference Call
			10	
			11	
			12	- 12:00 Lunch w/VP, her office
			1	
			2	
			3	- 3:30 Speech in Rm 10
			4	
			5	- 4:45 Photo session
			6	
			7	
			8	
3) WEDNESDAY		- Dr. Appt.	6	
			7	
			8	- 8:00 Dr.'s Appointment
			9	
			10	
			11	
			12	
			1	
			2	- 2:00 Return to Office
			3	
			4	- 4:00 Federal Register Review
			5	
			6	
			7	
			8	
4) THURSDAY		Hill Meetings	6	
			7	
			8	
			9	- 9:30 Weekly Publications Review
			10	
			11	
			12	
			1	
			2	- 2:00 Hill Staff Meetings
			3	
			4	- 4:00 Discuss Meeting Sites
			5	
			6	
			7	
			8	
5) FRIDAY		- Order NRS publication	6	
			7	
			8	
			9	
			10	- 10:00 Feed Weekly Stats to
			11	
			12	
			1	
			2	- 3:00 Respond to Misc Inquiries
			3	
			4	- 5:00 Info Bulletin to PGPI
			5	
			6	
			7	
			8	
6) SATURDAY			6	- 9:00 Boating Trip
			7	
			8	
			9	
			10	
			11	
			12	
			1	
			2	
			3	
			4	
			5	
			6	
			7	
			8	
7) SUNDAY		- Cherry Blossom Parade	6	
		- Silver Spring Stage	7	
			8	
			9	
			10	
			11	
			12	
			1	
			2	
			3	
			4	
			5	
			6	
			7	
			8	

Another alternative is to invoke macro <sa-R> which lets you relocate information to any date you specify. That macro lets you enter meetings that occur at different days of the week; for example, meetings that occur on the 15th of every month. Yet another macro lets you automatically reschedule any appointment to a different date. You can even move the appointment to another month using the clipboard technique that I mentioned earlier.

At no time does the program warn you if you are about to enter conflicting appointments, but you can easily see the conflict on the screen as you enter your data.

Figure 2 depicts a portion of a monthly schedule as it would appear on the screen. Figure 3 presents a complete monthly calendar printed on two 8.5" x 11" pages as you would carry it when you are away from the computer.

Other macros built into FlexiCal let you move easily from one section or calendar to another, and additional macros can automatically transfer information from the monthly calendar to a weekly calendar you can carry with you (see Figure 4). In addition, there are macros that automatically print the weekly, monthly, and daily schedules on 8.5"x 11" pages that fit in a three-ring binder.

When I am at my desk I keep the calendars on the AppleWorks desktop and update the schedule as my appointments change. When I am away from the computer, I carry the printed schedule generated by FlexiCal and write my new appointments into the printed output. Then I enter these appointments into the computer at the end of the day.

While the appointment scheduler is the core of FlexiCal, other segments of the program help you keep a "to do" list, a list of your expenses, and a list of "special days" such as birthdays and an-

## How to Manage Your Macros

FlexiCal is one of an increasing number of programs that replace the UltraMacros default macro set with customized macros. After you run these programs, you want to be able to restore your default macros. Here are some ways to proceed:

If you store your default macros in an AppleWorks word processor file, bring that file onto the screen, press <oa-Esc> to invoke the TimeOut Menu, select "Macro Compiler" and compile the file.

If you prepared a Task File containing your default macros, display the TimeOut Menu, select "Macro Options" and choose the appropriate Task File from the list that appears on your screen.

If you own UltraMacros 3.0 or later, here is an easy way to restore your default macros from within any application: With the TimeOut Menu on the screen, select "Macro Options". Then highlight "Launch a new Task" and enter an <oa-Rtn>. UltraMacros will display the location of ULTRA.SYSTEM; press the Return Key to reactivate UltraMacros and restore the default macro set.

Finally, if you use UltraMacros 3.0 or later, you can add a macro to the

FlexiCal Task File that restores your default macros with a single keystroke. (This procedure works with any application that replaces your default macros with those supplied with the program.) Insert a backup copy of FlexiCal in a drive and proceed as follows (You will need to know the name of the Task File you launched with the application. For example, FlexiCal uses CAL.MO.MACROS; AlphaCheck uses ALPHA.TASK.

1. With the FlexiCal monthly calendar on the screen, press <sa-!> to make certain that the appropriate FlexiCal macros are active.
2. Press the Escape Key and create a new word processor file. Give that file the name assigned to the Task File required for your current application. For example, if you are using FlexiCal, name the word processor file "CAL.MO.MACROS".
3. Press <oa-Esc> to display the TimeOut Menu and choose "Macro Compiler".
4. With the Macro Compiler on the screen, select "Display current macro set".
5. Get the macros on the screen. Scroll through the macros to find

a key that is not used to launch a macro (e.g., FlexiCal does not use <sa-Z>).

6. Press an <oa-9> and enter the following macro on a new line at the bottom of the displayed macros (You should replace the "Z" in this macro with the keystroke you want to assign to the new macro.):  
**Z:<all : launch "ULTRA.SYSTEM">!**
7. Enter an <oa-Esc> and choose "Macro Compiler" from the TimeOut Menu. Indicate that you want to compile a new set of macros. This creates a macro set that includes all the FlexiCal macros and your new enhancement. Now you want to replace the original FlexiCal Task File with your enhanced set of macros.
8. Enter an <oa-Esc> and select "Macro Options" from the TimeOut Menu.
9. Choose "Create a Task File" from the Options Menu and name the Task File CAL.MO.MACROS (or whatever name is assigned to the original Task File). That will replace the original FlexiCal Task File with your enhanced version.

niversaries. Macros on the disk help you manage these lists.

### Ease of Use

FlexiCal includes almost fifty macros that help you manage your calendars and lists. While these macros make it easy to use the program, they would be less than useful if you could not remember the commands that invoke each macro. To his credit, the author anticipated this problem and assigned these keystrokes mnemonically. For example, <sa-A> adds an appointment, <sa-T> transfers

appointments from the monthly calendar to the weekly calendar, and <sa-S> lets you enter "Special Day" notices.

On-screen help is available throughout the program; issue a <sa-?> and the program displays a "pop-up" help screen to remind you of the commands available at that moment. The author also provides numerous screen prompts within macros that help you enter the necessary data.

You should plan to spend between 30-45 minutes putting the program through its paces before start-

## Software Review...

ing your own calendar. You need the documentation to get started with FlexiCal, but I found the program easy to learn and use.

### Documentation

The FlexiCal documentation consists of 14 pages in an AppleWorks word processor file on the disk and includes a step-by-step tutorial that helps you get started with the program. The documentation is easy to read, is detailed, and well written. I rate the documentation "excellent".

### Support

There is no telephone support available for FlexiCal. As with all products distributed by JEM Software, you send JEM your questions in writing and you get either a letter or a telephone call from the author with an answer. Since the answers come from the author, they are accurate and complete. However, the need for written communication means it will take at least one week to get answers to your questions. I rate the technical support for FlexiCal "fair".

### Limitations

One of the limitations of FlexiCal is shared by every developer of personal scheduling software; how to display a complete set of weekly or monthly appointments on the screen at one time. FlexiCal can display the appointments for two days on the screen, but you must scroll around the AppleWorks spreadsheet to view the appointments for other days. The only way to get an overview of your weekly or monthly schedule is by printing the schedule on paper.

FlexiCal stores each monthly calendar in a separate AppleWorks spreadsheet file. Thus, you cannot scroll through the calendar for different months. In addition, you can only work on one month's schedule at a time and must issue an Apple-Q command to switch between calendars. This places a number of limitations on the program. For example, you cannot tell the program to automatically insert an appointment on the second Tuesday of each month. You must copy those appointments into each monthly calendar.

You can use FlexiCal with up to ten other AppleWorks files on the desktop and can issue an Apple-Q command to switch between those files and FlexiCal. However, the Task File you load to run FlexiCal replaces your default macro set with the macros supplied with the program. Thus, you lose immediate access to your default macros after you start running FlexiCal. If you have TimeOut Ultra-Macros, you can write a macro that switches you back to your default macro set. Once you add that macro to the FlexiCal Task File, you can alternate between your default macros and the FlexiCal macros with a single keystroke. (See the sidebar entitled "How to Manage Your Macros" for the details of this process.)

Finally, on a few occasions a macro did not seem to work as I expected. I pressed an Apple-Q followed by a Return and the problem disappeared.

### Value


FlexiCal costs \$30 and saves you from buying desk or pocket calendars. While the program does not include many features available on Macintosh and MS-DOS packages that cost \$100 and more, the \$30 price makes FlexiCal an excellent value.

### Summary

FlexiCal is an excellent AppleWorks enhancement that helps you organize and maintain your appointment calendars and "to do" lists. I recommend the program to any AppleWorks user who has a busy schedule. Less busy people may want to continue to use pocket or desk organizers or Print Shop calendars.

*[FlexiCal lists for \$30.00 from JEM Software, Box 20920, El Cajon, California 92021.]*

*[Gary Hayman is a Certified Hypnotherapist in private practice in McLean, Virginia. He is on the Board of Directors of the Washington Apple Pi Users Group (WAP) and chairs WAP's AppleWorks and Apple IIGs Special Interest Groups.]*



## The Ultimate 3.5 Drive

Introducing the new AE 3.5 Drive — setting a new standard for basic Apple II storage. All the reliability and performance of Apple's 3.5 drive at a price approaching that of the cheapest import. Our design incorporates the same top-quality Sony mechanism that Apple uses, but instead of Apple's \$429, our drive is \$279.

Just to make your decision easier, we added a couple of performance features like upgradeability to 1.4 MEG of capacity or higher — an upgrade we'll make available in the future.

High density capacity means you can stop playing diskette roulette. Simply store your large 2-disk application programs on one high-density disk and forget about fumbling for clumsy "sets" of disks. And storing files just became twice as easy too, because you'll only need half the previous number of disks.

Our exclusive 2-way LED indicator shows green for reading, red for writing. Now you can monitor the drive's progress and know that a disk is actually being copied, instead of being confronted with an ambiguous "on" light.

We're even making available a low-cost optional controller card for the IIe. The card

(not required for IIgs), allows the IIe to accept data from the 3.5 format. The AE drive is also Macintosh compatible and you will be able to separately upgrade to 1.44 MEG in the Macintosh format.

Aesthetically, the AE Drive is every bit as handsome as the Apple Drive. We designed a thick, high-impact plastic case to stack with and exactly match the footprint of Apple's drive. Naturally, the AE Drive is Conserver compatible, snuggling neatly inside the drive port.

We also added features like auto eject, complete daisy-chain capacity (from AE to another drive or vice versa) and a full one-year warranty.

### Features

- 800K, upgradeable to 1.4 MEG or higher
- 2-way LED indicator, green for read, red for write
- Auto eject
- Daisy chain port — works both ways, connect a drive to it, or connect it to another drive
- 1 year warranty
- Apple compatible, works with IIe, IIc Plus, IIgs, Mac and PC Transporter

- Stack and footprint compatible with Apple Drive
- Conserver compatible
- FDHD compatible (upgrade to 1.4 MEG or higher on Apple II)
- FDHD SuperDrive compatible (upgrade to 1.44 MEG on Macintosh)

**AE 3.5 Drive .....\$279**

### Order today!

To order or for more information, see your local dealer or call (214) 241-6060 today, 9 am to 11 pm, 7 days. Or send check or money order to Applied Engineering. MasterCard, VISA and C.O.D welcome. Texas residents add 7% sales tax. Add \$10 outside U.S.A.

  
**Applied Engineering®**  
*The Apple enhancement experts.*

A Division of AE Research Corporation

(214) 241-6060


P. O. Box 5100  
Carrollton, TX 75011

  
**Made  
in the  
USA**

©1990. AE Research, Inc. All rights reserved. Prices subject to change without notice. Brand and product names are registered trademarks of their respective holders

# The TimeOut Series Just Got Better

Introducing Three New Products From



*TimeOut™ programs have been supercharging AppleWorks® for three years—with over 250,000 copies sold.*

## TimeOut MacroEase



AppleWorks and UltraMacros can do just about anything you tell them to do—if you know what to say. Learn the macro language with MacroEase! This package contains a jumbo size collection of macro expertise expressed in clear, how-to form. You'll discover loads of macro secrets—techniques that will let you teach AppleWorks new tricks.

MacroEase lets you create your own custom AppleWorks menus, write your own interactive multiple choice quizzes, balance your checkbook, even take out the trash. (Well, not quite. We're still working on that part.) \$39.95

## TimeOut TextTools

TimeOut TextTools is for serious Word Processor users. The applications included with TextTools take the drudgery out of producing long or complicated documents—reports, thesis papers, newsletters, even your Great American Novel.

Some TimeOut TextTool features include *Glossary* that lets you select boilerplate text from a menu—enter names, addresses, even whole paragraphs faster than you can type. If you think that's handy, wait until you use *QuickStyles*! What Glossary does for text, QuickStyles does for Printer Options. Just select a style from a menu, such as "Bulleted Paragraph," and your Printer Options are instantly entered for you. And that's not all, other features include *SuperFind*, *QuickTabs*, *MarkMerge*, *MultiPrint*, *Indexor*, *Table Of Contents Generator* and the list goes on. \$49.95



## AW 3.0 Companion

Customize AppleWorks v3.0 for your own computer and your own special needs with AW 3.0 Companion, the official AppleWorks customization program from the developers of AppleWorks v3.0.

Start up the AW 3.0 Companion disk and you'll be greeted by familiar AppleWorks-style menus. Just select the changes you want made and you're all done. Appleworks will be customized to your liking! Over 70 ways to personalize your copy of AppleWorks are included. \$39.95

TimeOut MacroEase, AW 3.0 Companion and TimeOut TextTools all require AppleWorks v3.0 and work on an Apple IIe, IIc, IIc+ or IIgs with one 5.25 or 3.5 inch disk drive. TimeOut MacroEase also requires UltraMacros v. 3.0.

Beagle Bros, Inc. • 6215 Ferris Square, Suite 100 • San Diego, CA 92121 • (619) 452-5500

# Faster Scrolling on an Apple IIGS

by Cathleen Merritt

If you ever want to look through an AppleWorks file faster than the Arrow Keys can move you, you should learn how to control the speed of the Arrow Keys on the Apple IIGS.

The IIGS Arrow Keys can scroll through a document at three different speeds. Hold down the Arrow Key and the cursor will scroll at its slowest speed. If that is not fast enough, press the Control Key as you hold down the Arrow Key; the cursor will scroll at twice its normal rate. For the fastest scrolling, set the "Dual Speed Keys" setting on the Control Panel to "Fast". Then hold down the Control Key as you press the Arrow Key; the cursor will move along at four times its normal speed. Release the Control Key and the scrolling speed will return to normal.

The settings necessary to change the scrolling speed appear on the Options Menu on the Control Panel. Follow these steps to access the Options Menu:

1. Issue an Apple-Control-Escape to invoke the IIGS Desk Accessories.
2. With the Desk Accessories Menu on the screen, select "Control Panel" and press the Return Key.
3. With the Control Panel on the screen, select "Options" and press the Return Key.

Then set the "Dual Speed Keys" setting to "Fast" to get the fastest scrolling speed available from your system.

## Some Additional Settings

Here are some other settings that can speed up your system:

1. Set the "Fast Space/Delete Keys" setting to "Yes" and you can get dual speed Space Bar and Delete Keys. The Space Bar and Delete Keys will work at their normal speeds until you hold down the Control Key. Hold down the

Control Key and press Space Bar or Delete Key, and the repeat speed of those keys will double.

2. The "Repeat Speed" setting controls how fast a key repeats when you hold it down. The further to the right you have this setting, the faster all the keys (including the Arrow Keys) repeat. You can highlight this setting and press the Right-Arrow Key to speed up the repeat speed of all keys on the keyboard.
3. The "Repeat Delay" setting controls how long you must hold a key down before it starts repeating. The further to the left you have this setting, the sooner the keys start repeating.
4. TimeOut UltraMacros lets you use a mouse with AppleWorks. If you set the "High Speed Mouse" setting on the Control Panel Options Menu to "Yes", you will find that the cursor is more responsive to your mouse movements.
5. Finally, return to the Control Panel and check if the System Speed option is set to "Fast". AppleWorks really slows down when you have the speed set to "Normal".

## Practical Joke

If you like practical jokes, try changing the speed-sensitive Control Panel settings on some unsuspecting user's system. For example, try setting the Repeat Speed all the way to the right (the fastest setting) and the Repeat Delay all the way to the left (shortest delay). Anyone who uses that computer will be in for some surprises until they figure out how your settings affected their system.

*[The idea for this article came from a note by an unknown author that appeared in the Desert Dialog, the newsletter of the Southern Nevada Apple Family Users Group in Las Vegas, Nevada.]*

# How to Add an Alarm Clock to AppleWorks

by William Neef

If I had to draw an inference about the personalities of my fellow AppleWorks users from the macros they submit to NAUG, I would conclude that they are a punctual lot. I base that inference on the many “alarm clock” macros submitted by members. While these macros all work differently, they share a common function: They keep track of the time and sound an alarm at a time you specify.

My favorite set of AppleWorks alarm clock macros was developed by Keith Johnson, Associate Director of the Planetarium at the University of Nevada. Mr. Johnson’s macros require version 3.0 of AppleWorks but can be revised to work with AppleWorks 2.0 and 2.1.

After you add these macros to your default macro set, the command <sa-ctrl-A> controls the clock. If the alarm is set, <sa-ctrl-A> deactivates the alarm. If the alarm is not set, the macro prompts you for the time you want the alarm to ring, displays the time it will sound, and “goes to sleep” until the appointed moment. Then the macro awakens, sounds a two-tone beep, flashes a portion of the screen, and restores the UltraMacros default settings.

## For Macro Writers

Some elements in Mr. Johnson’s macros should interest macro authors.

1. Mr. Johnson uses the same keystroke definitions for both the main macro and one of the subroutines. This technique helps keep your macros organized, but only works under two conditions: First, you must define the subroutine macro as an <asr> macro, thus insuring that it cannot be called from the keyboard. Second, the subroutine macro must appear before the main macro. Whenever you call a macro, UltraMacros starts searching for that macro from the top of the list

of macros. Thus, the command <sa-ctrl-A> in the main macro, tells UltraMacros to look for macro <ctrl-A>, starting with the first macro on the list. By putting the subroutine before the main macro, you insure that UltraMacros locates the subroutine before it “hits” the main macro.

2. The alarm clock macro displays an hourglass at the bottom of the Main Menu screen. The hourglass is a mousetext character with an ASCII value of 195. The author displays that icon by poking the value 195 into address 2951. (He used a “memory peeker” macro to find the location of a blank space after the message at the bottom of the Main Menu screen.)

However, the author faces a problem trying to display the hourglass; it only appears the next time you displayed the Main Menu. If you are at the Main Menu when you turn on the alarm, the hourglass does not appear until the next time you return to that menu.

The <ctrl-A>:<asr> subroutine solves this problem by immediately printing the hourglass symbol (or a blank space, if you are turning the alarm off instead of on) as a message at the bottom of the Main Menu screen.

The <ctrl-A>:<asr> subroutine checks for the Main Menu by looking for a value of one in address \$0E86. (AppleWorks uses \$0E86 to store the “Organizer in memory” flag. AppleWorks always displays either a file or loads the “Organizer” and displays a menu. A “0” in address \$0E86 indicates there is a file on the screen. A “1” in that location indicates that the Organizer is in memory and a menu or the Desktop Index is on the screen.) If the macro finds a “1”, it immediately prints the hourglass symbol as a mes-



sage at the bottom of the screen. If it finds a "Ø" in \$ØE86, the macro does not display the message.

3. The "getvar 8" and "putvar 8" commands in the macro are only necessary if you use variable t in any other macro. If any other macro changes t, variable t will no longer store the correct data for the alarm setting.

If you use variables to store settings, sooner or later you will run out of unused variables. Mr. Johnson demonstrates how you can use the getvar and putvar commands to store different sets of variables. This assures that changing a variable in one macro does not affect the same variable in another macro.

The author uses variable set 8 as a "storage set". He "gets" variable set 8, checks the current setting of t, changes it if he wants, and uses the "putvar 8" command to store the variable settings safely before exiting the macro. That lets him run other macros that use variable t without affecting the alarm clock settings.

4. Note Mr. Johnson's use of a control-X keystroke at the beginning of the <ctrl-B> macro. Control-X is an "illegal" keystroke that does nothing in either AppleWorks or UltraMacros.

Mr. Johnson is about to sound the alarm and wants

## Figure 1: Alarm Clock Macros

<ctrl-A>:<asr>:	{ Define macro to display hourglass if Main Menu is on screen. }
x = peek \$ØE86 :	{ Check if the Main Menu is on screen. }
if x = 1 then msgxy 45,23 :	{ If it is... }
msg \$9 :	{ ...display hourglass in correct location. }
msgxy 0,128>!	{ Reset the message location and return to the main macro. }
<ctrl-A>:<all>:onerr stop :	{ Define the main macro. Stop if AppleWorks rings its "bell". }
getvar 8 :	{ Get variable set 8. }
if t = 1 then t = 0 :	{ If the alarm is already set, unset it... }
putvar 8 :	{ ...store variable set 8 with new value of t. }
nosleep :	{ ...and continue the macro now. }
poke 2951,32 :	{ Turn off the hourglass icon... }
\$9 = " " :	{ ...restore variable \$9 to a blank (note space between quotes). }
sa-ctrl-A :	{ Call <ctrl-A>:<asr> to turn off hourglass if Main Menu on screen. }
endmacro :	{ Then stop. }
else :	{ If the alarm is not set... }
msg 'Enter hours (0-23):' :	{ ...display a message asking for hours... }
\$1 = getstr 2 : h = val \$1 :	{ ...store the user's response as a numeric value... }
if h > 23 then bell :	{ ...check if response valid; if not, beep... }
msg "" : endmacro :	{ ...clear the message area and stop. }
else :	{ If the response is valid... }
msg 'Enter minutes (0-59):' :	{ ...ask for the minutes... }
\$2 = getstr 2 : m = val \$2 :	{ ...store the user's response as a numeric value... }
if m > 59 then bell :	{ ...check if response valid; if not, beep... }
msg "" : endmacro :	{ ...clear the message area and stop. }
else :	{ If all entries are valid... }
msg 'Alarm is set for ' + \$1 + ':' + \$2 + ' (Press a key):' :	{ ...display the time alarm is set to. }
k = key : msg "" :	{ Clear message when user presses any key. }
t = 1 :	{ Set a flag indicating that the clock is on. }
putvar 8 :	{ Store variable set 8. }
poke 2951,195 :	{ Poke hourglass icon into end of "Type number..." line on Main Menu. }
\$9 = chr \$ 195 :	{ Store the hourglass icon in variable \$9. }
sa-ctrl-A :	{ Call the subroutine that displays hourglass immediately if the Main Menu is on the screen. }
wake sa-ctrl-B at h:m>!	{ Put bell macro to sleep until the time you set. }
<ctrl-B>:<all> :	{ Define the bell subroutine macro. }
ctrl-X :	{ Turn on screen if screen is blank. }
poke 2951,32 :	{ Put a space back into end of the "Type number..." line to clear the hourglass icon. }
x = 3 :	{ Set the number of times to ring the bell. }
y = peek \$16C6 :	{ Store current settings for pitch... }
z = peek \$16C8 :	{ ...and duration of the bell. }
poke \$16C6,50 :	{ Set new bell duration. }
begin :	{ Start a loop. }
highlight 1,2,80,2 :	{ Display inverse ===== bar at top of screen. }
poke \$16C8,120 : bell :	{ Set bell to high pitch and ring the bell. }
highlight 0,2,80,2 :	{ Restore the normal ===== bar. }
poke \$16C8,160 : bell :	{ Set bell to low pitch and ring the bell. }
wait 20 :	{ Pause briefly. }
x = x - 1 :	{ Reduce loop counter by one. }
ifnot x = 0 then rpt :	{ If bell has not rung 3 times, loop again. }
else poke \$16C6, y :	{ Restore bell pitch to original setting. }
poke \$16C8, z :	{ Restore bell duration to original settings. }
getvar 8 :	{ Get storage set for variables. }
t = 0 :	{ Set alarm flag t to indicate alarm is off. }
putvar 8>!	{ Store variables in variable set 8. }

## My Favorite Macro...

to flash a portion of the screen. That flashing will not appear if UltraMacros' screen preserver or TimeOut Screen Out blanked the screen. Therefore, he issues a control-X command which AppleWorks interprets as a keypress but does nothing in either AppleWorks or UltraMacros. The control-X reactivates the screen if the screen preserver or Screen Out blanked the display.

My thanks to Keith Johnson for developing, documenting, and submitting this interesting set of macros. Mr. Johnson and I also appreciate the technical information for this article provided by Randy Brandt.

*[Submit your favorite macros to "My Favorite Macro, NAUG, Box 87453, Canton, Michigan 48187.]*

*[William Neef is a retired purchasing agent for Welding Metals, Inc. He is Treasurer of the Apple Jackson Users Group in Jackson, Michigan.]*

### AppleWorks Wish List

NAUG maintains a list of the features our members would like to see incorporated into AppleWorks. We occasionally publish that list and regularly share our members' wishes with Claris Corporation. (Portions of our AppleWorks Wish List last appeared in the June and September 1988 issues of the *AppleWorks Forum*.)

The release of AppleWorks 3.0 addressed 50 of the items on our earlier list. However, user expectations and applications for AppleWorks change over time, and we want to update our list.

Please send us a description of the features you want that are missing from AppleWorks 3.0. Classify each feature as "somewhat important", "important", or "extremely important". We will compile your ideas and print an updated wish list in a future issue of the *AppleWorks Forum*. Mail your suggestions to: AppleWorks Wish List, NAUG, Box 87453, Canton, Michigan 48187.

### Classified Ads

The Bible for your computer now with AppleWorks files! KJV or NIV. 3.5 or 5.25, ASCII Text files or AppleWorks, need only 40K desktop. Specify size of disk, version, and file type. Send \$50 to: For His Church; PO Box 13141; Overland Park, KS 66212.

## Public Domain Update

### Change-A-File and CheckWorks Now in NAUG's Library

**Change-A-File:** The NAUG Public Domain Library now includes Change-A-File, a utility program that converts AppleWorks files into other file formats.

Change-A-File converts AppleWorks 3.0 word processor files into files that can be read by earlier versions of AppleWorks. The program also creates text files that contain only the ASCII characters from any ProDOS file. (You can use this feature to recover the text from damaged AppleWorks word processor or data base files or to repair any file that contains control codes and other unwanted characters.) The program also converts AppleWorks word processor files into text files and changes ProDOS file-type codes.

Change-A-File is menu-driven and is easy to use. The program includes complete documentation in a word processor file on the disk. Our thanks to Harold D. Portnoy for developing Change-A-File and to William Davis for submitting this program to the NAUG Public Domain Library.

**CheckWorks:** CheckWorks is a collection of macros and data base files that automate the process of paying your bills and maintaining your financial records. The program provides a menu-driven environment that makes it easy to write checks and store your expense data in AppleWorks. CheckWorks comes pre-configured to print on Quicken checks; you can redesign the program to print on any standard check. You need both AppleWorks 3.0 and UltraMacros 3.1 to use CheckWorks.

CheckWorks is a shareware product developed and submitted to the Public Domain Library by NAUG member Dan Crutcher. The author requests a \$10 payment if you use the program. (Send your shareware payment directly to the author.)

Change-A-File and CheckWorks are available in both 5.25-inch (\$4) and 3.5-inch (\$6) disks. Add \$2 s/h per order. (Foreign orders by credit card only, foreign shipping additional, indicate surface or air mail delivery.) Order from NAUG, Box 87453, Canton, Michigan 48187.

# How to Prepare Your First Spreadsheet—Part 4

by Warren Williams and Cathleen Merritt

*This is the fourth in a series of articles designed to help novices use AppleWorks' spreadsheet module. This article describes how to use some of the mathematical functions built into AppleWorks, how to change the format of spreadsheet cells, and how to copy formulas. The authors assume you read the previous articles in this series.*

Last month's article described how to prepare a paper and pencil sketch of a spreadsheet and how to enter sample data, establish the appropriate width for each column, and enter column headings. You used those techniques to start developing a teacher's gradebook. If you followed the exercise in that article, your gradebook should now look like the example in *Figure 1*.

This month, you will learn how to use some of the mathematical functions built into AppleWorks, how to format individual cells, and how to copy the formulas and format to new cells.

This lesson is a tutorial. We expect you to work at the computer and execute the steps we describe.


## Continuing the Gradebook


Start by loading the GRADEBOOK template onto your AppleWorks desktop. At the moment, there are no formulas in the template; row 8 contains hypothetical data you entered to help you establish correct column widths and to serve as sample data for your calculations. The values of 99.9 in cells J8, K8, and L8 are "pictures" that depict the format you want for the output (that is, one decimal place) and the largest number of digits that should appear in those cells after you enter the correct formulas.

**Figure 1: Status of the Gradebook Example**

```
File: GRADEBOOK                                REVIEW/ADD/CHANGE                                Escape: Main Menu
=====A=====B=====C=====D=====E=====F=====G=====H=====I=====J=====K=====L=====
1|Semester:
2|Class:
3|
4|
5|Last          First      Tests      Homework      Average      Weight
6|Name          Name        1      2      3      1      2      3      4      Tests Homewk      Avg
7|=====
8|Franklin      Benjamin    90     90     90     70     70     70     70     99.9  99.9     99.9
9|
10|
11|
12|
13|
14|
15|
16|
17|
18|
```

A3

Type entry or use  commands

-? for Help

Your first step will be to replace these "pictures" with formulas that generate the calculated values that should appear in the gradebook.

## Mathematical "Functions"

You know from the earlier articles in this series that when you enter a formula into a cell, AppleWorks hides the formula and displays the result of the calculations.

AppleWorks lets you use five different arithmetic operations in your formulas: Addition, subtraction, multiplication, division, and raising to a power. You can use these operations to calculate the average of the sample student's test scores by entering the formula  $(C8+D8+E8)/3$  into cell J8.

## Novice Notes...

A mathematician or computer programmer could use these five operations to do almost any form of calculation. However, like all spreadsheet programs, AppleWorks makes the calculating process easier by offering a set of “functions”; pre-programmed calculations that let you perform frequently-used computations without entering the step-by-step formulas necessary to generate the computed answer.

For example, AppleWorks offers an average function that automatically computes the average of a set of numbers. You enter the average function into a cell and AppleWorks displays the average of the numbers you specify.

There are more than 15 pre-programmed functions built into the early versions of AppleWorks; AppleWorks 3.0 adds 26 more functions to the list. You will know how to use many of these functions by the time you complete this series of articles.

### Computing the Averages

To have AppleWorks compute the student’s average test score, put the cursor in cell J8 and type @AVG(C8...E8). Then press the Return Key. The number “90” will appear in cell J8.

The formula @AVG(C8...E8) tells AppleWorks to compute and display the average of the numbers in the range of cells within the parentheses. That is, it tells AppleWorks to display the average of the numbers in cells C8, D8, and E8. @AVG only averages numbers; it ignores blank cells or cells that contain labels.

### The Syntax of Functions

Every function has its own structure, or “syntax”; you must understand both the purpose and syntax of the function.

Sometimes the purpose of a function is obvious, as with the @AVG function. At other times, the purpose of the function is more obscure; as with @BLANK. Fortunately, the functions used by spreadsheet beginners are easy to understand; they include the following:

@SUM	Computes the sum of a set of cells.
@AVG	Computes the average of a set of cells.
@MIN	Computes the lowest number in a set of cells.
@MAX	Computes the highest number in a set of cells.

@COUNT Counts the number of numeric entries in a set of cells.

These functions also share a common syntax or structure. All five functions require either a range or list of cells within parentheses. For example, the following are all “legal” statements:

```
@AVG (C8...E8)
@AVG (C8,D8,E8)
@AVG (C8...D8,E8)
@MIN (C8...E8)
@MIN (C8,D8,D8)
@MIN (C8...D8,E8)
```

There are some important differences between the structure of these statements; we will examine those differences later in this series of articles.

### Enter Remaining Formulas

Now that you know how to enter an averaging formula, enter the formula @AVG(F8...I8) in cell K8 to tell AppleWorks to compute the average homework score for the sample student. The value 70 will appear in cell K8 when you press the Return Key.

### Computing the Final Grade

Next, you will enter the formula that computes the student’s final grade.

In last month’s article we indicated that 60% of the final grade would be determined by the student’s test scores, and 40% of the grade would be determined by the student’s homework grades. Therefore, the formula should add 60% of the contents of cell J8 and 40% of the contents of cell K8.

Put the cursor in cell L8, the cell where you want the student’s weighted average grade to appear. Then enter the formula

$(J8 * .6) + (K8 * .4)$

and press the Return Key. The number 82 will appear in cell L8; 82 is the weighted average of the sample student’s homework and test grades. Use a calculator and check the calculations manually; make certain your results match the value that appears in the spreadsheet. Manual confirmation of each calculated value is an important part of developing a spreadsheet model.

Your gradebook should now look like the example in Figure 2.

## Novice Notes...

### Parentheses in Formulas

Even if you rarely work with numbers, you have probably seen parentheses used in formulas and calculations. Parentheses let you control the sequence in which the computer does the calculations. Normally, the AppleWorks spreadsheet does the calculations from left-to-right, much as you read a line of text. (If you know how to program a computer, you will have to “unlearn” the order of mathematical operations followed by most programming languages. Most spreadsheet programs analyze formulas from left to right, without respect for the usual order of operations followed by computer languages.) For example, when presented with the formula  $+A2+B1*2$ , AppleWorks will add the number in cell B1 to the number in cell A2 and then multiply the results by two. (The plus sign in front of the formula tells AppleWorks that this entry represents a value, not a label.)

However, there is an important exception to this calculate-from-left-to-right rule. AppleWorks first looks through a formula for parentheses. If it finds parentheses, it does the calculations within the parenthesis first, then returns to the beginning of the formula and does the remaining computations in a left-to-right fashion.

Figure 3 presents four examples to help you understand how to use parentheses in a formula.

The formula to compute the weighted average is  $(J8*.6)+(K8*.4)$ . You need the parentheses because the result of  $(J8*.6)+(K8*.4)$  is very different from the result of  $+J8*.6+K8*.4$ . These differences are obvious if you substitute numbers for the cell references in these formulas and try the computations on a calculator.

One suggestion about using parentheses in formulas: Insert parentheses whenever you cannot predict how AppleWorks will calculate the results of a formula.

**Figure 2: Gradebook with Formulas in Sample Data Row**

File: GRADEBOOK

REVIEW/ADD/CHANGE

Escape: Main Menu

A

B

C

D

E

F

G

H

I

J

K

L

1| Semester:

2| Class:

3|

4|

5| Last

6| Name

7|

8| Franklin

9|

10|

11|

12|

13|

14|

15|

16|

17|

18|

First

1

2

3

1

2

3

4

Average

Weight

Name

1

2

3

1

2

3

4

Tests

Homewk

Avg

Benjamin

90

90

90

70

70

70


70

90

70

82

L8: (Value) (J8\*.6)+(K8\*.4)

Type entry or use  commands

⌘-? for Help

**Figure 3: Demonstrating the Use of Parentheses**

- 1)  $3 + 7 * 2 = 20$
- 2)  $3 + (7 * 2) = 17$

- 3)  $3 + 1 / 4 = 1$
- 4)  $3 + (1 / 4) = 3.25$

While adding unnecessary parentheses makes your formulas longer than necessary, the additional parentheses will not adversely affect the operation of the spreadsheet model.

### Formatting the Averages

AppleWorks automatically reports calculated values to as many decimal places as will fit within each cell. Unless you do something, the number of decimal places reported in cell L8 will vary depending on the calculated value in that cell. That can make the output unattractive and difficult to read.

AppleWorks offers a Layout Command (Apple-L) that lets you control the format of the numbers displayed in any cell. Here is how to use the Layout Command to display the averages in cells J8 through L8 with one decimal place:

1. Put the cursor in cell J8 and issue an Apple-L command.
2. Press the letter “B” to indicate that you want to format a block of entries. (A “block” is any rectangle of cells. You want to format cells J8 through L8 ... a block of three cells.)

### Value Formats Available in AppleWorks

AppleWorks lets you control the format of numbers it displays in any cell or block of cells. Here are the different formats you can establish for these numbers:

**Fixed:** Fixed format displays every number with a fixed number of decimal places. AppleWorks asks for the number of decimal places you want to display.

**Dollars:** Dollar format displays numbers in the format \$1,234.56 with the number of decimal places you specify. Dollar format puts a dollar sign in front of every number, puts a comma after the thousands digit, and displays negative numbers within parentheses; e.g., (\$1,234.56). While you generally want either no decimal places or two decimal places for dollar format numbers, AppleWorks lets you specify any number of decimal places for this value.

**Commas:** Comma format is identical to Dollar format except AppleWorks does not display the dollar sign.

**Percent:** Percent format multiplies the number in the cell by 100 and puts a percent sign after the number.

**Appropriate:** This format displays the number with as many decimal places as will fit in the cell. If the number is a decimal number, AppleWorks will truncate all values of zero after the least significant digit. For example, AppleWorks displays 3.50000 as 3.5 and displays 3.000 as 3.

**Standard:** Standard format displays the number in the format you specified as the "standard value format" for the spreadsheet. (You set standard values with the Apple-V command; we will describe that command in a future article.) The Standard format is usually the same as Appropriate.

3. AppleWorks will prompt you to "Use cursor moves to highlight Block, then press Return". Press the Right-Arrow Key twice to highlight cells J8, K8, and L8. Then press the Return Key.
4. Press the letter "V" to indicate that you want to format any values that appear in these cells.
5. AppleWorks offers a menu listing six different formats you can specify for the values. (See the sidebar entitled "Value Formats Available in AppleWorks" for a description of the different

format options.) Press the letter "F" to indicate that you want to display all numbers in these cells with a fixed number of decimal places. AppleWorks will ask how many decimal places you want to display; type the number "1" and press the Return Key.

### Copy the Formulas

AppleWorks would not be very convenient if you had to re-enter the averaging formulas every time you added another student to your gradebook. To ease the task of constructing templates, the program offers a command that lets you copy a set of formulas into other cells in the spreadsheet. Now that you entered the formulas that compute the averages and defined the format for those cells, you will use this command to copy the formulas and format into the corresponding cells in the next 35 rows. (Note that you format the cells before you copy them. The Copy Command copies both the formula and the format; by formatting the cell before making copies, you can copy both the formulas and the format into new cells in a single operation.)

Copying cells is like copying files; you have to think about "source cells" and "destination cells". The "source" is the original cell that you want to copy *from*. The "destination" is the place you want to copy *to*. In this example, the source consists of cells J8 through L8. The destination includes cells J9 through L42.

Follow these steps to copy the formulas into the new cells:

1. Put the cursor in cell J8, the first cell you want to copy from.
2. Issue an Apple-C to invoke the Copy Command.
3. Press the Return Key to indicate that you want to copy "Within worksheet".
4. AppleWorks asks you to highlight the source cells. Press the Right-Arrow Key twice to highlight cells J8 through L8 and press the Return Key.
5. Move the cursor to cell J9, the beginning of the destination cells. Then press the Period Key to



## Novice Notes...

indicate that you want to copy into a range of cells. (You press the Period Key if you want to copy into a range of cells; press the Return Key to copy into a single set of cells.)

6. You want to copy the formulas into 35 rows to accommodate data for a maximum of 35 students. That means you want to copy the formulas into rows 9 through 44.

Hold down the Apple Key and press the Down-Arrow Key twice. That will highlight columns J, K, and L through row 36. Then hold down the Down-Arrow Key until you highlight through row 44. Press the Return Key to indicate that you are done specifying the destination cells.

7. The AppleWorks Edit Line now displays the formula @AVG(C8...E8) and highlights the characters "C8". The Prompt Line offers the cryptic choice

Reference to C8? No Change    Relative.

You are trying to copy a formula that contains a reference to another cell. AppleWorks needs to know if you want the copies to be exact duplicates of the original formula or if you want to "adjust" the copies so they refer to different cells. More specifically:

You are copying the formula @AVG(C8...E8) into cells J9 through J44. AppleWorks wants to know if the copies of the formula should refer to cell C8 or if they should be adjusted so they refer to the row in which they are located. If you select "No change", the formula copied into cell J9 will read "@AVG(C8...)"; if you select "Relative", AppleWorks will adjust the formula in J9 so it reads "@AVG(C9...)", the formula in J10 will read "@AVG(C10...)" and so forth.

You want AppleWorks to adjust the formula in each row, so press the letter "R" to choose "Relative".

**Figure 5: Sample Gradebook after Copying Formulas**

File: GRADEBOOK		REVIEW/ADD/CHANGE								Escape: Main Menu		
1	Semester:											
2	Class:											
3												
4												
5	Last	First	Tests			Homework			Average		Weight	
6	Name	Name	1	2	3	1	2	3	4	Tests	Homewk	Avg
7												
8	Franklin	Benjamin	90	90	90	70	70	70	70	99.9	99.9	99.9
9										ERROR	ERROR	ERROR
10										ERROR	ERROR	ERROR
11										ERROR	ERROR	ERROR
12										ERROR	ERROR	ERROR
13										ERROR	ERROR	ERROR
14										ERROR	ERROR	ERROR
15										ERROR	ERROR	ERROR
16										ERROR	ERROR	ERROR
17										ERROR	ERROR	ERROR
18										ERROR	ERROR	ERROR

J8: (Value, Layout-F1) @AVG(C8...E8)

Type entry or use ⌘ commands ⌘-? for Help

8. AppleWorks continues to display the formula @AVG(C8...E8) but now highlights the reference to cell E8. Press the letter "R" again because you also want AppleWorks to adjust this cell reference so it is relative to the row in which the formula appears.
9. AppleWorks now displays the formula in cell K8 and asks whether you want to copy the reference to cell F8 with no change or by making it relative to the row in which the copy appears.

As you must now realize, you want to copy all these formulas with "Relative" cell references. Therefore, you should continue to press the "R" key in response to the "Reference to... (No Change) (Relative)" prompt. (If you use AppleWorks 3.0, you can enter an Apple-R to indicate that all your answers are "Relative".)

AppleWorks will copy the formulas into cells J9 through L44 and your spreadsheet should look like the example in Figure 5.

Don't be concerned about the ERROR messages in cells J9 through L44. AppleWorks is trying to compute the averages in those cells. Computing averages involves summing the values in the specified cells and dividing by the number of entries in those cells. Since the cells are empty, AppleWorks is trying to divide by zero, and the attempts to divide by zero are generating the error messages.



**Figure 6: Completed Gradebook Template**

```

File: GRADEBOOK
                                REVIEW/ADD/CHANGE
                                Escape: Main Menu
=====A=====B=====C=====D=====E=====F=====G=====H=====I=====J=====K=====L=====
1|Semester:
2|Class:
3|
4|
5|Last          First      Tests      Homework      Average      Weight
6|Name          Name       1    2    3      1    2    3      4    Tests Homewk  Avg
7|-----
8|                                     ERROR  ERROR  ERROR
9|                                     ERROR  ERROR  ERROR
10|                                    ERROR  ERROR  ERROR
11|                                    ERROR  ERROR  ERROR
12|                                    ERROR  ERROR  ERROR
13|                                    ERROR  ERROR  ERROR
14|                                    ERROR  ERROR  ERROR
15|                                    ERROR  ERROR  ERROR
16|                                    ERROR  ERROR  ERROR
17|                                    ERROR  ERROR  ERROR
18|                                    ERROR  ERROR  ERROR

J8: (Value, Layout-F1) @AVG(C8...E8)

Type entry or use ⌘ commands
                                ⌘-? for Help

```

- Press the Escape Key and return to the Main Menu.
- Choose choice #4, "Remove files from the Desktop" and remove the TEMP file from the desktop. AppleWorks warns you that you have not saved this file. Select the option that lets you "Throw out the changes to the file" and press the Return Key.

## Remove the Sample Data

The last step in this lesson is to remove the sample data and save the template on a disk. Proceed as follows:

- Put the cursor anywhere in row 8, the row that contains the sample data.
- Issue a Delete Command (Apple-D) and choose "Rows".
- AppleWorks will highlight row 8 and prompt you to "Use cursor moves to highlight Rows, then press Return". The program already highlighted the row you want to delete, so press the Return Key to delete the sample data.
- Issue an Apple-S command to save the template.

## Conclusion

Figure 6 depicts the completed gradebook template you developed up to this point. This spreadsheet contains all the formulas and formats necessary to record students' homework and test grades and compute their final weighted grade.

Next month we will describe how to produce letter grades and how to enhance the format of your gradebook spreadsheet.

*[Dr. Warren Williams is on the faculty at Eastern Michigan University where he teaches courses in the Educational Technology program. He is the President of NAUG and is a frequent contributor to the AppleWorks Forum.]*

*[Cathleen Merritt is the Director of NAUG and is the Editor of the AppleWorks Forum.]*

## Testing Your Work

Now you will save the gradebook template on a data disk. Then you will change the name of the file (to avoid accidentally overwriting the original file on your disk), enter data into the spreadsheet, and test the accuracy of the formulas. When you are done, you will remove the temporary file from the desktop and restore the original template from the data disk.

Follow these steps:

- Issue an Apple-S command to save your work.
- Issue an Apple-N command to indicate that you want to change the name of the file on the desktop.
- Issue an Apple-Y command (Yank Command) to delete the name GRADEBOOK.
- Enter the name TEMP (an abbreviation for "temporary") and press the Return Key.
- Put the cursor in cell D9 and enter sample data into cells D9 through I9.
- Manually calculate the values that should appear in cells J9 through L9 and confirm that AppleWorks computed the correct values.

Once you confirm that the spreadsheet works correctly, you can delete the copy on the desktop and restore the gradebook from your data disk. Follow these steps:

# Was Your AppleWorks Patched?

by Kent Hayden

**M**ark Munz and Randy Brandt have already released four versions of the AW 3.0 Patcher; a program that fixes nine bugs in AppleWorks 3.0. If you are the only person who uses your copy of AppleWorks, you probably know if your program disk was patched and with what version of the Patcher. However, educators and others who keep multiple copies of AppleWorks are probably finding it difficult to remember which patches were made to their different copies of the AppleWorks program.

Fortunately, Munz and Brandt were clever enough to construct their patches so you can determine if your copy of AppleWorks was patched and with which version of the Patcher.

## How to Tell

To tell if you are using a patched copy of AppleWorks, get the Main Menu on the screen and issue an Apple-? to access the Help Menu. Then scroll to the bottom of the list of commands. If the horizontal line that separates the instructions from the credits consists of a series of tildes (~), your program has not been patched. If the line consists of an inverse box symbol (or a row of equal signs on an unenhanced IIe), your program was patched with version 1.0 or 1.1 of the Patcher. Inverse diamonds appear if you patched AppleWorks with Patcher 1.2, and inverse Solid-Apples appear if your program was patched with Patcher 1.4. (The Solid-Apples display as tildes on an unenhanced IIe. Thus, if you use an unenhanced IIe, you should check your software on another machine.)

You can patch AppleWorks as often as you like; it does no harm to repeat the patching process. However, if you use UltraMacros, any other TimeOut enhancement, or if you patched AppleWorks with SuperPatch or the AW 3.0 Companion, you should start with a new copy of AppleWorks 3.0. Patch the original copy, and then install your other enhancements and patches.

Finally, make certain that you read the documentation that comes in an AppleWorks word processor file with the patching program. It contains important instructions to help you with the process.

*[Ed: Version 1.4 of the AppleWorks 3.0 Patch Disk is available from NAUG's Public Domain Library, from NAUG's bulletin board, and from most on-line services and local users groups. The patches are also included on the AW 3.0 Companion Disk, a commercial product from Beagle Bros that offers more than 50 patches to enhance AppleWorks 3.0.]*

*[Kent Hayden manages technology transfer at Boeing Military Aircraft. He is a Beagle Buddy and Director for the Northwest Apple Pickers Users Group in Tacoma, Washington.]*

## AppleWorks ↔ IBM


with

### CROSS-WORKS

You can exchange **AppleWorks** data files with the most popular MS-DOS programs:

**Microsoft Works  
Lotus 1-2-3  
WordPerfect  
dBase III & IV**

"...Look no further. SoftSpoken's CROSS-WORKS carries the biggest stick in the file translation/transportation business...  
Rating: ★★★★★ -InCider



**CROSS-WORKS 2.0** copies files either way between your Apple II and IBM PC, and translates the file formats. Word processor files maintain underlining, centering, etc. Spreadsheets keep data and formulas! Transfers ASCII text files, too. **Includes 19,200 baud cable** to connect **IIe** (with Super Serial Card), **IIc**, **IIcPlus**, & **IIgs** to IBM PC, XT, AT, PS/2 & compatibles (no modem needed). Also supports long-distance modem transfers. Works with AppleWorks 1.0 through 3.0. Includes 5¼ and 3½ inch disks.

**CROSS-WORKS™ 2.0** \$99.95 + shipping.  
30 Day money-back satisfaction guarantee.

**SoftSpoken**

P.O. Box 18343

☎ (919) 870-5694 for free information. Raleigh, NC 27619

# News of Interest to AppleWorks Users

### Applied Engineering

Applied Engineering recently announced the development of a 3.5-inch disk drive that is compatible with Macintosh, Apple IIGs, IIC Plus, and all Apple II systems equipped with Applied's PC Transporter card. The drive is also compatible with Apple II+ and IIE systems equipped with a \$79 controller card available from Applied.

The disk drive, which uses a Sony mechanism, has the same footprint as Apple's 3.5-inch drive, includes a loop to attach to a security cable, and offers a daisy chain pass-through port so it can be daisy chained with other 3.5-inch and 5.25-inch drives. The drive features separate read and write lights that let you monitor its operation.

The Applied Engineering 3.5-inch drive has a suggested retail price of \$279 and is available at a discount from mail order vendors. A 1.6-megabyte high density option costs \$49.

*[Applied Engineering, Box 5100, Carrollton, Texas 75011; (214) 241-6060.]*

### Checkmate Technology

NAUG heard a rumor that Checkmate Technology, a manufacturer of Apple II memory enhancement products, was going out of business. Fortunately, that rumor proved false. According to John Kemper, the company's Director of Technical Services, Checkmate recently restructured the organization and hired a new president, but the firm plans to continue manufacturing and selling enhancement products for Apple II computers.

Of particular interest to AppleWorks users are Checkmate's AppleWorks-compatible memory expansion products and AutoRAM, a set of programs that let you use the extra memory in your computer as a RAM disk. Release 1.4 of AutoRAM is compatible with all versions of AppleWorks, including AppleWorks 3.0. (See page 33 of the January 1990 issue of the *AppleWorks Forum* for more informa-

tion about AutoRAM. AutoRAM costs \$19.95 from Checkmate.)

*[Checkmate Technology, 509 S. Rockford Drive, Tempe, Arizona 85281; (602) 966-5802.]*

### K-12 MicroMedia

K-12 MicroMedia, a developer and distributor of AppleWorks and Microsoft Works templates and publications for schools and other educational institutions, recently released a new 24-page catalog of its offerings. For a free copy, contact K-12 MicroMedia Publishing, 6 Arrow Road, Ramsey, New Jersey, 07446; (800) 292-1997.

### Zip Technology

Zip Technology recently announced the development of an 8-megahertz accelerator board for the Apple IIGs. Zip claims that the Zip GS is the fastest Apple IIGs accelerator and is compatible with all IIGs hardware and software. The board offers 16 different speed settings and allows independent control of the speaker, paddle, and all slot speeds, so acceleration does not interfere with the operation of accessories or the use of modems and hard drives. Zip describes the product as Direct Memory Access (DMA) compatible at any speed, enabling access to stored memory without processor slowdown. The Zip GS includes an 8K data cache upgradeable to 64K. The Zip GS has a suggested retail price of \$299.

NAUG members are reminded that Zip Technology has a history of announcing products and accepting orders long before a product is available to customers. As of early May, NAUG had not seen the Zip GS board and we suggest that you not order this product until the company starts actual deliveries. We will advise members when Zip starts shipping the Zip GS to customers and when we get a sample product for review.

*[Zip Technology, 5601 W. Slauson Avenue, Culver City, California 90230; (213) 337-1313.]*

# Should You Use QuickSpell?

By Kent Hayden

Several people have told me there is no longer a need for TimeOut QuickSpell now that there is a built-in spell checker in AppleWorks 3.0. I disagree.

QuickSpell has some important advantages when compared to the spell checker built into AppleWorks. For example, I prefer the spell checking algorithm in QuickSpell to the one used in AppleWorks. QuickSpell often gives me suggestions for misspelled words when the AppleWorks 3.0 spell checker does not. In addition, QuickSpell is faster and has several capabilities not found in AppleWorks' built-in spell checker, including a word count utility.

You can configure QuickSpell to use either its own dictionaries or those furnished with AppleWorks. Finally, the current version of QuickSpell (version 3.0) shares AppleWorks' ability to give suggestions for words spelled phonetically.

### Macros Save Keystrokes

One of the problems with QuickSpell is that it takes an extra keystroke or two to invoke the program. If you have TimeOut UltraMacros, you can add the macro in *Figure 1* or *Figure 2* to your default set and invoke QuickSpell from anywhere within AppleWorks. Note that you can use these macros to call any TimeOut module by changing the name of the program in variable \$Ø.

The macros in *Figure 2* use the ZMM Find Protocol macros found on the TimeOut PowerPack disk. They are printed here with the permission of Mark Munz and Randy Brandt.

[Ed: NAUG members who own QuickSpell can upgrade to version 3.0 from any one of NAUG's four Beagle Buddies. See page 33 of the March 1990 issue of the *AppleWorks Forum* for the necessary update information.]

**Figure 1: Macro that Calls QuickSpell (AppleWorks 3.0)**

```
<ba-Q>:<all><oa-esc : { Call the TimeOut menu. }
$Ø = "QuickSpell" : { Set string $Ø to the name of the module. }
find : { Search the menu for the module. }
if Z = Ø tab : { If not found, call the next TimeOut menu... }
find : { ...and try to find it on that menu. }
if Z = Ø : { If it is not on the second menu... }
bell : { ...sound the bell... }
msg $Ø + ' not found' : { ...display the message... }
stop : { ...and stop. }
endif : { If the module is found... }
rtn>! { ...enter a Return to run it. }
```

**Figure 2: Macro that Calls QuickSpell (AppleWorks 2.x)**

```
<ctrl-Q>:<all : oa-esc : { Call the TimeOut menu. }
$Ø = "QuickSpell" : { Store module name in $Ø. }
sa-ctrl-G : { Look for $Ø. Store result in Z. }
if z = Ø then bell : { If not found, sound the bell... }
msg $Ø + ' not found' : { ...display a message... }
stop : { ...and stop. }
elseoff : { If the module is found... }
rtn>! { ...enter a Return to run it. }

<ctrl-G>:<all :
y = peek 7786 * 256 + peek 7785 : { Get the TimeOut menu ID number. }
begin
sa-ctrl-z : { Look for item using ZMM v1.0. }
if z = Ø then tab : { If not found, switch TimeOut menus. }
x = peek 7786 * 256 + peek 7785 : { Check current TimeOut menu ID number }
ifnot x = y then { If it is a new menu, keep searching. }
rpt>! { if x = y then you are back at the first }
{ TimeOut menu and module is not available. }

<ctrl-z>:<all : { Original ZMM Find protocol. }
z = Ø : find : z = 1> { Returns boolean result in Z (Ø = not found, }
{ 1 = found). }
```

# How to Get Help with Apple IIGs Hardware and Software

by Nanette Luoma

Each month, the *AppleWorks Forum* lists the member-volunteers who offer technical support for AppleWorks products. This month's list identifies the volunteers who can answer questions about Apple IIGs hardware and software. Next month's issue will contain a list of members who offer help with TimeOut products and other AppleWorks enhancements from Beagle Bros.

## Apple IIGs

### How to Use This List

To the left of each volunteer's name are numbers indicating the utilities the consultant supports. Volunteers are listed alphabetically by state.

- |                  |                      |
|------------------|----------------------|
| 1 = Hardware     | 5 = GS/OS            |
| 2 = Diversi Key  | 6 = Desk Accessories |
| 3 = SoftSwitch   | 7 = AppleWorks GS    |
| 4 = TransWarp GS |                      |

	City	Home	Work
<b>Alabama</b>			
1,5,7	Norma Gradwohl	Mobile	205-343-4905 205-343-4905
<b>California</b>			
1,5-7	Dan Balsley	San Ramon	415-829-5085
1,4,7	Rolf C. Freerks	San Pedro	213-833-8266 213-337-1333
<b>Colorado</b>			
1,5	Lyle Graff	Littleton	303-794-5970 303-977-4557
<b>Connecticut</b>			
7	Martin Knight	Middletown	203-346-9698 203-347-8594
<b>Florida</b>			
1,4-6	H. Clay Bailey	Jacksonville	904-744-2499 904-725-3477
1,4	Robert J. Booz	Port Richey	813-868-1802
7	Ronald Stankiewics	Patrick AFB	407-494-2227
1,4-7	Jeff Strichard	Ft. Lauderdale	305-587-9590 305-587-9590
1	Mike Ungerman	Oviedo	407-366-0060 407-366-0156
<b>Indiana</b>			
1,3,5,6	Jack Countryman	Greensburg	812-663-4998
1,5	Kevin Gold	Indianapolis	317-290-8948 317-543-7098
<b>Maryland</b>			
1,4-7	Ray L. Settle	Arnold	301-647-9192 301-887-0106

	City	Home	Work
<b>Michigan</b>			
1,5,7	Jim Anker	Auburn Hills	313-391-0033 313-544-5344
1,7	Michael C. McMinn	Swartz Creek	313-655-4442 313-232-6541
1,4-7	Pete Ross	Wayne	313-728-8269
<b>Minnesota</b>			
1,4-7	James Hirsch	Coon Rapids	612-421-8393 612-422-5572
<b>Missouri</b>			
1,4-7	Whit Crowley	Manchester	314-394-7955
<b>Nebraska</b>			
5-7	Dr. John Kelley	Omaha	402-397-3485
1,4-7	Larry B. McEwen	Hastings	402-463-2267 402-461-7550
<b>New Hampshire</b>			
1-3	Phil Kirkpatrick	Keene	603-352-0640
<b>New Jersey</b>			
1,5,6	Jay Hubschman	Fairfield	201-575-1968 201-624-8046
<b>New York</b>			
1	Bob Beer	Coram	516-928-6870
1,5,6	Linda Doscher	New York	914-358-7064
1,4,7	Carlos M. Madan	Morrisville	518-562-0779 518-359-3322
7	Larry Merow	Sayville	516-567-0603 516-422-0315
1,4,7	James L. Nicoll	Pittsford	716-381-9480 716-546-6732
1,6,7	Terry Williamson	Orchard Park	716-662-5104 716-873-9750
<b>North Carolina</b>			
1	Marc Apfelstadt	Greensboro	919-282-1494 919-334-5970
<b>Ohio</b>			
4,5,6	Jason Chao	Cleveland Hts.	216-321-5451 216-844-3791
1,4,5	Robert M. Weis	Beavercreek	513-429-4169 513-257-6836
<b>Oregon</b>			
1,5,7	Jim Emig	Portland	503-771-1916 503-280-5666
7	M.W. Fox	Corvallis	503-754-7623 503-737-3628
1,5	Dave Lomax	Lake Oswego	503-636-7289
<b>Pennsylvania</b>			
1,5	Martin Friedman	Broomall	215-353-2753
1,5,7	Richard L. Gable	Pittsburgh	412-963-6158 412-963-1128
7	Joel Perlish	Havertown	215-789-7673
1,3-7	Bruce Shanker	Warminster	215-674-0118
1,4,5	Hal Shapiro	Eagleville	215-630-8936 215-922-0500

		City	Home	Work
<b>Texas</b>				
1	Larry Jones	El Paso	915-533-3302	915-565-3016
1,6	Joseph Kline	Lubbock	806-796-0829	
<b>Virginia</b>				
1	Peter Pfeiffer	Herndon	703-437-1985	703-834-3618
<b>Canada</b>				
1,4,5	Jean Guy Mariage	Shannon	418-844-2932	418-844-5268
1,3	Nick Van Helsdingen	Tranquillity Base	604-296-3260	
<b>England</b>				
1,4,7	Andrew Letchford	Plymouth	752-766435	
<b>France</b>				
1	Henry Marsh	Fontenay Aux Roses	43502745	43502745
<b>New Zealand</b>				
1,5	H.P.H. Harrison	Tauranga	075-442-842	075-778-000
<b>Saudi Arabia</b>				
1,7	James Hanushek	Dhahran, 31311	966-38784075	966-38771533

## Correction

Please make the following corrections to page 23 of the April 1990 issue of the *AppleWorks Forum*:

Right-hand column. Patch 3, step 3, line 7 should read **POKE 778,69**. The bottom of that column describes how to reverse this patch and restore AppleWorks to its original condition. Line 6 of that section should read **POKE 774, 69**. If you do not make this correction, Patch 3 will cause AppleWorks to drop to the monitor level on an Apple IIgs.

## Mastering the Magic of Macros

- A user's guide to UltraMacros™ with AppleWorks™  
by K. Bernhard and H. Heidtman

A complete text on disk — with step-by-step examples. All you need to use, customize, and enjoy UltraMacros with AppleWorks.

Chapters include information on:

- system setup
- learning new macros
- creating a "turnkey" file
- enhancing AppleWorks with macros
- creating and using "task files," and more.

Chapters are AppleWorks word processing files, ready to read or print. Most chapters contain sample macros which can be transformed into working macros using "cut & paste" techniques. A note to educators: Because this text is on disk, descriptions, examples, tables, figures, and sample files can be adapted for workshops and seminars.

*Ideal for new users of UltraMacros.*

*A valuable resource for experienced UltraMacros users.*

**Pre-release price** (till 8/1/90): **\$9.95** + \$1.50 S&H  
After August 1: \$14.95 + \$1.50 S&H

Satisfaction guaranteed, or your money back!

Please specify your preferred format: 5.25" (2-disks) or 3.5" (1 disk)

Mail your check, money order, or purchase order to:

**H & K Technologies**  
P.O. Box 742  
Bowling Green, OH 43402

## Electronic Index Disk Update

The list to the right contains the June 1990 update for NAUG's Electronic Index Disk. If you have more than 128K of RAM, enter the data into the file "Forum Index.All". If you have a 128K system, enter the data into the file "Forum Index.IV".

NAUG updates the Electronic Index Disk monthly. You can order the latest version from the NAUG Public Domain Library (\$4 per 5.25-inch disk; \$6 per 3.5-inch disk plus \$2 s/h per order) or download the latest version of the file from the NAUG bulletin board, (313) 736-8102, or from the NAUG areas on America On-Line and on CompuServe.

**Electronic Index Disk - June 1990 Update - Enter the default values for these categories: Volume #: 5 • Issue #: 6 • Date: June 90**

Letters to NAUG • 2 • Speeding Up TransWarp GS Cards • McDonald, Barbara • TransWarp; speed; hardware  
Letters to NAUG • 2 • Changing File Types • Waldrop, Thomas • Copy II+; AppleWorks; word processor; damaged files; FileMaster  
Letters to NAUG • 3 • Laptop Computers and AppleWorks • Zeigler, Earle F. • laptops; AppleWorks; Cross-Works  
Letters to NAUG • 4 • Inexpensive Hard Drives for Apple IIgs • Wassner, Frank • Ehman; hard disks; Hard Disks International  
Letters to NAUG • 4 • RepairWorks Compatibility • Mediodia, Steven • RepairWorks; Apple IIe  
Letters to NAUG • 5 • Technical Support by Fax • Trixner, Otto • Members Helping Members; Fax  
Letters to NAUG • 5 • Members Get Their Zip Chips • Brownlow, Jim Jr. • Zip Technology  
Spreadsheet Tips • 5 • How to Preserve Cell Formats in AppleWorks 3.0 • Williams, Warren • Spreadsheet; AppleWorks 3.0  
Inside AppleWorks • 7 • The Boot Up Process • Brandt, Randy • AppleWorks 3.0  
Inside AppleWorks • 8 • How to Save Space on Your Disks • Brandt, Randy • ProDOS; Copy II+; ProSel  
Beagle Bros Update • 11 • Beagle Releases TextTools, MacroEase, and SuperFonts Activity Guide • N/A • TextTools; MacroEase; Super-Fonts Activity Guide; Beagle Bros  
Software Review • 14 • FlexiCal: The Automated Appointment Calendar • Hayman, Gary • FlexiCal; JEM Software; macros  
Macro Primer • 17 • Hayman, Gary • How to Manage Your Macros • UltraMacros; macros; AlphaCheck  
Word Processor Tips • 21 • Faster Scrolling on an Apple IIgs • Merritt, Cathleen • Apple IIgs; word processor  
My Favorite Macro • 22 • How to Add an Alarm Clock to AppleWorks • Neef, William • Macros  
Public Domain Update • 24 • Change-A-File and CheckWorks Now in NAUG's Library • N/A • Change-A-File; CheckWorks  
Novice Notes • 25 • How to Prepare Your First Spreadsheet—Part 4 • William, Warren; Merritt, Cathleen • spreadsheets; gradebook;  
Copy Command; @AVG; formulas; formatting  
Quick Tip • 31 • Was Your AppleWorks Patched? • Hayden, Kent • AppleWorks; AW 3.0 Patch Disk; patches  
AppleWorks News • 32 • News of Interest to AppleWorks Users • N/A • Applied Engineering; Checkmate; K-12 MicroMedia; Zip Technology  
Word Processor Tips • 33 • Should You Use QuickSpell? • Hayden, Kent • QuickSpell; AppleWorks 3.0; spelling checkers  
Members Helping Members • 34 • How to Get Help with Apple IIgs Hardware and Software • Luoma, Nanette • Members Helping Mem-  
bers; Diversi Key; SoftSwitch; TransWarp; GS/OS; AppleWorks GS; Apple IIgs  
**New Keywords:** @AVG; AW 3.0 Patch Disk; Change-A-File; CheckWorks; Ehman; Fax; Hard Disk International; SuperFonts Activity Guide

## NAUG Membership

Name \_\_\_\_\_

Member N<sup>o</sup>, if renewing \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_

Zip \_\_\_\_\_ Country \_\_\_\_\_

Home Phone \_\_\_\_\_

Work Phone \_\_\_\_\_

Circle all which apply:

	One Year	Two* Years
<b>The AppleWorks Forum</b> (12 monthly issues; includes 2nd Class postage to United States)	\$29	\$58

### Special Postage Options

(Select postage option and add  
to Membership Fee)

1st Class Mail to U.S. and Mexico	\$15	\$30
1st Class Air Mail to Canada	\$20	\$40
2nd Class Mail to Canada and Mexico	\$10	\$20
Surface Mail outside North America	\$12	\$24
Air Mail outside North America	\$35	\$70

Total Enclosed \$ \_\_\_\_\_

☐ Check Enclosed    ☐ MasterCard    ☐ VISA

Credit Card Account # \_\_\_\_\_

Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_

\* Avoids future price increases.

NAUG shares members' addresses with other users groups and selected vendors. If you do not want to receive mail from these agencies, check here: ☐

AppleWorks is a trademark of Apple Computer,  
under license to Claris Corporation.

## Guidelines for Contributors

The **AppleWorks Forum** consists entirely of materials contributed by NAUG members. The **AppleWorks Forum** publishes three types of member contributions:

1. Letters: A letter, written to the Editor, that asks or answers a question, shares an idea, or makes a statement.
2. Notes: A note is a brief article or Quick Tip about a single theme.
3. Articles: Articles are generally five to ten double-spaced pages long. Members whose articles are published in the **AppleWorks Forum**, receive a one-year extension to their NAUG membership.

### How to Submit Articles to the AppleWorks Forum

1. Send paper copies of letters.
2. If possible, send both paper and disk copies of notes and articles. If you do not submit a printed copy, please include a note describing what is on the disk. All submissions become the property of NAUG.
3. All submissions to the **AppleWorks Forum** should include your name, address, and telephone number. We will cite you as the author of the letter, note, or article, but will not include your address or telephone number unless you specifically request that those be published. The Editor will make any necessary editorial changes to your submission. Mail your submission to: Cathleen Merritt, Editor; **AppleWorks Forum**, Box 87453; Canton, MI 48187.

## Classified Ads

**INEXPENSIVE CHURCH MANAGEMENT SOFTWARE** programs for Apple II compatible computers using AppleWorks. These application templates include record keeping for membership, finances, contributions, visitation, Sunday school: planning, goal setting, evaluation, worship, and much more. Special data base of music information from hymnals from many denominations. All for \$30. Many other programs, some free for the asking. Send for details: Software Sharing Ministries, 2020 North Fremont St., Tacoma, WA 98406; (206) 756-7980.

**AMAZING NEW NATIONAL DIRECTORY OF PHOTO COURSES** Featuring outstanding seminars, workshops, exotic tours, colleges. Exciting, up-to-date, easy to use, find your dream course! AppleWorks reports addresses, toll-free #'s, instructors, facilities, much more! Money back guarantee. 5.25 or 3.5 disk. Send \$19.95 to: PHOTOWORKS, 440 Lakeview Dr. #104-N, Fort Lauderdale, FL 33326; (305) 384-8947.

**NATIONWIDE WHOLESALE DIRECTORY.** Buy anything at wholesale & below. 5 1/4" AppleWorks Data Base is only \$10. Start saving thousands today. Dean De Witt Jr., HCR#1, Box 24, Livingston Manor, New York 12758. (914) 439-3536.

**PUBLIC DOMAIN SOFTWARE.** \$1 per disk. Send SASE for catalog. P.O. Box 1204, Torrington, Wyoming 82240-1204.

Apple-**Works Forum**

NAUG

National AppleWorks Users Group  
Box 87453, Canton, Michigan 48187  
(313) 454-1115  
BBS (313) 736-8102

**SECOND  
CLASS**  
Postage Paid  
at Plymouth, MI  
and other offices

TIME VALUE MATERIAL